



Technical Support and E-Warranty Certificate www.vevor.com/support

KITCHEN ISLAND USER MANUAL

MODEL:SR191276

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

KITCHEN ISLAND
(MODEL:SR191276)

Thanks for purchasing one of our products, please read carefully the assembly instructions before the installation.



Model: SR191276

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

PRODUCT PARAMETERS

Model	Product Size(mm)	Loading Capacity	Top panel size(mm)
SR191276	1100x450x825	300 lb (Max)	900x450

ASSEMBLY PRECAUTIONS

- 1. Assemble needs to follow these instructions. Incorrect assembly can be a hazard.
- 2. Wear safety goggles and heavy-duty work gloves during assembly.
- 3. Do not assemble when tired or under the influence of alcohol, drugs or medication.
- 4. Weight capacity and other product capabilities only apply to a wholly and correctly assembled product.
- 5. Keep the assembly area clean and well-lit.
- 6. Keep bystanders out of the area during assembly.
- 7.The weight of plate is heavy; pay attention to the installation to avoid hurting it, and if necessary, find someone to assist with the installation.

Assembling this cart will take approximately 3 hours, it is recommended that 2 people operate it.

USE PRECAUTIONS




WARNING: TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:


1. This product is not a toy. Do not allow children to play with or approach this item.
2. Use as intended only. Do not sit or stand on the product.
3. Inspect before every use. Do not use it if parts are loose or damaged.
4. Use on flat, level, and hard surfaces only.
5. Do not exceed the listed weight capacity. Tighten all knobs securely before applying load. Be aware of dynamic loading! The sudden load movement may briefly create an excess load, causing product failure.

SPECIAL TIPS FOR FITTING CAM-LOCKS AND QUICKFIT

**WHEN FITTING CAMLOCK
ENSURE STARTING POSITION IS CORRECT
BEFORE YOU INSERT CONNECTING QUICKFIT
TURN CLOCKWISE UNTIL SECURE**




CAM-LOCK

















Quickfit head needs to be in centre


QUICKFIT


























Tighten until shoulder is flush with panel. DO not overtighten or undertighten (see example below)



PARTS LIST





	1x1		8x1
	2x1		9x2
	3x1		10x2
	4x1		11x2
	5x1		12x1
	6x1		13x1
	7x1		14x1






A x34 M6*35 +1(spare) 	H x 2 M6*45 	S x 6 	CL x 2 
B x34 Ø15*10 +1(spare) 	I x 4 M4* 20 	T x 8 	CR x 2 
C x30 Ø6*30 +1(spare) 	J x 4 	U x 4 M3*14 	DL x 2 
D x 2 Ø10*10 	K x 8 	V x16 M5*14 +1(spare) 	DR x 2 
E x20 M3*12 +1(spare) 	L x 2 	W x 2 M4*10 	
F x12 M4*30 +1(spare) 	Q x 2 	X x32 M3*10 +1(spare) 	
G x11 M4*35 +1(spare) 	R x 2 	Y x4 	

ASSEMBLY STEPS





1




	A x 7
	B x 3
	C x 4
	F x 2




ASSEMBLY STEPS



2

	A x 7
	B x 3
	C x 4
	F x 2









5



 B x 4


6



	U x 4
	L x 2
	G x 1



7


 B x 4


8




 B x 4



9

	C x 6
	C x 6




10

	Q x 2
	R x 2
	V x 16




11







12

	D x 2
	H x 2
	C x 2




13

	A x 2
	B x 2
	C x 4




14

	C x 4
	G x 4




15

	A x 6
---	-------




16

	B x 6
	C x 6




17


	A x 8
	B x 8
	F x 8
	W x 2
	S x 2



x2


18

	DL x 2
	DR x 2
	E x 8








x2

19

 T x 8





20


	E x 4
	J x 4
	K x 8
	X x 16






x2


21

	X x 8
	S x 2
	I x 2






22

	X x 8
	S x 2
	I x 2




23




24

S Y x4




General Care

1.Make sure each layer should not exceed 40lb loading weight.



2.Make sure each drawer should not exceed 28lb loading weight.



Cleaning

-For cleaning, wipe the surface with a damp (not wet) cloth or wipe dry with a clean lint free cotton cloth.

Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Support and E-Warranty Certificate <https://www.vevor.com/support>



Technical Support and E-Warranty Certificate www.vevor.com/support

KITCHEN ISLAND USER MANUAL

MODEL:SR191276


We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

KITCHEN ISLAND
(MODEL:SR191276)

Thanks for purchasing one of our products, please read carefully the assembly instructions before the installation.



Model: SR191276

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Assistance technique et certificat de garantie
électronique www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

PRODUCT PARAMETERS

Model	Product Size(mm)	Loading Capacity	Top panel size(mm)
SR191276	1100x450x825	300 lb (Max)	900x450

ASSEMBLY PRECAUTIONS

1. Assemble needs to follow these instructions. Incorrect assembly can be a hazard.
2. Wear safety goggles and heavy-duty work gloves during assembly.
3. Do not assemble when tired or under the influence of alcohol, drugs or medication.
4. Weight capacity and other product capabilities only apply to a wholly and correctly assembled product.
5. Keep the assembly area clean and well-lit.
6. Keep bystanders out of the area during assembly.
7. The weight of plate is heavy; pay attention to the installation to avoid hurting it, and if necessary, find someone to assist with the installation.

L'assemblage de ce chariot prendra environ 3 heures, il est recommandé que 2 personnes l'utilisent.

USE PRECAUTIONS




WARNING: TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:


1. This product is not a toy. Do not allow children to play with or approach this item.
2. Use as intended only. Do not sit or stand on the product.
3. Inspect before every use. Do not use it if parts are loose or damaged.
4. Use on flat, level, and hard surfaces only.
5. Do not exceed the listed weight capacity. Tighten all knobs securely before applying load. Be aware of dynamic loading! The sudden load movement may briefly create an excess load, causing product failure.

SPECIAL TIPS FOR FITTING CAM-LOCKS AND QUICKFIT

**WHEN FITTING CAMLOCK
ENSURE STARTING POSITION IS CORRECT
BEFORE YOU INSERT CONNECTING QUICKFIT
TURN CLOCKWISE UNTIL SECURE**




CAM-LOCK

















Quickfit head needs to be in centre


QUICKFIT


























Tighten until shoulder is flush with panel. DO not overtighten or undertighten (see example below)



PARTS LIST

	1 x 1		8 x 1
	2 x 1		9 x 2
	3 x 1		10 x 2
	4 x 1		11 x 2
	5 x 1		12 x 1
	6 x 1		13 x 1
	7 x 1		14 x 1






A x34 M6*35 +1(spare) 	H x 2 M6*45 	S x 6 	CL x 2 
B x34 ø15*10 +1(spare) 	I x 4 M4*20 	T x 8 	CR x 2 
C x30 ø6*30 +1(spare) 	J x 4 	U x 4 M3*14 	DL x 2 
D x 2 ø10*10 	K x 8 	V x16 M5*14 +1(spare) 	DR x 2 
E x20 M3*12 +1(spare) 	L x 2 	W x 2 M4*10 	
F x12 M4*30 +1(spare) 	Q x 2 	X x32 M3*10 +1(spare) 	
G x11 M4*35 +1(spare) 	R x 2 	Y x4 	

ASSEMBLY STEPS

1




	A x 7
	B x 3
	C x 4
	F x 2




ASSEMBLY STEPS



2

	A x 7
	B x 3
	C x 4
	F x 2











5

 B x 4




6


	U x 4
	L x 2
	G x 1









9

	C x 66
	C x




10

	Q x 2
	R x 2
	V x 16




11




12


	D x 2
	H x 2
	C x 2




13



14




15

 A x

666


16

	B x
	C x



17


	A x 8
	B x 8
	F x 8
	W x 2
	S x 2



x2


18

	DL x 2
	DR x 2
	E x 8




x2

19

 T x 8


20


	E x 4
	J x 4
	K x 8
	X x 16



x2


21

	X x 8
	S x 2
	I x 2





22

	X x 8
	S x 2
	I x 2




23




24

S Y x4




General Care

1. Make sure each layer should not exceed 40lb loading weight.



2. Make sure each drawer should not exceed 28lb loading weight.



Cleaning


-For cleaning, wipe the surface with a damp (not wet) cloth or wipe dry with a clean lint free cotton cloth.

Fabricant : Shanghaimuxinmuyeyouxiangongsi

Adresse : Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu,
Shanghai 200000 CN.

Importé en Australie : SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
NSW 2122 Australie

Importé aux États-Unis : Sanven Technology Ltd. Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Francfort-sur-le-Main.



YH CONSULTING LIMITÉE.
A/S YH Consulting Limited Bureau 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Support and E-Warranty Certificate <https://www.vevor.com/support>



Technical Support and E-Warranty Certificate www.vevor.com/support

KITCHEN ISLAND USER MANUAL

MODEL:SR191276


We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

KITCHEN ISLAND
(MODEL:SR191276)

Thanks for purchasing one of our products, please read carefully the assembly instructions before the installation.



Model: SR191276

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technischer Support und E-Garantie-Zertifikat
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

PRODUCT PARAMETERS

Model	Product Size(mm)	Loading Capacity	Top panel size(mm)
SR191276	1100x450x825	300 lb (Max)	900x450

ASSEMBLY PRECAUTIONS

1. Assemble needs to follow these instructions. Incorrect assembly can be a hazard.
2. Wear safety goggles and heavy-duty work gloves during assembly.
3. Do not assemble when tired or under the influence of alcohol, drugs or medication.
4. Weight capacity and other product capabilities only apply to a wholly and correctly assembled product.
5. Keep the assembly area clean and well-lit.
6. Keep bystanders out of the area during assembly.
7. The weight of plate is heavy; pay attention to the installation to avoid hurting it, and if necessary, find someone to assist with the installation.

Der Zusammenbau dieses Wagens dauert etwa 3 Stunden.
Es wird empfohlen, dass ihn 2 Personen bedienen.

USE PRECAUTIONS




WARNING: TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:


1. This product is not a toy. Do not allow children to play with or approach this item.
2. Use as intended only. Do not sit or stand on the product.
3. Inspect before every use. Do not use it if parts are loose or damaged.
4. Use on flat, level, and hard surfaces only.
5. Do not exceed the listed weight capacity. Tighten all knobs securely before applying load. Be aware of dynamic loading! The sudden load movement may briefly create an excess load, causing product failure.

SPECIAL TIPS FOR FITTING CAM-LOCKS AND QUICKFIT

**WHEN FITTING CAMLOCK
ENSURE STARTING POSITION IS CORRECT
BEFORE YOU INSERT CONNECTING QUICKFIT
TURN CLOCKWISE UNTIL SECURE**




CAM-LOCK

















Quickfit head needs to be in centre


QUICKFIT


























Tighten until shoulder is flush with panel. DO not overtighten or undertighten (see example below)



PARTS LIST

	1 x 1		8 x 1
	2 x 1		9 x 2
	3 x 1		10 x 2
	4 x 1		11 x 2
	5 x 1		12 x 1
	6 x 1		13 x 1
	7 x 1		14 x 1






A x34 M6*35 +1(spare) 	H x 2 M6*45 	S x 6 	CL x 2 
B x34 ø15*10 +1(spare) 	I x 4 M4*20 	T x 8 	CR x 2 
C x30 ø6*30 +1(spare) 	J x 4 	U x 4 M3*14 	DL x 2 
D x 2 ø10*10 	K x 8 	V x16 M5*14 +1(spare) 	DR x 2 
E x20 M3*12 +1(spare) 	L x 2 	W x 2 M4*10 	
F x12 M4*30 +1(spare) 	Q x 2 	X x32 M3*10 +1(spare) 	
G x11 M4*35 +1(spare) 	R x 2 	Y x4 	

ASSEMBLY STEPS

1




	A x 7
	B x 3
	C x 4
	F x 2




ASSEMBLY STEPS



2

	A x 7
	B x 3
	C x 4
	F x 2











5

 B x 4




6


	U x 4
	L x 2
	G x 1









9

	C x 66
	C x




10

	Q x 2
	R x 2
	V x 16




11




12


	D x 2
	H x 2
	C x 2





13



14




15

 A x

666


16

	B x
	C x



17


	A x 8
	B x 8
	F x 8
	W x 2
	S x 2



x2


18

	DL x 2
	DR x 2
	E x 8




x2

19

 T x 8


20


	E x 4
	J x 4
	K x 8
	X x 16




x2


21

	X x 8
	S x 2
	I x 2





22

	X x 8
	S x 2
	I x 2




23




24

S Y x4




General Care

1. Make sure each layer should not exceed 40lb loading weight.



2. Make sure each drawer should not exceed 28lb loading weight.



Cleaning


-For cleaning, wipe the surface with a damp (not wet) cloth or wipe dry with a clean lint free cotton cloth.

Hersteller: Shanghaimuxinmuyeyouxiangongsi

Adresse: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu,
Shanghai 200000 CN.

Nach AUS importiert: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
NSW 2122 Australien

Importiert in die USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Support and E-Warranty Certificate <https://www.vevor.com/support>



Technical Support and E-Warranty Certificate www.vevor.com/support

KITCHEN ISLAND USER MANUAL

MODEL:SR191276


We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

KITCHEN ISLAND
(MODEL:SR191276)

Thanks for purchasing one of our products, please read carefully the assembly instructions before the installation.



Model: SR191276

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Supporto tecnico e certificato di garanzia
elettronica www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

PRODUCT PARAMETERS

Model	Product Size(mm)	Loading Capacity	Top panel size(mm)
SR191276	1100x450x825	300 lb (Max)	900x450

ASSEMBLY PRECAUTIONS

1. Assemble needs to follow these instructions. Incorrect assembly can be a hazard.
2. Wear safety goggles and heavy-duty work gloves during assembly.
3. Do not assemble when tired or under the influence of alcohol, drugs or medication.
4. Weight capacity and other product capabilities only apply to a wholly and correctly assembled product.
5. Keep the assembly area clean and well-lit.
6. Keep bystanders out of the area during assembly.
7. The weight of plate is heavy; pay attention to the installation to avoid hurting it, and if necessary, find someone to assist with the installation.

Il montaggio di questo carrello richiederà circa 3 ore; si consiglia di farlo utilizzare da due persone.

USE PRECAUTIONS




WARNING: TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:


1. This product is not a toy. Do not allow children to play with or approach this item.
2. Use as intended only. Do not sit or stand on the product.
3. Inspect before every use. Do not use it if parts are loose or damaged.
4. Use on flat, level, and hard surfaces only.
5. Do not exceed the listed weight capacity. Tighten all knobs securely before applying load. Be aware of dynamic loading! The sudden load movement may briefly create an excess load, causing product failure.

SPECIAL TIPS FOR FITTING CAM-LOCKS AND QUICKFIT

**WHEN FITTING CAMLOCK
ENSURE STARTING POSITION IS CORRECT
BEFORE YOU INSERT CONNECTING QUICKFIT
TURN CLOCKWISE UNTIL SECURE**




CAM-LOCK

















Quickfit head needs to be in centre


QUICKFIT


























Tighten until shoulder is flush with panel. DO not overtighten or undertighten (see example below)



PARTS LIST

	1 x 1		8 x 1
	2 x 1		9 x 2
	3 x 1		10 x 2
	4 x 1		11 x 2
	5 x 1		12 x 1
	6 x 1		13 x 1
	7 x 1		14 x 1






A x34 M6*35 +1(spare) 	H x 2 M6*45 	S x 6 	CL x 2 
B x34 ø15*10 +1(spare) 	I x 4 M4*20 	T x 8 	CR x 2 
C x30 ø6*30 +1(spare) 	J x 4 	U x 4 M3*14 	DL x 2 
D x 2 ø10*10 	K x 8 	V x16 M5*14 +1(spare) 	DR x 2 
E x20 M3*12 +1(spare) 	L x 2 	W x 2 M4*10 	
F x12 M4*30 +1(spare) 	Q x 2 	X x32 M3*10 +1(spare) 	
G x11 M4*35 +1(spare) 	R x 2 	Y x4 	

ASSEMBLY STEPS

1




	A x 7
	B x 3
	C x 4
	F x 2




ASSEMBLY STEPS



2

	A x 7
	B x 3
	C x 4
	F x 2











5

 B x 4




6


	U x 4
	L x 2
	G x 1









9

	C x 66
	C x




10

	Q x 2
	R x 2
	V x 16




11




12


	D x 2
	H x 2
	C x 2





13



14




15

 A x

666


16

	B x
	C x



17


	A x 8
	B x 8
	F x 8
	W x 2
	S x 2



x2


18

	DL x 2
	DR x 2
	E x 8




x2

19

 T x 8


20


	E x 4
	J x 4
	K x 8
	X x 16



x2


21

	X x 8
	S x 2
	I x 2





22

	X x 8
	S x 2
	I x 2




23




24

S Y x4




General Care

1. Make sure each layer should not exceed 40lb loading weight.



2. Make sure each drawer should not exceed 28lb loading weight.



Cleaning


-For cleaning, wipe the surface with a damp (not wet) cloth or wipe dry with a clean lint free cotton cloth.

Produttore: Shanghaimuxinmuyeyouxiangongsi

Indirizzo: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu,
shanghai 200000 CN.

Importato in AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Importato negli USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Francoforte sul Meno.



CONSULENZA YH LIMITATA.
C/O YH Consulting Limited Ufficio 147, Centurion House, London
Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Support and E-Warranty Certificate <https://www.vevor.com/support>



Technical Support and E-Warranty Certificate www.vevor.com/support

KITCHEN ISLAND USER MANUAL

MODEL:SR191276

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

**KITCHEN ISLAND
(MODEL:SR191276)**

Thanks for purchasing one of our products, please read carefully the assembly instructions before the installation.



Model: SR191276

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Soporte técnico y certificado de garantía
electrónica www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

PRODUCT PARAMETERS

Model	Product Size(mm)	Loading Capacity	Top panel size(mm)
SR191276	1100x450x825	300 lb (Max)	900x450

ASSEMBLY PRECAUTIONS

1. Assemble needs to follow these instructions. Incorrect assembly can be a hazard.
2. Wear safety goggles and heavy-duty work gloves during assembly.
3. Do not assemble when tired or under the influence of alcohol, drugs or medication.
4. Weight capacity and other product capabilities only apply to a wholly and correctly assembled product.
5. Keep the assembly area clean and well-lit.
6. Keep bystanders out of the area during assembly.
7. The weight of plate is heavy; pay attention to the installation to avoid hurting it, and if necessary, find someone to assist with the installation.

El montaje de este carrito tardará aproximadamente 3 horas, se recomienda que lo operen 2 personas.

USE PRECAUTIONS




WARNING: TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:


1. This product is not a toy. Do not allow children to play with or approach this item.
2. Use as intended only. Do not sit or stand on the product.
3. Inspect before every use. Do not use it if parts are loose or damaged.
4. Use on flat, level, and hard surfaces only.
5. Do not exceed the listed weight capacity. Tighten all knobs securely before applying load. Be aware of dynamic loading! The sudden load movement may briefly create an excess load, causing product failure.

SPECIAL TIPS FOR FITTING CAM-LOCKS AND QUICKFIT

**WHEN FITTING CAMLOCK
ENSURE STARTING POSITION IS CORRECT
BEFORE YOU INSERT CONNECTING QUICKFIT
TURN CLOCKWISE UNTIL SECURE**




CAM-LOCK

















Quickfit head needs to be in centre


QUICKFIT


























Tighten until shoulder is flush with panel. DO not overtighten or undertighten (see example below)



PARTS LIST

	1 x 1		8 x 1
	2 x 1		9 x 2
	3 x 1		10 x 2
	4 x 1		11 x 2
	5 x 1		12 x 1
	6 x 1		13 x 1
	7 x 1		14 x 1






A x34 M6*35 +1(spare) 	H x 2 M6*45 	S x 6 	CL x 2 
B x34 ø15*10 +1(spare) 	I x 4 M4* 20 	T x 8 	CR x 2 
C x30 ø6*30 +1(spare) 	J x 4 	U x 4 M3*14 	DL x 2 
D x 2 ø10*10 	K x 8 	V x16 M5*14 +1(spare) 	DR x 2 
E x20 M3*12 +1(spare) 	L x 2 	W x 2 M4* 10 	
F x12 M4*30 +1(spare) 	Q x 2 	X x32 M3*10 +1(spare) 	
G x11 M4*35 +1(spare) 	R x 2 	Y x4 	

ASSEMBLY STEPS

1




	A x 7
	B x 3
	C x 4
	F x 2




ASSEMBLY STEPS



2

	A x 7
	B x 3
	C x 4
	F x 2











5

 B x 4




6


	U x 4
	L x 2
	G x 1









9

	C x 66
	C x




10

	Q x 2
	R x 2
	V x 16




11




12


	D x 2
	H x 2
	C x 2



13




14



15



A x



666


16



B x




C x



17


	A x 8
	B x 8
	F x 8
	W x 2
	S x 2



x2


18

	DL x 2
	DR x 2
	E x 8




x2

19

 T x 8


20


	E x 4
	J x 4
	K x 8
	X x 16



x2


21

	X x 8
	S x 2
	I x 2





22

	X x 8
	S x 2
	I x 2




23




24

S Y x4




General Care

1. Make sure each layer should not exceed 40lb loading weight.



2. Make sure each drawer should not exceed 28lb loading weight.



Cleaning


-For cleaning, wipe the surface with a damp (not wet) cloth or wipe dry with a clean lint free cotton cloth.

Fabricante: Shanghaimuxinmuyeyouxiangongsi

Dirección: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu,
shanghai 200000 CN.

Importado a AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Importado a EE. UU.: Sanven Technology Ltd. Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Fráncfort del Meno.



YH CONSULTING LIMITADA.
C/O YH Consulting Limited Oficina 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Support and E-Warranty Certificate <https://www.vevor.com/support>



Technical Support and E-Warranty Certificate www.vevor.com/support

KITCHEN ISLAND USER MANUAL

MODEL:SR191276


We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®
TOUGH TOOLS, HALF PRICE

KITCHEN ISLAND
(MODEL:SR191276)

Thanks for purchasing one of our products, please read carefully the assembly instructions before the installation.



Model: SR191276

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Wsparcie techniczne i certyfikat gwarancji
elektronicznej www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

PRODUCT PARAMETERS

Model	Product Size(mm)	Loading Capacity	Top panel size(mm)
SR191276	1100x450x825	300 lb (Max)	900x450

ASSEMBLY PRECAUTIONS

1. Assemble needs to follow these instructions. Incorrect assembly can be a hazard.
2. Wear safety goggles and heavy-duty work gloves during assembly.
3. Do not assemble when tired or under the influence of alcohol, drugs or medication.
4. Weight capacity and other product capabilities only apply to a wholly and correctly assembled product.
5. Keep the assembly area clean and well-lit.
6. Keep bystanders out of the area during assembly.
7. The weight of plate is heavy; pay attention to the installation to avoid hurting it, and if necessary, find someone to assist with the installation.

Złożenie wózka zajmie około 3 godzin, zaleca się, aby obsługiwały go 2 osoby.

USE PRECAUTIONS




WARNING: TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:


1. This product is not a toy. Do not allow children to play with or approach this item.
2. Use as intended only. Do not sit or stand on the product.
3. Inspect before every use. Do not use it if parts are loose or damaged.
4. Use on flat, level, and hard surfaces only.
5. Do not exceed the listed weight capacity. Tighten all knobs securely before applying load. Be aware of dynamic loading! The sudden load movement may briefly create an excess load, causing product failure.

SPECIAL TIPS FOR FITTING CAM-LOCKS AND QUICKFIT

**WHEN FITTING CAMLOCK
ENSURE STARTING POSITION IS CORRECT
BEFORE YOU INSERT CONNECTING QUICKFIT
TURN CLOCKWISE UNTIL SECURE**




CAM-LOCK

















Quickfit head needs to be in centre


QUICKFIT


























Tighten until shoulder is flush with panel. DO not overtighten or undertighten (see example below)



PARTS LIST

	1 x 1		8 x 1
	2 x 1		9 x 2
	3 x 1		10 x 2
	4 x 1		11 x 2
	5 x 1		12 x 1
	6 x 1		13 x 1
	7 x 1		14 x 1






A x34 M6*35 +1(spare) 	H x 2 M6*45 	S x 6 	CL x 2 
B x34 ø15*10 +1(spare) 	I x 4 M4* 20 	T x 8 	CR x 2 
C x30 ø6*30 +1(spare) 	J x 4 	U x 4 M3*14 	DL x 2 
D x 2 ø10*10 	K x 8 	V x16 M5*14 +1(spare) 	DR x 2 
E x20 M3*12 +1(spare) 	L x 2 	W x 2 M4* 10 	
F x12 M4*30 +1(spare) 	Q x 2 	X x32 M3*10 +1(spare) 	
G x11 M4*35 +1(spare) 	R x 2 	Y x4 	

ASSEMBLY STEPS

1




	A x 7
	B x 3
	C x 4
	F x 2




ASSEMBLY STEPS



2

	A x 7
	B x 3
	C x 4
	F x 2











5

 B x 4




6


	U x 4
	L x 2
	G x 1









9

	C x 66
	C x




10




	Q x 2
	R x 2
	V x 16




11




12


	D x 2
	H x 2
	C x 2





13



14




15

 A x

666


16

	B x
	C x



17


	A x 8
	B x 8
	F x 8
	W x 2
	S x 2



x2


18

	DL x 2
	DR x 2
	E x 8




x2

19

 T x 8


20


	E x 4
	J x 4
	K x 8
	X x 16



x2


21

	X x 8
	S x 2
	I x 2





22

	X x 8
	S x 2
	I x 2




23




24

S Y x4




General Care

1. Make sure each layer should not exceed 40lb loading weight.



2. Make sure each drawer should not exceed 28lb loading weight.



Cleaning


-For cleaning, wipe the surface with a damp (not wet) cloth or wipe dry with a clean lint free cotton cloth.

Producent: Shanghaimuxinmuyeyouxiangongsi

Adres: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu,
szanghaj 200000 CN.

Importowane do AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
NSW 2122 Australia

Importowane do USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt nad Menem.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Biuro 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Support and E-Warranty Certificate <https://www.vevor.com/support>



Technical Support and E-Warranty Certificate www.vevor.com/support

KITCHEN ISLAND USER MANUAL

MODEL:SR191276

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

**KITCHEN ISLAND
(MODEL:SR191276)**

Thanks for purchasing one of our products, please read carefully the assembly instructions before the installation.



Model: SR191276

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technische ondersteuning en e-
garantiecertificaat www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

PRODUCT PARAMETERS

Model	Product Size(mm)	Loading Capacity	Top panel size(mm)
SR191276	1100x450x825	300 lb (Max)	900x450

ASSEMBLY PRECAUTIONS

1. Assemble needs to follow these instructions. Incorrect assembly can be a hazard.
2. Wear safety goggles and heavy-duty work gloves during assembly.
3. Do not assemble when tired or under the influence of alcohol, drugs or medication.
4. Weight capacity and other product capabilities only apply to a wholly and correctly assembled product.
5. Keep the assembly area clean and well-lit.
6. Keep bystanders out of the area during assembly.
7. The weight of plate is heavy; pay attention to the installation to avoid hurting it, and if necessary, find someone to assist with the installation.

Het monteren van deze kar duurt ongeveer 3 uur. Het wordt aanbevolen dat 2 personen de kar bedienen.

USE PRECAUTIONS




WARNING: TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:


1. This product is not a toy. Do not allow children to play with or approach this item.
2. Use as intended only. Do not sit or stand on the product.
3. Inspect before every use. Do not use it if parts are loose or damaged.
4. Use on flat, level, and hard surfaces only.
5. Do not exceed the listed weight capacity. Tighten all knobs securely before applying load. Be aware of dynamic loading! The sudden load movement may briefly create an excess load, causing product failure.

SPECIAL TIPS FOR FITTING CAM-LOCKS AND QUICKFIT

**WHEN FITTING CAMLOCK
ENSURE STARTING POSITION IS CORRECT
BEFORE YOU INSERT CONNECTING QUICKFIT
TURN CLOCKWISE UNTIL SECURE**




CAM-LOCK

















Quickfit head needs to be in centre


QUICKFIT


























Tighten until shoulder is flush with panel. DO not overtighten or undertighten (see example below)



PARTS LIST

	1 x 1		8 x 1
	2 x 1		9 x 2
	3 x 1		10 x 2
	4 x 1		11 x 2
	5 x 1		12 x 1
	6 x 1		13 x 1
	7 x 1		14 x 1






A x34 M6*35 +1(spare) 	H x 2 M6*45 	S x 6 	CL x 2 
B x34 ø15*10 +1(spare) 	I x 4 M4*20 	T x 8 	CR x 2 
C x30 ø6*30 +1(spare) 	J x 4 	U x 4 M3*14 	DL x 2 
D x 2 ø10*10 	K x 8 	V x16 M5*14 +1(spare) 	DR x 2 
E x20 M3*12 +1(spare) 	L x 2 	W x 2 M4*10 	
F x12 M4*30 +1(spare) 	Q x 2 	X x32 M3*10 +1(spare) 	
G x11 M4*35 +1(spare) 	R x 2 	Y x4 	

ASSEMBLY STEPS

1




	A x 7
	B x 3
	C x 4
	F x 2




ASSEMBLY STEPS



2

	A x 7
	B x 3
	C x 4
	F x 2











5

 B x 4




6


	U x 4
	L x 2
	G x 1









9

	C x 66
	C x




10

	Q x 2
	R x 2
	V x 16




11




12


	D x 2
	H x 2
	C x 2





13



14




15

 A x


666

16

	B x
	C x



17




	A x 8
	B x 8
	F x 8
	W x 2
	S x 2

x2

18




	DL x 2
	DR x 2
	E x 8




x2

19

 T x 8


20


	E x 4
	J x 4
	K x 8
	X x 16




x2


21

	X x 8
	S x 2
	I x 2





22

	X x 8
	S x 2
	I x 2




23




24

S Y x4




General Care

1. Make sure each layer should not exceed 40lb loading weight.



2. Make sure each drawer should not exceed 28lb loading weight.



Cleaning


-For cleaning, wipe the surface with a damp (not wet) cloth or wipe dry with a clean lint free cotton cloth.

Fabrikant: Shanghai muxin muyeyouxiangongsi

Adres: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai
200000 CN.

Geïmporteerd naar AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
NSW 2122 Australië

Geïmporteerd naar de VS: Sanven Technology Ltd. Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Kantoor 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Support and E-Warranty Certificate <https://www.vevor.com/support>



Technical Support and E-Warranty Certificate www.vevor.com/support

KITCHEN ISLAND USER MANUAL

MODEL:SR191276

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

**KITCHEN ISLAND
(MODEL:SR191276)**

Thanks for purchasing one of our products, please read carefully the assembly instructions before the installation.



Model: SR191276

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Teknisk support och e-garanticertifikat
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

PRODUCT PARAMETERS

Model	Product Size(mm)	Loading Capacity	Top panel size(mm)
SR191276	1100x450x825	300 lb (Max)	900x450

ASSEMBLY PRECAUTIONS

1. Assemble needs to follow these instructions. Incorrect assembly can be a hazard.
2. Wear safety goggles and heavy-duty work gloves during assembly.
3. Do not assemble when tired or under the influence of alcohol, drugs or medication.
4. Weight capacity and other product capabilities only apply to a wholly and correctly assembled product.
5. Keep the assembly area clean and well-lit.
6. Keep bystanders out of the area during assembly.
7. The weight of plate is heavy; pay attention to the installation to avoid hurting it, and if necessary, find someone to assist with the installation.

Att montera denna vagn tar cirka 3 timmar, det rekommenderas att 2 personer använder den.

USE PRECAUTIONS




WARNING: TO PREVENT SERIOUS INJURY AND DEATH FROM TIPPING:


1. This product is not a toy. Do not allow children to play with or approach this item.
2. Use as intended only. Do not sit or stand on the product.
3. Inspect before every use. Do not use it if parts are loose or damaged.
4. Use on flat, level, and hard surfaces only.
5. Do not exceed the listed weight capacity. Tighten all knobs securely before applying load. Be aware of dynamic loading! The sudden load movement may briefly create an excess load, causing product failure.

SPECIAL TIPS FOR FITTING CAM-LOCKS AND QUICKFIT

**WHEN FITTING CAMLOCK
ENSURE STARTING POSITION IS CORRECT
BEFORE YOU INSERT CONNECTING QUICKFIT
TURN CLOCKWISE UNTIL SECURE**




CAM-LOCK

















Quickfit head needs to be in centre


QUICKFIT


























Tighten until shoulder is flush with panel. DO not overtighten or undertighten (see example below)



PARTS LIST

	1 x 1		8 x 1
	2 x 1		9 x 2
	3 x 1		10 x 2
	4 x 1		11 x 2
	5 x 1		12 x 1
	6 x 1		13 x 1
	7 x 1		14 x 1






A x34 M6*35 +1(spare) 	H x 2 M6*45 	S x 6 	CL x 2 
B x34 ø15*10 +1(spare) 	I x 4 M4*20 	T x 8 	CR x 2 
C x30 ø6*30 +1(spare) 	J x 4 	U x 4 M3*14 	DL x 2 
D x 2 ø10*10 	K x 8 	V x16 M5*14 +1(spare) 	DR x 2 
E x20 M3*12 +1(spare) 	L x 2 	W x 2 M4*10 	
F x12 M4*30 +1(spare) 	Q x 2 	X x32 M3*10 +1(spare) 	
G x11 M4*35 +1(spare) 	R x 2 	Y x4 	

ASSEMBLY STEPS

1




	A x 7
	B x 3
	C x 4
	F x 2




ASSEMBLY STEPS



2

	A x 7
	B x 3
	C x 4
	F x 2











5

 B x 4


6


	U x 4
	L x 2
	G x 1









9

	C x 66
	C x




10

	Q x 2
	R x 2
	V x 16




11




12


	D x 2
	H x 2
	C x 2





13



14




15

 A x

666


16

	B x
	C x



17


	A x 8
	B x 8
	F x 8
	W x 2
	S x 2



x2


18

	DL x 2
	DR x 2
	E x 8




x2

19

 T x 8


20


	E x 4
	J x 4
	K x 8
	X x 16



x2


21

	X x 8
	S x 2
	I x 2





22

	X x 8
	S x 2
	I x 2




23




24

S Y x4




General Care

1. Make sure each layer should not exceed 40lb loading weight.



2. Make sure each drawer should not exceed 28lb loading weight.



Cleaning


-For cleaning, wipe the surface with a damp (not wet) cloth or wipe dry with a clean lint free cotton cloth.

Tillverkare: Shanghai muxinmuyeyouxiangongsi

Adress: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu,
shanghai 200000 CN.

Importerad till AUS: SIHAO PTY LTD. 1 ROKEVA STREETEASTWOOD
NSW 2122 Australien

Importerad till USA: Sanven Technology Ltd. Suite 250, 9166 Anaheim
Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Support and E-Warranty Certificate <https://www.vevor.com/support>