

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate

www.vevor.com/support

COIL-CHAIN USER MANUAL

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR[®]

TOUGH TOOLS, HALF PRICE

COIL-CHAIN

MODEL: SH006-TZ-1/4"*1.2M/ SH006-TZ-5/16"*2M/ SH006-TZ-5/16"*3.1M/
SH006-TZ-5/16"*6.2M/ SH006-DXTZ-8MM*6.2M/ SH006-031-1261X/
SH006-DXTZ-5/16"*3.1M



Photo for reference

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTION AND PRECAUTIONS

⚠WARNING:

1. Before installation, the chain should be checked for any damage, and if there is any damage, it should be replaced in a timely manner;
2. During installation, attention should be paid to the direction of the chain to ensure that it flows correctly,
3. During installation, ensure that the chain is properly tensioned and not too tight or loose,
4. After installation, the chain should be checked for tightness to avoid detachment.

Model List

S/N	Model	Dimension	Photo
1	SH006-TZ-1/4"*1.2M	Stainless steel 316	
2	SH006-TZ-5/16"*2M	Stainless steel 316	
3	SH006-TZ-5/16"*3.1M	Stainless steel 316	
4	SH006-TZ-5/16"*6.2M	Stainless steel 316	
5	SH006-DXTZ-8MM*6.2M	Carbon steel	
6	SH006-031-1261X	Carbon steel +PA	
7	SH006-DXTZ-5/16"*3.1M	Carbon steel	

Process: Made by cold pressing and argon arc welding technology,

Usage: Linking ship anchors etc.,

Maintenance and upkeep

1. Before use, the chain should be checked for cleanliness. If there is dirt, it should be cleaned thoroughly,
2. Regularly lubricate the chain to maintain its good working condition,
3. Do not spray lubricants containing acidic or alkaline substances on the surface of the chain to avoid damaging the chain,
4. Do not heat or apply severe impact on the chain to avoid affecting its service life.

Manufacturer: Shanghaimuxinmuyeyouxiangongsi

Address: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Imported to AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Imported to USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
-----------	------------

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technical Support and E-Warranty Certificate www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Support technique et certificat de garantie électronique

www.vevor.com/support

CHAÎNE À BOBINES

MANUEL DE L'UTILISATEUR

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

COIL-CHAIN

MODÈLE : SH006-TZ-1/4"*1,2M/ SH006-TZ-5/16"*2M/ SH006-TZ-5/16"*3,1M/
SH006-TZ-5/16"*6,2M/ SH006 -DXTZ-8MM*6.2M/SH006-031-1261X/
SH006-DXTZ-5/16"*3.1M



Photo pour référence

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTION AND PRECAUTIONS

⚠️AVERTISSEMENT:

1. Avant l'installation, la chaîne doit être vérifiée pour détecter tout dommage, et si elle est endommagée, elle doit être remplacée en temps opportun ;
2. Lors de l'installation, il faut faire attention au sens de la chaîne pour s'assurer qu'elle coule correctement,
3. Lors de l'installation, assurez-vous que la chaîne est correctement tendue et qu'elle n'est ni trop serrée ni trop lâche.
4. Après l'installation, le serrage de la chaîne doit être vérifié pour éviter tout détachement.

Liste des modèles

S/N	Modèle	Dimension	Photo
1	SH006-TZ-1/4"*1.2M	Acier inoxydable 316	
2	SH006-TZ-5/16"*2M	Acier inoxydable 316	
3	SH006-TZ-5/16"*3.1M	Acier inoxydable 316	
4	SH006-TZ-5/16"*6.2M	Acier inoxydable 316	
5	SH006-DXTZ-8MM*6.2M	Acier Carbone	
6	SH006-031-1261X	Acier au carbone +PA	
7	SH006-DXTZ-5/16"*3.1M	Acier Carbone	

Processus : Fabriqué par pression à froid et technologie de soudage à l'arc sous argon,

Utilisation : relier les ancrs de navires , etc.,

Entretien et maintenance

- 1. Avant utilisation, la propreté de la chaîne doit être vérifiée. S'il y a de la saleté, elle doit être soigneusement nettoyée,
- 2. Lubrifiez régulièrement la chaîne pour maintenir son bon état de fonctionnnement,
- 3. Ne pulvérisiez pas de lubrifiants contenant des substances acides ou alcalines sur la surface de la chaîne pour éviter d'endommager la chaîne,
- 4. Ne chauffez pas et n'appliquez pas d'impacts violents sur la chaîne pour éviter d'affecter sa durée de vie.

Fabricant : Shanghaimuxinmuyeyouxiangongsi

Adresse : Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, Shanghai 200000 CN.

Importé en Australie : SIHAO PTY LTD, 1 ROKEVA STREETESTWOOD NSW 2122 Australie

Importé aux États-Unis : Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP	E-CrossStu GmbH Mainzer Landstr.69, 60329 Frankfurt am Main.
----	-----	---

UK	REP	YH CONSULTING LIMITED. C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX
----	-----	--

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technique Assistance et certificat de garantie électronique
www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technischer Support und E-Garantie-Zertifikat

www.vevor.com/support

SPULENKETTE BENUTZERHANDBUCH

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

COIL-CHAIN

MODELL: SH006-TZ-1/4"*1,2M/ SH006-TZ-5/16"*2M/ SH006-TZ-5/16"*3,1M/
SH006-TZ-5/16"*6,2M/ SH006-DXTZ-8MM*6,2M/ SH006-031-1261X/
SH006-DXTZ-5/16"*3,1M



Foto als Referenz

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.


SAFETY INSTRUCTION AND PRECAUTIONS

⚠️WARNING:

1. Vor der Installation sollte die Kette auf Beschädigungen überprüft werden. Wenn Schäden vorliegen, sollte sie rechtzeitig ausgetauscht werden .
2. Bei der Installation sollte auf die Richtung der Kette geachtet werden, um sicherzustellen, dass sie richtig fließt.
3. Achten Sie bei der Montage darauf, dass die Kette richtig gespannt ist und weder zu straff noch zu locker sitzt.
4. Nach der Installation sollte die Kette auf Spannung überprüft werden, um ein Ablösen zu vermeiden.

Modellliste

Seriennummer	Modell	Abmessungen	Foto
1	SH006-TZ-1/4"*1.2M	Edelstahl 316	
2	SH006-TZ-5/16"*2M	Edelstahl 316	
3	SH006-TZ-5/16"*3.1M	Edelstahl 316	
4	SH006-TZ-5/16"*6.2M	Edelstahl 316	
5	SH006-DXTZ-8MM*6.2M	Kohlenstoffstahl	

6	SH006-031-1261X	Kohlenstoffstahl +PA	
7	SH006-DXTZ-5/16"*3.1M	Kohlenstoffstahl	

Verfahren : Hergestellt durch Kaltpressen und Argon-Lichtbogenschweißen.

Verwendung: Verbinden von Schiffsankern usw.,

Wartung und Instandhaltung

1. Vor dem Gebrauch sollte die Kette auf Sauberkeit überprüft werden. Wenn Schmutz vorhanden ist, sollte sie gründlich gereinigt werden,
2. Schmieren Sie die Kette regelmäßig, um sie in gutem Zustand zu halten.
3. Sprühen Sie keine Schmiermittel mit sauren oder alkalischen Substanzen auf die Oberfläche der Kette, um eine Beschädigung der Kette zu vermeiden.
4. Erhitzen Sie die Kette nicht und setzen Sie sie keinen starken Stößen aus, um ihre Lebensdauer nicht zu beeinträchtigen.

Hersteller: Shanghaimuxinmuyeyouxiangongsi

Adresse: Shuangchenglu 803nong11hao1602A-1609shi, Baoshanqu, Shanghai 200000 CN.

Nach AUS importiert: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australien

Importiert in die USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
-----------	------------

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Support und E-Garantie-Zertifikat www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Supporto tecnico e certificato di garanzia elettronica

www.vevor.com/support

CATENA A SPIRALE

MANUALE D'USO

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

COIL-CHAIN

MODELLO: SH006-TZ-1/4"*1,2M/ SH006-TZ-5/16"*2M/ SH006-TZ-5/16"*3,1M/
SH006-TZ-5/16"*6,2M/ SH006 -DXTZ-8MM*6.2M/ SH006-031-1261X/
SH006-DXTZ-5/16"*3.1M



Foto per riferimento

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTION AND PRECAUTIONS

⚠AVVERTIMENTO:

1. Prima dell'installazione, la catena deve essere controllata per eventuali danni e, in caso di danni, deve essere sostituita tempestivamente ;
2. Durante l'installazione è necessario prestare attenzione alla direzione della catena per garantire che scorra correttamente,
3. Durante l'installazione, assicurarsi che la catena sia adeguatamente tesa e non troppo tesa o allentata,
4. Dopo l'installazione, controllare la tenuta della catena per evitare che si stacchi.

Elenco dei modelli

S/N	Modello	Dimensione	Foto
1	SH006-TZ-1/4"*1,2M	Acciaio inossidabile 316	
2	SH006-TZ-5/16"*2M	Acciaio inossidabile 316	
3	SH006-TZ-5/16"*3,1M	Acciaio inossidabile 316	
4	SH006-TZ-5/16"*6,2M	Acciaio inossidabile 316	
5	SH006-DXTZ-8MM*6.2M	Acciaio al carbonio	
6	SH006-031-1261X	Acciaio al carbonio+PA	
7	SH006-DXTZ-5/16"*3,1M	Acciaio al carbonio	

Processo : realizzato mediante pressatura a freddo e tecnologia di saldatura ad arco di argon,

Utilizzo: collegamento di ancore di navi ecc.,

M anutenzione e manutenzione

- 1. Prima dell'uso, controllare la pulizia della catena. Se c'è sporco, deve essere pulito accuratamente,
- 2. Lubrificare regolarmente la catena per mantenerla in buone condizioni di funzionamento,
- 3. Non spruzzare lubrificanti contenenti sostanze acide o alcaline sulla superficie della catena per evitare di danneggiare la catena,
- 4. Non riscaldare o applicare forti impatti sulla catena per evitare di comprometterne la durata.

Produttore: Shanghaimuxinmuyeyouxiangongsi

Indirizzo: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Importato in AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Importato negli Stati Uniti: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
----	-----

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
----	-----

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Tecnico Supporto e certificato di garanzia elettronica www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Soporte técnico y certificado de garantía electrónica

www.vevor.com/support

CADENA DE BOBINA

MANUAL DE USUARIO

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

COIL-CHAIN

MODELO: SH006-TZ-1/4"*1.2M/ SH006-TZ-5/16"*2M/ SH006-TZ-5/16"*3.1M/
SH006-TZ-5/16"*6.2M/ SH006 -DXTZ-8MM*6.2M/ SH006-031-1261X/
SH006-DXTZ-5/16"*3.1M



Foto como referencia

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTION AND PRECAUTIONS

⚠️ADVERTENCIA:

1. Antes de la instalación, se debe revisar la cadena para detectar cualquier daño y, si hay algún daño, se debe reemplazar de manera oportuna ;
2. Durante la instalación, se debe prestar atención a la dirección de la cadena para garantizar que fluya correctamente.
3. Durante la instalación, asegúrese de que la cadena esté correctamente tensada y no demasiado apretada ni suelta.
4. Después de la instalación, se debe comprobar que la cadena esté apretada para evitar que se desprenda.

Lista de modelos

S/N	Modelo	Dimensión	Foto
1	SH006-TZ-1/4"*1.2M	Acero inoxidable 316	
2	SH006-TZ-5/16"*2M	Acero inoxidable 316	
3	SH006-TZ-5/16"*3.1M	Acero inoxidable 316	
4	SH006-TZ-5/16"*6.2M	Acero inoxidable 316	
5	SH006-DXTZ-8MM*6.2M	Acero carbono	
6	SH006-031-1261X	Acero al carbono +PA	
7	SH006-DXTZ-5/16"*3.1M	Acero carbono	

Proceso : fabricado mediante prensado en frío y tecnología de soldadura por arco de argón,

Uso: Vincular anclas de barcos , etc.

Mantenimiento y conservación

- 1. Antes de su uso, se debe comprobar la limpieza de la cadena. Si hay suciedad, se debe limpiar a fondo,
- 2. Lubrique regularmente la cadena para mantener su buen estado de funcionamiento.
- 3. No rocíe lubricantes que contengan sustancias ácidas o alcalinas en la superficie de la cadena para evitar dañar la cadena,
- 4. No caliente ni aplique impactos severos a la cadena para evitar afectar su vida útil.

Fabricante: Shanghaimuxinmuyeyouxiangongsi

Dirección: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Importado a AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australia

Importado a EE. UU.: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP	E-CrossStu GmbH Mainzer Landstr.69, 60329 Frankfurt am Main.
----	-----	---

UK	REP	YH CONSULTING LIMITED. C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey, TW18 4AX
----	-----	--

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Técnico Soporte y certificado de garantía electrónica www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Wsparcie techniczne i certyfikat e-gwarancji

www.vevor.com/support

ŁAŃCUCH CEWKOWY

INSTRUKCJA OBSŁUGI

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

COIL-CHAIN

MODELU: SH006-TZ-1/4"*1,2M/ SH006-TZ-5/16"*2M/ SH006-TZ-5/16"*3,1M/
SH006-TZ-5/16"*6,2M/SH006 -DXTZ-8MM*6,2M/SH006-031-1261X/
SH006-DXTZ-5/16"*3,1M



Zdjęcie w celach informacyjnych

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTION AND PRECAUTIONS

⚠️ OSTRZEŻENIE:

1. Przed montażem należy sprawdzić łańcuch pod kątem uszkodzeń, a w przypadku stwierdzenia uszkodzeń należy go w odpowiednim czasie wymienić ;
2. Podczas montażu należy zwrócić uwagę na kierunek łańcucha, aby zapewnić jego prawidłowy przepływ,
3. Podczas montażu należy zwrócić uwagę, aby łańcuch był odpowiednio napięty i nie był zbyt napięty ani luźny,
4. Po montażu należy sprawdzić szczelność łańcucha, aby uniknąć oderwania.

Lista modeli

S/N	Model	Wymiar	Zdjęcie
1	SH006-TZ-1/4"*1,2M	Stal nierdzewna 316	
2	SH006-TZ-5/16"*2M	Stal nierdzewna 316	
3	SH006-TZ-5/16"*3,1M	Stal nierdzewna 316	
4	SH006-TZ-5/16"*6,2M	Stal nierdzewna 316	
5	SH006-DXTZ-8MM*6,2M	Stal węglowa	
6	SH006-031-1261X	Stal węglowa +PA	
7	SH006-DXTZ-5/16"*3,1M	Stal węglowa	

Proces : Wykonany w technologii tłoczenia na zimno i spawania łukiem argonowym,

Zastosowanie: Łączenie kotwic statków itp.,

Konserwacja i konserwacja

1. Przed użyciem należy sprawdzić łańcuch pod kątem czystości. W przypadku zabrudzeń należy je dokładnie oczyścić,
2. Regularnie smaruj łańcuch, aby zachować jego dobry stan pracy,
3. Nie rozpylaj smarów zawierających substancje kwaśne lub zasadowe na powierzchnię łańcucha, aby uniknąć uszkodzenia łańcucha,
4. Nie podgrzewaj ani nie wywieraj silnego nacisku na łańcuch, aby uniknąć wpływu na jego żywotność.

Producent: Shanghai muxin muyeyouxiangongsi

Adres: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, szanghaj 200000 CN.

Import do AUS: SIHAO PTY LTD, 1 ROKEVA STREET EASTWOOD NSW 2122 Australia

Import do USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
-----------	------------

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR®
TOUGH TOOLS, HALF PRICE

Techniczny Certyfikat wsparcia i e-gwarancji www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technische ondersteuning en e-garantiecertificaat

www.vevor.com/support

SPOEL-KETEN HANDLEIDING

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

COIL-CHAIN

MODEL: SH006-TZ-1/4"*1.2M/ SH006-TZ-5/16"*2M/ SH006-TZ-5/16"*3.1M/
SH006-TZ-5/16"*6.2M/SH006 -DXTZ-8MM*6.2M/SH006-031-1261X/
SH006-DXTZ-5/16"*3.1M



Foto ter referentie

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTION AND PRECAUTIONS

⚠WAARSCHUWING:

1. Vóór de installatie moet de ketting op eventuele schade worden gecontroleerd en als er schade is, moet deze tijdig worden vervangen ;
2. Tijdens de installatie moet aandacht worden besteed aan de richting van de ketting om ervoor te zorgen dat deze correct stroomt.
3. Zorg er tijdens de installatie voor dat de ketting goed gespannen is en niet te strak of te los,
4. Na installatie moet de ketting worden gecontroleerd op strakheid om losraken te voorkomen.

Modellijst

S/N	Model	Dimensie	Foto
1	SH006-TZ-1/4 "1,2M	Roestvrij staal 316	
2	SH006-TZ-5/16 "2M	Roestvrij staal 316	
3	SH006-TZ-5/16 "3,1M	Roestvrij staal 316	
4	SH006-TZ-5/16 "6,2M	Roestvrij staal 316	
5	SH006-DXTZ-8MM*6.2M	Koolstofstaal	
6	SH006-031-1261X	Koolstofstaal +PA	
7	SH006-DXTZ-5/16 "3,1M	Koolstofstaal	

Proces : Gemaakt door koudpersen en argonbooglastechnologie,

Gebruik: Het koppelen van scheepsankers etc.,

Onderhoud en instandhouding

1. Vóór gebruik moet de ketting worden gecontroleerd op reinheid. Als er vuil is, moet dit grondig worden schoongemaakt,
2. Smeer de ketting regelmatig om de goede werking ervan te behouden.
3. Spuit geen smeermiddelen die zure of alkalische stoffen bevatten op het oppervlak van de ketting om beschadiging van de ketting te voorkomen.
4. Verhit de ketting niet en oefen er geen zware impact op uit om de levensduur ervan niet te beïnvloeden.

Fabrikant: Shanghaimuxinmuyeyouxiangongsi

Adres: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Geïmporteerd naar AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australië

Geïmporteerd naar de VS: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730



E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.



YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Technisch Ondersteuning en e-garantiecertificaat www.vevor.com/support

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk support och e-garanticertifikat

www.vevor.com/support

SPOLKEDJA ANVÄNDARMANUAL

We continue to be committed to provide you tools with competitive price.

"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and does not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

TOUGH TOOLS, HALF PRICE

COIL-CHAIN

MODELL: SH006-TZ-1/4"*1.2M/ SH006-TZ-5/16"*2M/ SH006-TZ-5/16"*3.1M/
SH006-TZ-5/16"*6.2M/ SH006 -DXTZ-8MM*6,2M/ SH006-031-1261X/
SH006-DXTZ-5/16"*3,1M



Foto för referens

NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us:

Technical Support and E-Warranty Certificate
www.vevor.com/support

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTION AND PRECAUTIONS

⚠️VARNING:

1. Innan installationen ska kedjan kontrolleras för eventuella skador, och om det finns några skador ska den bytas ut i tid ;
2. Under installationen bör du vara uppmärksam på kedjans riktning för att säkerställa att den flyter korrekt,
3. Under installationen, se till att kedjan är ordentligt spänd och inte för spänd eller lös,
4. Efter installationen bör kedjan kontrolleras för täthet för att undvika att den lossnar.

Modellista

S/N	Modell	Dimensionera	Foto
1	SH006-TZ-1/4"*1,2M	Rostfritt stål 316	
2	SH006-TZ-5/16"*2M	Rostfritt stål 316	
3	SH006-TZ-5/16"*3,1M	Rostfritt stål 316	
4	SH006-TZ-5/16"*6,2M	Rostfritt stål 316	
5	SH006-DXTZ-8MM*6,2M	Kolstål	
6	SH006-031-1261X	Kolstål + PA	
7	SH006-DXTZ-5/16"*3,1M	Kolstål	

Process : Tillverkad av kallpressning och argonbågsvetsningsteknik,

Användning: Länka fartygsankare etc.,

Underhåll och underhåll

1. Före användning bör kedjan kontrolleras för renhet. Om det finns smuts ska det rengöras noggrant,
2. Smörj kedjan regelbundet för att bibehålla dess goda skick,
3. Spraya inte smörjmedel som innehåller sura eller alkaliska ämnen på kedjans yta för att undvika att skada kedjan,
4. Värm inte upp eller utsätt inte kedjan för hårt slag för att undvika att dess livslängd påverkas.

Tillverkare: Shanghaimuxinmuyeyouxiangongsi

Adress: Shuangchenglu 803nong11hao1602A-1609shi, baoshanqu, shanghai 200000 CN.

Importerad till AUS: SIHAO PTY LTD, 1 ROKEVA STREETEASTWOOD NSW 2122 Australien

Importerad till USA: Sanven Technology Ltd., Suite 250, 9166 Anaheim Place, Rancho Cucamonga, CA 91730

EC	REP
-----------	------------

E-CrossStu GmbH
Mainzer Landstr.69, 60329 Frankfurt am Main.

UK	REP
-----------	------------

YH CONSULTING LIMITED.
C/O YH Consulting Limited Office 147, Centurion House,
London Road, Staines-upon-Thames, Surrey, TW18 4AX

VEVOR[®]

TOUGH TOOLS, HALF PRICE

Teknisk Support och e-garanticertifikat www.vevor.com/support