



BOSCH
Invented for life

Bosch S5 A – S4 E – S5 – S4 – S3

Automotive Aftermarket



ETN	No	No	AGM Technology	EFB Technology	Asia Type	Vibration Proof	Ah 20 h	A (EN)		L	T	B	EAN	kg		Group Size
Start/stop system S5 A / 12 V																
560 901 068	0 092 S5A 050	S5 A05	•				60	680	242 x 175 x 190	0	1	B13	4047 025 244 336	17,35	57	LN2
570 901 076	0 092 S5A 080	S5 A08	•				70	760	278 x 175 x 190	0	1	B13	4047 025 244 343	20,09	48	LN3
580 901 080	0 092 S5A 110	S5 A11	•				80	800	315 x 175 x 190	0	1	B13	4047 025 244 350	22,76	36	LN4
595 901 085	0 092 S5A 130	S5 A13	•				95	850	353 x 175 x 190	0	1	B13	4047 025 244 367	25,92	36	LN5
605 901 095	0 092 S5A 150	S5 A15	•				105	950	394 x 175 x 190	0	1	B13	4047 025 244 374	29,40	36	LN6
Start/stop system S4 E / 12 V																
560 500 064	0 092 S4E 051	S4E05	•				60	640	242 x 175 x 190	0	1	B13	4047 026 293 173	16,67	63	LN2
565 500 065	0 092 S4E 070	S4E07	•				65	760	278 x 175 x 175	0	1	B13	4047 025 244 398	18,63	48	LBN3
570 500 076	0 092 S4E 081	S4E08	•				70	760	278 x 175 x 190	0	1	B13	4047 026 293 180	19,14	48	LN3
575 500 073	0 092 S4E 100	S4E10	•				75	800	315 x 175 x 175	0	1	B13	4047 025 244 411	21,19	42	LBN4
580 500 080	0 092 S4E 111	S4E11	•				80	800	315 x 175 x 190	0	1	B13	4047 026 293 197	21,78	42	LN4
595 500 085	0 092 S4E 130	S4E13	•				95	850	353 x 175 x 190	0	1	B13	4047 026 329 056	24,98	36	LN5
565 501 065	0 092 S4E 400	S4E40	•	•			65	650	231 x 173 x 218,5	0	1	B0	4047 026 328 998	16,93	54	D23
572 501 076	0 092 S4E 410	S4E41	•	•			72	760	260,7 x 175 x 218,5	0	1	B01	4047 026 329 018	19,55	48	D26
585 501 080	0 092 S4E 420	S4E42	•	•			85	800	303,9 x 173 x 218,5	0	1	B01	4047 026 329 025	21,69	42	D31
S5 / 12 V																
552 401 052	0 092 S50 010	S5 001					52	520	207 x 175 x 175	0	1	B13	4047 023 479 426	11,97	72	LBN1
554 400 053	0 092 S50 020	S5 002					54	530	207 x 175 x 190	0	1	B13	4047 023 479 419	12,70	72	LN1
561 400 060	0 092 S50 040	S5 004					61	600	242 x 175 x 175	0	1	B13	4047 023 479 334	13,99	63	LBN2
563 400 061	0 092 S50 050	S5 005					63	610	242 x 175 x 190	0	1	B13	4047 023 479 358	14,85	63	LN2
563 401 061	0 092 S50 060	S5 006					63	610	242 x 175 x 190	1	1	B13	4047 023 479 365	14,85	63	LN2
574 402 075	0 092 S50 070	S5 007					74	750	278 x 175 x 175	0	1	B13	4047 023 479 563	16,98	48	LBN3
577 400 078	0 092 S50 080	S5 008					77	780	278 x 175 x 190	0	1	B13	4047 023 479 617	17,54	48	LN3
585 200 080	0 092 S50 100	S5 010					85	800	315 x 175 x 175	0	1	B13	4047 023 573 230	18,79	42	LBN4
585 400 080	0 092 S50 110	S5 011					85	800	315 x 175 x 190	0	1	B13	4047 024 937 598	19,36	42	LN4
600 402 083	0 092 S50 130	S5 013					100	830	353 x 175 x 190	0	1	B13	4047 023 479 495	21,71	36	LN5
610 402 092	0 092 S50 150	S5 015					110	920	393 x 175 x 190	0	1	B13	4047 024 016 989	25,00	36	LN6
S4 / 12 V																
544 401 042	0 092 S40 001	S4 000					44	420	175 x 175 x 190	0	1	B13	4047 024 937 567	10,64	72	LN0
544 402 044	0 092 S40 010	S4 001					44	440	207 x 175 x 175	0	1	B13	4047 023 479 372	11,50	72	LBN1
552 400 047	0 092 S40 020	S4 002					52	470	207 x 175 x 190	0	1	B13	4047 023 479 389	12,16	72	LN1
560 409 054	0 092 S40 040	S4 004					60	540	242 x 175 x 175	0	1	B13	4047 023 479 297	13,59	63	LBN2
560 408 054	0 092 S40 050	S4 005					60	540	242 x 175 x 190	0	1	B13	4047 023 479 310	14,69	63	LN2
560 127 054	0 092 S40 060	S4 006					60	540	242 x 175 x 190	1	1	B03	4047 023 479 327	14,28	63	LN2
572 409 068	0 092 S40 070	S4 007					72	680	278 x 175 x 175	0	1	B13	4047 023 479 549	16,70	48	LBN3
574 012 068	0 092 S40 080	S4 008					74	680	278 x 175 x 190	0	1	B13	4047 023 479 594	17,54	48	LN3
574 013 068	0 092 S40 090	S4 009					74	680	278 x 175 x 190	1	1	B13	4047 023 479 600	17,02	48	LN3
580 406 074	0 092 S40 100	S4 010					80	740	315 x 175 x 175	0	1	B13	4047 023 479 648	18,79	42	LBN4
580 400 074	0 092 S40 110	S4 011					80	740	315 x 175 x 190	0	1	B13	4047 024 937 581	18,69	42	LN4
595 402 080	0 092 S40 130	S4 013					95	800	353 x 175 x 190	0	1	B13	4047 023 479 471	21,12	36	LN5
540 126 033	0 092 S40 180	S4 018		•			40	330	187 x 140 x 227	0	3	B00	4047 023 479 990	9,74	84	B19H
540 127 033	0 092 S40 190	S4 019		•			40	330	187 x 127 x 227	1	3	B00	4047 023 479 808	9,74	84	B19R
545 155 033	0 092 S40 200	S4 020		•			45	330	238 x 129 x 227	0	3	B00	4047 023 479 822	11,43	72	B24
545 156 033	0 092 S40 210	S4 021		•			45	330	238 x 129 x 227	0	1	B00	4047 023 479 839	11,43	72	B24R
545 157 033	0 092 S40 220	S4 022		•			45	330	238 x 129 x 227	1	3	B00	4047 023 479 846	11,43	72	B24RS
545 158 033	0 092 S40 230	S4 023		•			45	330	238 x 129 x 227	1	1	B00	4047 023 479 853	11,43	72	B24RS
560 410 054	0 092 S40 240	S4 024		•			60	540	232 x 173 x 225	0	1	B00	4047 023 479 877	14,11	54	D23R
560 411 054	0 092 S40 250	S4 025		•			60	540	232 x 173 x 225	1	1	B00	4047 023 479 884	14,11	54	D23R
570 412 063	0 092 S40 260	S4 026		•			70	630	260 x 175 x 225	0	1	B01	4047 023 479 730	16,24	48	D31R
570 413 063	0 092 S40 270	S4 027		•			70	630	260 x 175 x 225	1	1	B01	4047 023 479 747	16,24	48	D26R
595 404 083	0 092 S40 280	S4 028		•			95	830	306 x 173 x 225	0	1	B01	4047 023 479 891	20,23	39	D31
595 405 083	0 092 S40 290	S4 029		•			95	830	306 x 173 x 225	1	1	B01	4047 023 479 907	20,23	39	D31R
540 125 033	0 092 S40 300	S4 030		•			40	330	187 x 140 x 227	0	3	B01	4047 024 891 012	9,74	84	B19H

pt

Vista geral do
programa veículos
de passeio

fi

Tuotevalikoima
henkilöautoihin

pl

Przegląd asorty-
mentu – samochody
osobowe

cs

Přehled výrobního
programu pro osobní
automobily

ru

Обзор программ
для легковых
автомобилей

ETN	Nº	Nº	AGM Technology	EFB Technology	Asia Type	Vibration Proof	Ah 20 h	A (EN)		L	T	B	EAN	kg	plus plus	Group Size
S3 / 12 V																
540 406 034	0 092 S30 000	S3 000					40	340	175 x 175 x 190	0	1	B13	4047 024 659 407	9,78	72	LN0
541 400 036	0 092 S30 010	S3 001					41	360	207 x 175 x 175	0	1	B13	4047 023 479 204	10,76	72	LBN1
545 412 040	0 092 S30 020	S3 002					45	400	207 x 175 x 190	0	1	B13	4047 023 479 228	11,57	72	LN1
545 413 040	0 092 S30 030	S3 003					45	400	207 x 175 x 190	1	1	B13	4047 023 479 242	11,57	72	LN1
553 401 050	0 092 S30 041	S3 004					53	500	242 x 175 x 175	0	1	B13	4047 024 937 574	13,41	63	LBN2
556 400 048	0 092 S30 050	S3 005					56	480	242 x 175 x 190	0	1	B13	4047 023 479 266	13,47	63	LN2
556 401 048	0 092 S30 060	S3 006					56	480	242 x 175 x 190	1	1	B13	4047 023 479 280	13,47	63	LN2
570 144 064	0 092 S30 070	S3 007					70	640	278 x 175 x 175	0	1	B13	4047 023 479 525	15,73	48	LBN3
570 409 064	0 092 S30 080	S3 008					70	640	278 x 175 x 190	0	1	B13	4047 023 479 570	16,45	48	LN3
588 403 074	0 092 S30 120	S3 012					88	740	353 x 175 x 175	0	1	B13	4047 023 479 457	19,78	36	LBN5
590 122 072	0 092 S30 130	S3 013					90	720	353 x 175 x 190	0	1	B13	4047 023 479 464	20,43	36	LN5
545 077 030	0 092 S30 160	S3 016					45	300	220 x 135 x 225	0	1	B01	4047 023 573 278	10,78	78	E2
545 079 030	0 092 S30 170	S3 017					45	300	220 x 135 x 225	1	1	B01	4047 023 573 261	10,78	78	E2
S3 / 6 V																
066 017 036	0 092 S30 600	S3 060					66	360	178 x 175 x 188	0	1	B04	4047 024 437 708	9,50	96	6V
077 015 036	0 092 S30 610	S3 061					77	360	216 x 170 x 191	0	1	B06	4047 024 437 692	11,50	96	6V

¹⁾ Maßabweichung +/- 2mm / Permissible dimensional deviation of +/- 2mm / Écart de mesure de +/- 2 mm / Tolleranza dimensionale +/- 2 mm / desviación de la medida +/- 2mm /
Divergência de medida +/- 2mm / Mittapoikkeama +/- 2mm / Odchylenie wymiarów +/- 2 mm / Rozměrové odchylky +/- 2mm / Отклонение от размера +/- 2 мм

A50

de

Bosch-Batterie
S5 A – S4 E
für Pkw 12 V

en

Bosch battery
S5 A – S4 E
for cars 12 V

fr











Batterie Bosch
S5 A – S4 E
pour véhicules
particuliers 12 V

it

Batteria Bosch
S5 A – S4 E
per autovetture
12 V

es

Batería Bosch
S5 A – S4 E
para turismos
12 V

	ETN Bosch Reference Short code	Ah 20 h	A (EN)	 1) L x W x H	L T B	E A N	 kg	 max. pos.	Group Size
S5 A (12 V)									
	560 901 068	60	680	 242 x 175 x 190		4 047 025 244 336	17,35	57	LN2
	0 092 S5A 050								
	S5 A05								
	570 901 076	70	760	 278 x 175 x 190		4 047 025 244 343	20,09	48	LN3
0 092 S5A 080									
S5 A08									
	580 901 080	80	800	 315 x 175 x 190		4 047 025 244 350	22,76	36	LN4
0 092 S5A 110									
S5 A11									
	595 901 085	95	850	 353 x 175 x 190		4 047 025 244 367	25,92	36	LN5
0 092 S5A 130									
S5 A13									
	605 901 095	105	950	 394 x 175 x 190		4 047 025 244 374	29,40	36	LN6
0 092 S5A 150									
S5 A15									

¹⁾ Maßabweichung +/- 2mm / Permissible dimensional deviation of +/- 2mm / Écart de mesure de +/- 2 mm / Tolleranza dimensionale +/- 2 mm / desviación de la medida +/- 2mm / Divergència de medida +/- 2mm / Mittapoikkeama +/- 2mm / Odchylenie wymiarów +/- 2 mm / Rozměrové odchylky +/- 2mm / Отклонение от размера +/- 2 мм

pt

Bateria Bosch
S5 A – S4 E
para veículos
de passeio 12 V

fi

Bosch-akut
S5 A – S4 E,
12 V: henkilöautot

pl











Akumulator Bosch
S5 A – S4 E
do samochodów
osobowych 12 V

cs

Akumulátory Bosch
S5 A – S4 E
pro osobní vozy
12 V

ru

Аккумуляторы Bosch
S5 A – S4 E
для легковых
автомобилей 12 В

ETN Bosch Reference Short code	Ah 20 h	A (EN)		L T B	E A N	 kg		Group Size	
S4 E (12 V)									
560 500 064 0 092 S4E 051 S4E05	60	640	 242 x 175 x 190		4 047 026 293 173	16,67	63	LN2	
565 500 065 0 092 S4E 070 S4 E07	65	760	 278 x 175 x 175		4 047 025 244 398	18,63	48	LBN3	
570 500 076 0 092 S4E 081 S4 E08	70	760	 278 x 175 x 190		4 047 026 293 180	19,14	48	LN3	
575 500 073 0 092 S4E 100 S4 E10	75	800	 315 x 175 x 175		4 047 025 244 411	21,19	42	LBN4	
580 500 080 0 092 S4E 111 S4 E11	80	800	 315 x 175 x 190		4 047 026 293 197	21,78	42	LN4	

A52

de

Bosch-Batterie
S5 A – S4 E
für Pkw 12 V
(Fortsetzung)

en

Bosch battery
S5 A – S4 E
for cars 12 V
(continued)

fr









Batterie Bosch
S5 A – S4 E
pour véhicules
particuliers 12 V
(suite)

it

Batteria Bosch
S5 A – S4 E
per autovetture
12 V
(seguito)

es

Batería Bosch
S5 A – S4 E
para turismos
12 V
(continuación)

	ETN Bosch Reference Short code	Ah 20 h	A (EN)		L T B	E A N			Group Size
	595 500 085								
	0 092 S4E 130	95	850						
	S4 E13								
				353 x 175 x 190					
	565 501 065								
	0 092 S4E 400	65	650						
	S4 E40								
				231 x 173 x 218,5					
	572 501 076								
	0 092 S4E 410	72	760						
	S4 E41								
				260,7 x 175 x 218,5					
	585 501 080								
	0 092 S4E 420	80	800						
	S4 E42								
				303,9 x 173 x 218,5					

¹⁾ Maßabweichung +/- 2mm / Permissible dimensional deviation of +/- 2mm / Écart de mesure de +/- 2 mm / Tolleranza dimensionale +/- 2 mm / desviación de la medida +/- 2mm /
Divergência de medida +/- 2mm / Mittapoikkeama +/- 2mm / Odchylenie wymiarów +/- 2 mm / Rozměrové odchylky +/- 2mm / Отклонение от размера +/- 2 мм

pt

**Bateria Bosch
S5 A – S4 E
para veículos
de passeio 12 V**
(continuação)

fi

**Bosch-akut
S5 A – S4 E,
12 V: henkilöautot**
(jatkoa)

pl

**Akumulator Bosch
S5 A – S4 E
do samochodów
osobowych 12 V**
(ciąg dalszy)

cs

**Akumulátory Bosch
S5 A – S4 E
pro osobní vozy
12 V**
(pokračování)

ru

**Аккумуляторы Bosch
S5 A – S4 E
для легковых
автомобилей 12 В**
(продолжение)



A 54

de

Bosch-Batterie
S5 – S4 – S3
für Pkw
12 V

en

Bosch battery
S5 – S4 – S3
for cars
12 V

fr

Batterie Bosch
S5 – S4 – S3
pour véhicules
particuliers
12 V

it

Batteria Bosch
S5 – S4 – S3
per autovetture
12 V

es

Bateria Bosch
S5 – S4 – S3
para turismos
12 V



ETN
Bosch Reference
Short code

Ah
20 h

A
(EN)



L T B

E A N



Group Size

S5 (12 V)




552 401 052

0 092 **S50 010**


S5 001

52

520



207 x 175 x 175



4 047 023 479 426

11,97

72

LBN1


554 400 053

0 092 **S50 020**


S5 002

54

530



207 x 175 x 190



4 047 023 479 419

12,70

72

LN1


561 400 060

0 092 **S50 040**


S5 004

61

600



242 x 175 x 175



4 047 023 479 334

13,99

63

LBN2

563 400 061

0 092 **S50 050**


S5 005

63

610



242 x 175 x 190



4 047 023 479 358

14,85

63

LN2


563 401 061

0 092 **S50 060**


S5 006

63

610



242 x 175 x 190



4 047 023 479 365

14,85

63

LN2

pt

Bateria Bosch
S5 – S4 – S3 para
veículos de passeio
12 V

fi

Bosch-akut
S5 – S4 – S3,
12 V: henkilöautot

pl

Akumulator Bosch
S5 – S4 – S3 do
samochodów oso-
bowych 12 V

cs
















Akumulátory Bosch
S5 – S4 – S3 pro
osobní vozy 12 V

ru

Аккумуляторы
Bosch S5 – S4 – S3
для легковых
автомобилей 12 В

ETN Bosch Reference Short code	Ah 20 h	A (EN)		L T B	E A N			Group Size
--------------------------------------	------------	-----------	---	-------	-------	---	---	------------

S5 (12 V)

574 402 075 0 092 S50 070 S5 007	74	750	 278 x 175 x 175	 	4 047 023 479 563	16,98	48	LBN3
577 400 078 0 092 S50 080 S5 008	77	780	 278 x 175 x 190	 	4 047 023 479 617	17,54	48	LN3
585 200 080 0 092 S50 100 S5 010	85	800	 315 x 175 x 175	 	4 047 023 573 230	18,79	42	LBN4
585 400 080 0 092 S50 110 S5 011	85	800	 315 x 175 x 190	 	4047 024 937 598	19,36	42	LN4
600 402 083 0 092 S50 130 S5 013	100	830	 353 x 175 x 190	 	4 047 023 479 495	21,71	36	LN5

¹⁾ Maßabweichung +/- 2mm / Permissible dimensional deviation of +/- 2mm / Écart de mesure de +/- 2 mm / Tolleranza dimensionale +/- 2 mm / desviación de la medida +/- 2mm /
Divergência de medida +/- 2mm / Mittapoikkeama +/- 2mm / Odchylenie wymiarów +/- 2 mm / Rozměrové odchylky +/- 2mm / Отклонение от размера +/- 2 мм

A56
de

Bosch-Batterie
S5-S4-S3
für Pkw
12 V
(Fortsetzung)

en

Bosch battery
S5-S4-S3
for cars
12 V
(continued)

fr

Batterie Bosch
S5-S4-S3
pour véhicules
particuliers
12 V
(suite)

it

Batteria Bosch
S5-S4-S3
per autovetture
12 V
(seguito)

es

Batería Bosch
S5-S4-S3
para turismos
12 V
(continuación)



ETN
Bosch Reference
Short code

Ah
20 h

A
(EN)



L T B

E A N



Group Size

S5 (12 V)



610 402 092

0 092 **S50 150**


S5 015

110

920



393 x 175 x 190



4 047 024 016 989

23,91

36

LN6

S4 (12 V)


544 401 042

0 092 **S40 001**


S4 000

44

420



175 x 175 x 190



4047 024 937 567

10,64

72

LN0


544 402 044

0 092 **S40 010**


S4 001

44

440



207 x 175 x 175



4 047 023 479 372

11,50

72

LBN1


552 400 047

0 092 **S40 020**


S4 002

52

470



207 x 175 x 190
JIS



4 047 023 479 389

12,16

72

LN1


560 409 054

0 092 **S40 040**


S4 004

60

540



242 x 175 x 175



4 047 023 479 297

13,59

63

LBN2

pt

Bateria Bosch
S5-S4-S3 para
veículos de passeio
12 V
(continuação)

fi

Bosch-akut
S5-S4-S3,
12 V: henkilöautot
(jatkoa)

pl

Akumulator Bosch
S5-S4-S3 do
samochodów oso-
bowych 12 V
(ciąg dalszy)

cs











Akumulátory Bosch
S5-S4-S3 pro
osobní vozy 12 V
(pokračování)

ru

Аккумуляторы
Bosch S5-S4-S3
для легковых
автомобилей 12 В
(продолжение)

ETN Bosch Reference Short code	Ah 20 h	A (EN)		L T B	E A N	 kg		Group Size
--------------------------------------	------------	-----------	---	-------	-------	--	---	------------

S4 (12 V)

560 408 054 0 092 S40 050 S4 005	60	540	 242 x 175 x 190		4 047 023 479 310	14,69	63	LN2
560 127 054 0 092 S40 060 S4 006	60	540	 242 x 175 x 190		4 047 023 479 327	14,28	63	LN2
572 409 068 0 092 S40 070 S4 007	72	680	 278 x 175 x 175		4 047 023 479 549	16,70	48	LBN3
574 012 068 0 092 S40 080 S4 008	74	680	 278 x 175 x 190		4 047 023 479 594	17,54	48	LN3
574 013 068 0 092 S40 090 S4 009	74	680	 278 x 175 x 190		4 047 023 479 600	17,02	48	LN3

¹⁾ Maßabweichung +/- 2mm / Permissible dimensional deviation of +/- 2mm / Écart de mesure de +/- 2 mm / Tolleranza dimensionale +/- 2 mm / desviación de la medida +/- 2mm /
Divergência de medida +/- 2mm / Mittapoikkeama +/- 2mm / Odchylenie wymiarów +/- 2 mm / Rozměrové odchylky +/- 2mm / Отклонение от размера +/- 2 мм

A58
de

Bosch-Batterie
S5-S4-S3
für Pkw
12 V
(Fortsetzung)

en

Bosch battery
S5-S4-S3
for cars
12 V
(continued)

fr











Batterie Bosch
S5-S4-S3
pour véhicules
particuliers
12 V
(suite)

it

Batteria Bosch
S5-S4-S3
per autovetture
12 V
(seguito)

es

Batería Bosch
S5-S4-S3
para turismos
12 V
(continuación)

		ETN Bosch Reference Short code	Ah 20 h	A (EN)		L T B	E A N			Group Size
S4 (12 V)										
	580 406 074	0 092 S40 100 S4 010	80	740	 315 x 175 x 175		4 047 023 479 648	18,79	42	LBN4
	580 400 074	0 092 S40 110 S4 011	80	740	 315 x 175 x 190		4 047 024 937 581	18,69	42	LN4
	595 402 080	0 092 S40 130 S4 013	95	800	 353 x 175 x 190		4 047 023 479 471	21,12	36	LN5
S4 (12 V) Asiatische Typen / Asiatic models / Types asiatiques / Tipi asiatici / Tipos asiáticos / Para vehículos asiáticos / Ajoneuvot Aasian maista / Do pojazdów azjatyckich / Pro asijská vozidla / Для азиатских автомобилей										
	540 126 033	0 092 S40 180 S4 018	40	330	 187 x 140 x 227 JIS		4 047 023 479 990	9,74	84	B19H
	540 127 033	0 092 S40 190 S4 019	40	330	 187 x 127 x 227 JIS		4 047 023 479 808	9,74	84	B19R

pt

Bateria Bosch
S5 – S4 – S3 para
veículos de passeio
12 V
 (continuação)

fi

Bosch-akut
S5 – S4 – S3,
12 V: henkilöautot
 (jatkoa)

pl

Akumulator Bosch
S5 – S4 – S3 do
samochodów oso-
bowych 12 V
 (ciąg dalszy)

cs











Akumulátory Bosch
S5 – S4 – S3 pro
osobní vozy 12 V
 (pokračování)

ru

Аккумуляторы
Bosch S5 – S4 – S3
для легковых
автомобилей 12 В
 (продолжение)

ETN Bosch Reference Short code	Ah 20 h	A (EN)		L T B	E A N	 kg		Group Size
--------------------------------------	------------	-----------	---	-------	-------	--	---	------------

S4 (12 V) Asiatische Typen / Asiatic models / Types asiatiques / Tipi asiatici / Tipos asiáticos / Para vehículos asiáticos /
 Ajoneuvot Aasian maista / Do pojazdów azjatyckich / Pro asijská vozidla / Для азиатских автомобилей

545 155 033 0 092 S40 200 S4 020	45	330	 238 x 129 x 227 JIS		4 047 023 479 822	11,43	72	B24
545 156 033 0 092 S40 210 S4 021	45	330	 238 x 129 x 227 JIS		4 047 023 479 839	11,43	72	B24R
545 157 033 0 092 S40 220 S4 022	45	330	 238 x 129 x 227 JIS		4 047 023 479 846	11,43	72	B24RS
545 158 033 0 092 S40 230 S4 023	45	330	 238 x 129 x 227 JIS		4 047 023 479 853	11,43	72	B24RS
560 410 054 0 092 S40 240 S4 024	60	540	 232 x 173 x 225 JIS		4 047 023 479 877	14,11	54	D23R

JIS (= Japanese Industrial Standard) = für asiatische Fahrzeuge / for Asiatic vehicles / pour véhicules asiatiques / per veicoli asiatici / para vehículos asiáticos
 Para vehículos asiáticos/ Ajoneuvot Aasian maista / Do pojazdów azjatyckich / Pro asijská vozidla / Для азиатских автомобилей

¹⁾ Maßabweichung +/- 2mm / Permissible dimensional deviation of +/- 2mm / Écart de mesure de +/- 2 mm / Tolleranza dimensionale +/- 2 mm / desviación de la medida +/- 2mm /
 Divergência de medida +/- 2mm / Mittapöikkeama +/- 2mm / Odchylenie wymiarów +/- 2 mm / Rozměrové odchylky +/- 2mm / Отклонение от размера +/- 2 мм

A60

de

Bosch-Batterie
S5-S4-S3
für Pkw
12 V
(Fortsetzung)

en

Bosch battery
S5-S4-S3
for cars
12 V
(continued)

fr















Batterie Bosch
S5-S4-S3
pour véhicules
particuliers
12 V
(suite)

it

Batteria Bosch
S5-S4-S3
per autovetture
12 V
(seguito)

es

Bateria Bosch
S5-S4-S3
para turismos
12 V
(continuación)

		ETN Bosch Reference Short code	Ah 20 h	A (EN)		L T B	E A N			Group Size
S4 (12 V) Asiatische Typen / Asiatic models / Types asiatiques / Tipi asiatici / Tipos asiáticos / Para vehículos asiáticos / Ajoneuvot Aasian maista / Do pojazdów azjatyckich / Pro asijská vozidla / Для азиатских автомобилей										
	560 411 054	0 092 S40 250 S4 025	60	540	 232 x 173 x 225 JIS		4 047 023 479 884	14,11	54	D23R
	570 412 063	0 092 S40 260 S4 026	70	630	 260 x 175 x 225 JIS	 	4 047 023 479 730	16,24	48	D31R
	570 413 063	0 092 S40 270 S4 027	70	630	 260 x 175 x 225 JIS	 	4 047 023 479 747	16,24	48	D26R
	595 404 083	0 092 S40 280 S4 028	95	830	 306 x 173 x 225 JIS	 	4 047 023 479 891	20,23	39	D31
	595 405 083	0 092 S40 290 S4 029	95	830	 306 x 173 x 225 JIS	 	4 047 023 479 907	20,23	39	D31R

pt

Bateria Bosch
S5-S4-S3 para
veículos de passeio
12 V
(continuação)

fi

Bosch-akut
S5-S4-S3,
12 V: henkilöautot
(jatkoa)

pl

Akumulator Bosch
S5-S4-S3 do
samochodów oso-
bowych 12 V
(ciąg dalszy)

cs

Akumulátory Bosch
S5-S4-S3 pro
osobní vozy 12 V
(pokračování)

ru

Аккумуляторы
Bosch S5-S4-S3
для легковых
автомобилей 12 В
(продолжение)

ETN Bosch Reference Short code	Ah 20 h	A (EN)		L T B	E A N	 kg	 max. kW	Group Size
--------------------------------------	------------	-----------	---	-------	-------	--	---	------------


S4 (12 V) Asiatische Typen / Asiatic models / Types asiatiques / Tipi asiatici / Tipos asiáticos / Para vehículos asiáticos /
Ajoneuvot Aasian maista / Do pojazdów azjatyckich / Pro asijská vozidla / Для азиатских автомобилей

540 125 033



0 092 **S40 300**

40

330



187 x 140 x 227
JIS



4 047 024 891 012 9,74 84 B19H



S4 030


S3 (12 V)

540 406 034


0 092 **S30 000**

40

340



175 x 175 x 190



4 047 024 659 407 9,78 72 LN0


S3 000

541 400 036


0 092 **S30 010**

41

360



207 x 175 x 175



4 047 023 479 204 10,76 72 LBN1


S3 001

545 412 040


0 092 **S30 020**

45

400



207 x 175 x 190



4 047 023 479 228 11,57 72 LN1


S3 002

545 413 040



0 092 **S30 030**

45

400



207 x 175 x 190



4 047 023 479 242 11,57 72 LN1

S3 003

JIS (= Japanese Industrial Standard) = für asiatische Fahrzeuge / for Asiatic vehicles / pour véhicules asiatiques / per veicoli asiatici / para vehículos asiáticos
Para vehículos asiáticos / Ajoneuvot Aasian maista / Do pojazdów azjatyckich / Pro asijská vozidla / Для азиатских автомобилей

¹⁾ Maßabweichung +/- 2mm / Permissible dimensional deviation of +/- 2mm / Ecart de mesure de +/- 2mm / Tolleranza dimensionale +/- 2mm / desviación de la medida +/- 2mm /
Divergência de medida +/- 2mm / Mittapoikkeama +/- 2mm / Odchylenie wymiarów +/- 2mm / Rozměrové odchylky +/- 2mm / Отклонение от размера +/- 2 мм

A 62

de

Bosch-Batterie
S5-S4-S3
für Pkw
12 V
(Fortsetzung)

en

Bosch battery
S5-S4-S3
for cars
12 V
(continued)

fr
















Batterie Bosch
S5-S4-S3
pour véhicules
particuliers
12 V
(suite)

it

Batteria Bosch
S5-S4-S3
per autovetture
12 V
(seguito)

es

Batería Bosch
S5-S4-S3
para turismos
12 V
(continuación)

		ETN Bosch Reference Short code	Ah 20 h	A (EN)		L T B	EAN			Group Size
S3 (12 V)										
	553 401 050	0 092 S30 041 S3 004	53	500		 	4 047 024 937 574	13,41	63	LBN2
	556 400 048	0 092 S30 050 S3 005	56	480		 	4 047 023 479 266	13,47	63	LN2
	556 401 048	0 092 S30 060 S3 006	56	480		 	4 047 023 479 280	13,47	63	LN2
	570 144 064	0 092 S30 070 S3 007	70	640		 	4 047 023 479 525	15,73	48	LBN3
	570 409 064	0 092 S30 080 S3 008	70	640		 	4 047 023 479 570	16,45	48	LN3

¹⁾ Maßabweichung +/- 2mm / Permissible dimensional deviation of +/- 2mm / Écart de mesure de +/- 2 mm / Tolleranza dimensionale +/- 2 mm / desviación de la medida +/- 2mm / Divergência de medida +/- 2mm / Mittapõikeama +/- 2mm / Odchylenie wymiarów +/- 2 mm / Rozměrové odchylky +/- 2mm / Отклонение от размера +/- 2 мм

pt

Bateria Bosch
S5-S4-S3 para
veículos de passeio
12 V
 (continuação)

fi

Bosch-akut
S5-S4-S3,
12 V: henkilöautot
 (jatkoa)

pl

Akumulator Bosch
S5-S4-S3 do
samochodów oso-
bowych 12 V
 (ciąg dalszy)

cs




Akumulátory Bosch
S5-S4-S3 pro
osobní vozy 12 V
 (pokračování)




ru




Аккумуляторы
Bosch S5-S4-S3
для легковых
автомобилей 12 В
 (продолжение)




ETN Bosch Reference Short code	Ah 20 h	A (EN)		L T B	E A N			Group Size	
--------------------------------------	------------	-----------	---	-------	-------	---	---	------------	---

S3 (12 V)



588 403 074 0 092 S30 120 S3 012	88	740	 353 x 175 x 175	 	4 047 023 479 457	19,78	36	LBN5	
---	----	-----	--	--	-------------------	-------	----	------	---

590 122 072 0 092 S30 130 S3 013	90	720	 353 x 175 x 190	 	4 047 023 479 464	20,43	36	LN5	
---	----	-----	---	---	-------------------	-------	----	-----	--

545 077 030 0 092 S30 160 S3 016	45	300	 220 x 135 x 225	 	4 047 023 573 278	10,78	78	E2	
---	----	-----	--	--	-------------------	-------	----	----	--

545 079 030 0 092 S30 170 S3 017	45	300	 220 x 135 x 225	 	4 047 023 573 261	10,78	78	E2	
---	----	-----	--	--	-------------------	-------	----	----	--

S3 (6 V)

066 017 036 0 092 S30 600 S3 060	66	360	 178 x 175 x 188	 	4 047 024 437 708	9,50	96	6V	
---	----	-----	--	--	-------------------	------	----	----	--

A64

de

Bosch-Batterie
S5-S4-S3
für Pkw
12 V
(Fortsetzung)

en

Bosch battery
S5-S4-S3
for cars
12 V
(continued)

fr

Batterie Bosch
S5-S4-S3
pour véhicules
particuliers
12 V
(suite)

it

Batteria Bosch
S5-S4-S3
per autovetture
12 V
(seguito)

es

Batería Bosch
S5-S4-S3
para turismos
12 V
(continuación)



ETN
Bosch Reference
Short code

Ah
20 h

A
(EN)



L T B

E A N



Group Size

S3 (6 V)




077 015 036

0 092 **S30 610**


S3 061

77

360



216 x 170 x 191



4 047 024 437 692

11,50

96

6V