

Zebra Technologies

ZQ520

Serial Number:



XXRBJ151800040

PCC: ZQ52-AUE000E-00

Name: XXRBJ151800040

Program:

OS: 6.5.0

PLD: 8 Rev. 32

PSPT: 5 Rev. 23

PMCU: Rev. 11

Firmware: V76.20.15Z

Checksum: 903B

Universal Serial Bus:

2.0 Full Speed Device

Vendor ID No: 0x0A5F

Product ID No: 0x010D

Manufacturer String: Zebra Technologies

Product String: ZTC ZQ520-203d
pi CPCL

ID string: off

Bluetooth:

iOS: supported

Version: 5.5.2

Date: 10/03/2017

Baud: 115200

Device: Printer

Mode: Slave

Friendly Name: XXRBJ151800040

Minimum Security Mode: 1

Discoverable: on

Bluetooth Spec: 4.0

Enabled: on

Address: 00:17:E9:D7:A3:9A





0017E9D7A39A

Product support website:

<http://zebra.com/zq520-info>



Peripherals:

MCR: Not installed

NFC: Not installed

LCD: Installed

Power Management:

In-activity Timeout:36000 Secs

Low-battery Timeout:60 Secs

Remote(DTR) pwr-off:Enabled

Voltage :7.72

Low-bat Warning :6.93(176)

Low-bat Shut-down:6.53(166)

Power On Cycles :1605

Battery Health :replace

Battery Cycle Count:310

Memory:

Flash :67108864 Bytes

RAM :8388608 Bytes

Label:

Width :832 dots, 104 mm

Battery Cycle Count:310

Memory:

Flash :67108864 Bytes

RAM :8388608 Bytes

Label:

Width :832 dots, 104 mm

Height:65535 dots, 8191 mm

Sensors: (Adj)

Front Bar [DAC:96,Thr:70,Cur:1
3]

Back Bar [DAC:100,Thr:70,Cur:0
]

Gap [DAC:142,Thr:50,Cur:90]

Temperature :21C (67)

Voltage :7.7V (196)

Resident Fonts:

Font	Sizes	Chars
0	0- 6	20-FF
1	0	20-80
2	0- 1	20-59
4	0- 7	20-FF
5	0- 3	20-FF
6	0	20-44
7	0- 1	20-FF

File Directory:

File	Size
E:CONFIG.SYS	31
E:TT0003M_.TTF	169188

66938880 Bytes Free

Command Language:

CCL Key '!' [21]

ZPL Configuration Information:

Rewind.....Print Mode
Continuous.....Media Type
10.0.....Darkness
+00.....Tear Off Adjust
2030.....Label Length
104mm.....Print Width
7Eh.....Control Prefix
5Eh.....Format Prefix
2Ch.....Delimiter
00.....Top Position
.....Power Up

CCL Key '!' [21]

ZPL Configuration Information:

Rewind.....Print Mode
Continuous.....Media Type
10.0.....Darkness
+00.....Tear Off Adjust
2030.....Label Length
104mm.....Print Width
7Eh.....Control Prefix
5Eh.....Format Prefix
2Ch.....Delimiter
00.....Top Position
No Motion....Media Power Up
Feed.....Media Head Closed
00.....Left Margin
832.....Dots per row
End ZPL Configuration

Printhead test: OK
End of report.

**Press FEED key to
enter DUMP mode.**

Dump mode not entered.