

Certificate of Compliance

Applicant : Guangzhou Xiangyun Flavor Technology Co., Ltd.
Address : 302, Building B2, Minying Dadao West No.7, Xintang Town, Zengcheng District, Guangzhou
Manufacturer : Guangzhou Xiangyun Flavor Technology Co., Ltd.
Address : 302, Building B2, Minying Dadao West No.7, Xintang Town, Zengcheng District, Guangzhou
Product : Car Aroma Diffuser
Trademark : Maonoal
Model No. : M89, M86, M88, M26, M27, M28, M10, M16, M18, M2, M5, M6, M80, M81, M82, M83, M8, M9, M20, M30
European Directive : EMC Directive 2014/30/EU
Related Standards : EN IEC 55014-1:2021, EN 50014-2:2021
EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019+A2:2021
Certificate Number : ZRC2405114XY-EMC-C1
Report number : ZRC2405114XY-EMC-R1
Related Date : 14th, May, 2024

The test results apply only to the particular sample tested and to the specific tests carried out.
Technical report and documentation are at the holder disposal
This certificate applies specifically to the sample investigated in our test reference number only.
It is possible to use CE marking to demonstrate the compliance with this CE directive. Other relevant directives have to be observed.


Manager



Certificate of Compliance


Applicant : Guangzhou Xiangyun Flavor Technology Co., Ltd.
Address : 302, Dalang, Tangmei Village, Xintang Town, Guangzhou, Guangdong, China
Manufacturer : Guangzhou Xiangyun Flavor Technology Co., Ltd.
Address : 302, Dalang, Tangmei Village, Xintang Town, Guangzhou, Guangdong, China
Product : Car Aroma Diffuser
Trademark : Maonoal
Model No. : M89,M86,M88,M26,M27,M28,M10,M16,M18,M2,M5,M6,
M80,M81,M82,M83,M8,M9,M20,M30
European Directive : RoHS Directive 2011/65/EU&2015/863
Related Standards : IEC62321-1:2013 ,IEC62321-3-1:2013 ,IEC62321-4:2017 ,IEC62321-5:2013
IEC62321:6-2015 ,IEC62321-7-1:2015 ,IEC62321-7-2:2017 ,IEC62321-8:2017
Certificate Number : ZRC2411300XY-ROHS-C1
Report number : ZRC2411300XY-ROHS-R1
Related Date : 27th,Nov.2024

The test results apply only to the particular sample tested and to the specific tests carried out.
Technical report and documentation are at the holder disposal
This certificate applies specifically to the sample investigated in our test reference number only.


Manager


RoHS





USER MANUAL
Car Vent Clip Diffuser

PRODUCT SHOWING



HOW TO USE

How to Refill

Unscrew the cap of the oil bottle
Insert the oil bottle into the device
and tighten it



How to Use the Diffuser

1. Fully charge the device.
2. Insert the device into the vents of the car.
3. Long press the switch for 1.5 seconds to start the device and select the working grade.

How to Choose Working Modes

The default startup mode is light scent. Click onetime to switch modes.

Light Scent Mode

Green light- Spray 0.2
seconds at 300
seconds interval

Medium Scent Mode

Blue light- Spray 0.2
seconds at 90
seconds interval

Thick Scent Mode

Purple light- Spray 0.2
seconds at 10
seconds interval

PARAMETER

Name	Car Vent Clip Diffuser
Model	M80
Input Voltage	3.7V
Power	2W
Size	63mm* 29mm*60mm
Weight	50g
Material	Aluminium alloy+ PP

INDICATOR LIGHT INSTRUCTIONS

Status	Display
Charging	Red LED lights flashing
Full Charge	Green LED light is on

NOTICE

1. Not edible.
2. Stay away from children and pets.
3. Avoid contact with skin and eyes.
4. Please store it vertically and do not dump to avoid liquid overflow.
5. Avoid dripping, beware of corrosion damage.

AUTOMATIC START AND
STOP FUNCTION

1. Under the boot state, the car vibration, the machine
come into the working state, according to the set mode
automatic fragrance.

2. If the car does not have any vibration within 60
seconds, the machine will enter the standby state
automatically.

POWER SAVING MODE

When the indicator is on for 3 seconds, it will
automatically turn off and enter the power-saving
mode. Press the power button and light up again.

USER MANUAL

Car Vent Clip Diffuser