

AUTOMATIC CUTTING AUTOMATIC RESULT



VEGA II

Automatic Single
Head Saw Ø 400 mm

1 Accurate Cutting

2 Hight Speed

Long Life Operation

4


3 400 mm Saw

Easy to Operate

5

6 Maximum Safety





FEATURES

Used for cutting processes of aluminum, plastic and wooden profiles.

- Safe cutting with double spring system and saw barrier
- Cast core with impact resistance
- Cutting at any desired angle between -45° and +45°
- Cutting at 0°, 15°, 22.5°, 30°, 45° right and left fixed angles
- Pneumatic vertical and horizontal clamps
- Hydro-Pneumatic cutting process
- Cutting speed adjustment based on the profile





Standard Equipments

- Ø 400 mm saw blade
- Cooling system



Standard Equipments

- Conveyor
- Single-phase system

Machine Features & Dimensions

										
HP kW	n	3~ Hz	I (400 V)	ø D	ø d	s	n	Air Pressure	Air Consumption	l x w x h (mm)
3 2,2	3000 r.p.m	50 60	4,8 A	400 mm	30-32 mm	3,6 mm	3000 r.p.m	6 - 8 bar	25 L / min.	720 x 1230 x 1500 120 kg

CUTTING CAPACITY





Automatic Cutting Automatic Result

