

EGANT™

Nordic quality & design

ELECTRICAL INSTALLATION MATERIALS



2022



FINEST ELECTRICAL INSTALLATION PRODUCTS FOR DIY AND SEMI-PROFESSIONAL MARKETS

EGANT offers a wide range of electrical installation materials for DIY ("Do-It-Yourself") and SEMI-professional markets. We benefited greatly from over 30 years of experience in manufacturing the finest electrical goods. Carefully tested and produced in consultations with our customers, all EGANT products have their registration number - El. No. Technical documentation is available in the databases of EFO: www.efobasen.efo.no and NOBB: www.nobb.no



30 YEARS OF EXPERIENCE



NORDIC QUALITY



PRICE AND QUALITY MATCH



ELEKTROFORENINGEN



FEATURES AND BENEFITS OF EGANT PRODUCTS:

- Alpine White color (RAL 9003)
- Currently rated at 16A for switches and sockets
- Low inserts provide plenty of connection room
- Dimmers for LED lamps
- Wall boxes with combi sockets and adjustable inner rings
- Halogen-free and child safety locks
- Made of thermoplastic (PC) - shock-resistant material
- Screw connections with a good contact surface
- Stable steel frames for recessed products
- Base plate feature in switches, sockets and junction boxes (top wall) provides the insulation - protects against combustible surfaces

12 PRODUCT CATEGORIES / OVER 200 INDIVIDUAL PRODUCTS:



CABLES AND WIRES
12 items



BOXES AND ACCESSORIES
27 items



FLEXI TUBES AND ACCESSORIES
6 items



MOUNTING HARDWARE
42 items



LAMP ACCESSORIES
22 items



DCL LAMP PLUGS AND SOCKETS
13 items



OVEN SOCKET OUTLETS AND PLUGS
7 items



SWITCHES
23 items



SOCKETS
23 items




LED LIGHTING
12 items



PLUGS AND JOINT OUTLETS
7 items



CONSTRUCTION SITE EQUIPMENT
8 items



INTERNATIONAL CERTIFICATION

EGANT products are certified and in line with international ISO 9001 and ISO 14001 standards. Our products are approved by well-known testing institutions such as ITS, Semko, VDE, CE Marking.



STORE SOLUTIONS

An essential part of our business concept is to be able to offer a complete product range from our wide range. We prepare bespoke proposals for the individual store and its customer groups. And we are constantly rolling out new products. Production and deliveries from our factory indicate that price and quality will always be beneficial. Try us!



WELL-LOCATED DISTRIBUTION CENTRE IN LITHUANIA

The main warehouse of EGANT products is based at the UAB Etman distribution centre in Klaipeda, Lithuania - situated within the FEZ Industrial Park. Here we have in stock all the EGANT products for DIY and SEMI-professional markets. The distribution centre benefits from 1250 square meters of warehouse space, its modern office, showroom and meeting rooms. Quick handling and good logistics ensure deliveries to our customers within 3-5 working days.



FULLY STOCKED WAREHOUSE IN KLAIPEDA, LITHUANIA

- Avoid long delivery terms from China
- Flexible and efficient handling
- Packed in bags with head cards
- Or semi-professional packaging where each product has individual EAN marking
- A good alternative for support purchases



CONTACT: ANDREJUS KUZMICKAS

Business development manager, The Baltics
andrejus.kuzmickas@etman.lt | +370 665 51711

CONTENT

FINEST ELECTRICAL INSTALLATION PRODUCTS FOR DIY AND SEMI-PROFESSIONAL MARKETS

STORE SOLUTIONS

CABLES AND WIRES

FLEX TUBES AND ACCESSORIES

BOXES AND ACCESSORIES

MOUNTING HARDWARE

DCL PLUGS AND SOCKETS

LAMP ACCESSORIES

25A SOCKET AND PLUG FOR OVEN

SWITCHES AND SOCKETS - FLUSH MOUNTING

SWITCHES AND SOCKETS - SURFACE MOUNTING

SWITCHES AND SOCKETS - OUTDOORS IP44

LED LIGHTING

HEATING PRODUCTS

PLUGS AND SOCKET OUTLETS

WIRING DIAGRAM SWITCHES

UNIQUE BENEFITS

PRODUCTION: FACTORY IN CHINA

SUSTAINABILITY

1

2

4

4

5

8

11

12

13

14

16

17

18

20

20

23

24

25

25

PACKAGING IN A POLYBAG WITH HEAD CARDS OR SEMI-PROFESSIONAL PACKING

	Blue / gray marked products are packed in a polybag with head cards.
	Green marked products are packed in a box/polybag where each product is marked with an EAN code.



PN TRIO, EASY WHEELER®

PN cable trio 100 m, packed in spinning box.

Egant no.	Vendor no.	Parameters	Features	Packaging
1095301	1095301	3x1,5 mm²	Blue, brown, yellow/green, 100 m	1/box
1095302	1095302	3x2,5 mm²	Blue, brown, yellow/green, 100 m	1/box

INSTALLATION PACKAGE

Package contains 10m cable, steel clamps and a tool.

Egant no.	Vendor no.	Parameters	Features	Packaging
1095401	1095401	3x1,5 mm²	10 m cable, 25 clips and tool	1/polybag
1000199	1000199	3x2,5 mm²	10 m cable, 25 clips and tool	1/polybag



DOWNLIGHT CABLE TP90 2X1.5 MM²

EGANT downlight cable TP90 for installations such as downlights, and LED lights.

Egant no.	Vendor no.	Parameters	Features	Packaging
1000077	H05V2V2	2x1,5mm²	White, 10 m	1/polybag
1000078		2x1,5mm²	White, 25 m	1/polybag
1095300		2x1,5mm²	White, 100m	1/polybag

FLEX TUBES AND ACCESSORIES

FLEX TUBE

Flex tube packed in a ring bundle.

Egant no.	Vendor no.	Parameters	Features	Packaging
1230000	82401610	ø 16 mm, 320N	10 m	1/ring
1230001	82401650	ø 16 mm, 320N	50 m	1/ring
1230002	82402050	ø 20 mm, 320N	10 m	1/ring
2232016	2232016	ø 16 mm, 320N, PVC with pilot	50 m	1/ring
2232020	2232020	ø 20 mm, 320N, PVC with pilot	50 m	1/ring
2232025	2232025	ø 25 mm, 320N, PVC with pilot	50 m	1/ring
2232032	2232032	ø 32 mm, 320N, PVC with pilot	25 m	1/ring
2275020	2275020	ø 20 mm, 750N, PVC	50 m	1/ring
2275025	2275025	ø 25 mm, 750N, PVC	50 m	1/ring
2275032	2275032	ø 32 mm, 750N, PVC	50 m	1/ring
2332016	2332016	ø 16 mm, 320N, HALOGEN FREE (HF)	100 m	1/ring
2332020	2332020	ø 20 mm, 320N, HALOGEN FREE (HF)	50 m	1/ring
2332025	2332025	ø 25 mm, 320N, HALOGEN FREE (HF)	50 m	1/ring
2375016	2375016	ø 16 mm, 750N, HALOGEN FREE (HF)	100 m	1/ring
2375020	2375020	ø 20 mm, 750N, HALOGEN FREE (HF)	50 m	1/ring
2375025	2375025	ø 25 mm, 750N, HALOGEN FREE (HF)	50 m	1/ring
2375032	2375032	ø 32 mm, 750N, HALOGEN FREE (HF)	50 m	1/ring



FLEX TUBES AND ACCESSORIES

CABLE PULLER

For pulling cables in tubes. Equipped with hooks at both ends.



1200479

FLEX TUBE CONNECTORS

Flex tube connectors with locking clip.



1200122

Egant no.	Vendor no.	Parameters	Features	Packaging
1200122	237	ø 16 mm	White	3/polybag
1200399	238	ø 20 mm	White	3/polybag
1230043	237	ø 16 mm	White	1/50 & 600
1230044	238	ø 20 mm	White	1/50 & 500
1230054	ETM655S	ø 25 mm	White	200
1230055	ETM656S	ø 32 mm	White	150
1230056	ETM657S	ø 40 mm	White	100
1230057	ETM658S	ø 50 mm	White	80

FLEX TUBE CONNECTORS TO BOXES

Flex tube connectors for transition from pipe / hose to fuse boxes etc., with locking clip.



1200397



1201376

Egant no.	Vendor no.	Parameters	Features	Packaging
1200397	B235-3PK	ø 16 mm	White	3/polybag
1200398	B236-3PK	ø 20 mm	White	3/polybag
1230041	B235	ø 16 mm	White	1/50 & 750
1230042	B236	ø 20 mm	White	1/50 & 500
1230045	ETM651S	ø 25 mm	White	500
1230046	ETM652S	ø 32 mm	White	200
1230047	ETM653S	ø 40 mm	White	120
1230048	ETM654S	ø 50 mm	White	100
1201376	ETM654S-1	Fitting for 50mm holes in cabinets and with 2x16mm+3x16/20mm inlets	White	210

BOXES AND ACCESSORIES

WALL BOXES UNIVERSAL

Universal wall box CC-60 mm with 6 fixed inlets 16/20 mm and adjustable interior. The wall box has horizontal and vertical through holes for nails. Can be made with 37 mm inner ring and connected with joints 71 mm (horizontal) or 84 mm (vertical). The wall box has an IP rating of 20.



1230013

Egant no.	Vendor no.	Parameters	Features	Packaging
1230013	B388	Wall box, 6-inlets	White/green, height 12/60 mm, locking clips	1/10 pack
1230015	B338	Wall box, 6-inlets w/steel fastening plate	White/green, height 12/60 mm, locking clips	1/10 pack

1,5 WALL BOXES UNIVERSAL

Universal wall box 1.5 CC-60 mm. With 4 fixed inlets 16/20 mm. For flush mounting of low double plug. The wall box has horizontal and vertical through holes for nails. Can be made with a 6 mm lining ring and connected with joints. 71 mm (horizontal) or 84mm (vertical). The wall box has an IP rating of 20.




1230017

Egant no.	Vendor no.	Parameters	Features	Packaging
1230017	B615	Wall box, horizontal 4-inlets, w/steel fastening plate	White/green height 12/60 mm, locking clips	1/10 pack
1230018	B613	Wall box, vertical 4-inlets, w/steel fastening plate	White/green height 12/60 mm, locking clips	1/10 pack

BOXES AND ACCESSORIES

WALL BOX STANDARD

Wall box CC-60 mm with 6 fixed inlets and adjustable inner ring (0-15 mm). The wall box has horizontal and vertical through holes for nails. The wall box has an IP rating of 20.



1230012

Egant no.	Vendor no.	Parameters	Features	Packaging
1230012	B001-3	Wall box, 6-inlets w/steel fastening plate	White/green, height 24/55 mm	1/10 pack

DOUBLE-WALL BOX

Double wall box. With locking clips.



1200474

Egant no.	Vendor no.	Parameters	Features	Packaging
1230019	B660	Double wall box 2-inlets, w/steel fastening plate	White/green height 12 mm, locking clips	1/pack

WALL BOXES

Wall boxes for single and double gypsum plates. The inner part will be locked by the locker when tightened up with the screws. Made of insulating materials. IP20.



1200477

Egant no.	Parameters	Features	Packaging
1200475	Box for 13mm wall plate 3-loop	CC-60 mm, White body/green inner ring	5/box
1200474	Box for 26 mm wall plate 3-loop	CC-60 mm, White body/yeallow inner ring	5/box
1200477	Box for 13mm wall plate 8-loop	CC-67 mm, White body/green inner ring	5/box
1200476	Box for 26 mm wall plate 8-loop	CC-67 mm, White body/yeallow inner ring	5/box

MULTI-BOXES/INNER MOUNTING BOXES

For use in prefabricated walls or hollow walls where installation work can be conducted from the outside of the wall and when you need an extra flush wall box.



1230003



1200402

Egant no.	Vendor no.	Parameters	Features	Packaging
1230003	B220	Mounting box CC-60 mm	White/green 2+1 16 mm 45° degree inlets	1/10 pack
1200402	B647	Mounting box CC-60 mm	White/green 3x16 mm 90° degree inlets, height 55 mm	1/10 pack
1202832	B546	Mounting box CC-60 mm	White/green 3x16 mm 90° degree inlets, height 65 mm	1/10 pack
1230004	1230004	Mounting box 1,5 for double socket, low	White/green 3+2 16 mm 45° degree inlets, height 65 mm	1/10 pack
1200415	1200415	Double mounting box	White/green	1/10 pack


CEILING BOXES

Ceiling mounting boxes with 8 pcs 16mm inlets for recessed installation in the ceiling. Max load 15kg.



1230008

Egant no.	Vendor no.	Parameters	Features	Packaging
1200478	B002S-3	Ceiling box 45 mm, 8-inlets	White/green,	1/10 pack
1230008	B002-3	Ceiling box 40 mm, 8-inlets	White/green,	1/10 pack



1230029



1230030

EXTENSIONS FOR WALL BOXES

Joint extensions and blind extensions for wall boxes.

Egant no.	Vendor no.	Parameters	Features	Packaging
1200121	B332-2PK	Joint extension for wall box, short	White, CC-71 mm	2/polybag
1200400	B333-2PK	Joint extension for wall box, long	White, CC-84 mm	2/polybag
1200401	B384-2PK	Blind extention	White	2/polybag
1230029	B332	Joint extension for wall box, short	White, CC-71 mm	1/50
1230030	B333	Joint extension for wall box, long	White, CC-84 mm	1/50
1230031	B384	Blind extention	White	1/50



1230032

EXTENSION RING FOR WALL BOXES

Outer ring for wall box.

Egant no.	Vendor no.	Parameters	Features	Packaging
1230032	B013	Outer ring for wall box	White, 7 mm	1/10 pack
1230033	B617	Outer ring for wall box 1,5	White, 6 mm	1/10 pack
1230034	B547	Outer ring for double wall box	White, 6 mm	1/10 pack



1202844

LONG SCREW FOR WALL BOXES

Long screw for wall box.

Egant no.	Vendor no.	Parameters	Features	Packaging
1202844	ST2,9x55 FZ	Screw for wall box	ST2, 9x55 FZ	20/polybag



1230027

INLETS FOR WALLFIXED BOXES

Fixed inlets for wall box. With locking clips.

Egant no.	Vendor no.	Parameters	Features	Packaging
1230027	B331	Double inlet 16/20 mm	White/green, locking clips	1/polybag
1230028	B389	Tripple inlet 16 mm	White/green, locking clips	1/polybag



1230040

EXTRA INNER RING FOR WIDE WALL BOX

Extra inner ring for wide wall box.

Egant no.	Vendor no.	Parameters	Features	Packaging
1230040	B339	Inner ring	White, 37 mm	1/10 pack



1230023



1230025



1230038



1230035



1230021



1230022

CEILING / WALL BOX COVERS

Plastic ceiling / wall box covers with screw holes.

Egant no.	Vendor no.	Parameters	Features	Packaging
1200120	B003 P	90 mm CC - 60 mm	White, for wall box	1/polybag
1230038	B618	For 1,5 box, CC - 60 mm	White, for wall box	1/polybag
1230039	B619	For double box, CC - 60 mm	White, for wall box	1/polybag
1230037	B003	90 mm CC - 60 mm	White, for wall box	1/10 pack
1200119	B004 P	100 mm CC - 70 mm	White, for ceiling box	1/polybag
1230035	B004	100 mm CC - 70 mm	White, for ceiling box	1/10 pack

JUNCTION BOX INDOORS IP20

Junction box with terminal block. Indoors IP20

Egant no.	Vendor no.	Parameters	Features	Packaging
1200116	B219	With 5 clamps	Alpine White 65x65 mm	1/polybag
1200117	B218	With 6 clamps	Alpine White 90x65 mm	1/polybag
1230021	B219	With 5 clamps	Alpine White 65x65 mm	1/10 pack
1230022	B218	With 6 clamps	Alpine White 90x65 mm	1/10 pack

JUNCTION BOX OUTDOORS IP54

Junction box with terminal block. Outdoors IP54.

Egant no.	Vendor no.	Parameters	Features	Packaging
1200118	B232	With 5 clamps	Alpine White 80x80 mm	1/polybag
1230023	B232	With 5 clamps	Alpine White 80x80 mm	1/10 pack

JUNCTION BOX OUTDOORS IP65

Junction box without terminal block. Outdoors IP65.

Egant no.	Vendor no.	Parameters	Features	Packaging
1230024	B432	Without clamps	White 75x75 mm	1/10 pack
1230025	B233	Without clamps	White 85x85 mm	1/10 pack
1230026	B434	Without clamps	White 105x105 mm	1/10 pack

MOUNTING HARDWARE



1800093

ELECTRO TAPE

Electrotape.

Egant no.	Vendor no.	Parameters	Features	Packaging
1800093	81701013	Width 19 mm, length 20 m	Black	1/polybag
1800167	81701013	Width 19 mm, length 20 m	White	1/polybag
1800166	81701013	Width 19 mm, length 20 m	Black	1/10 pack
1800168	81701013	Width 19 mm, length 20 m	White	1/10 pack

CABLE CLIPS.
HALOGEN-FREE. CORROSIVITY CLASS C4

Clips are made of UV-resistant plastic with strengthened steel nail.

Egant no.	Vendor no.	Parameters	Features	Packaging
1300710	ETM020SW	Nail clamps 3x5, flat wire	White, w/20 mm nail	25/polybag
1301171	ETM016SW	Nail clamps 6x9, flat wire	White, w/25 mm nail	25/polybag
1301172	ETM017SW	Nail clamps 7x10, flat wire	White, w/25 mm nail	25/polybag
1301173	ETM018SW	Nail clamps 5-7, round wire	White, w/20 mm nail	25/polybag
1300711	ETM019SW	Nail clamps 7-10, round wire	White, w/25 mm nail	25/polybag
1300791	ETM257S/1W	Nail clamps 8-12, round wire	White, w/30 mm nail	25/polybag
1300712	ETM258SW	Nail clamps 10-14, round wire	White, w/30 mm nail	20/polybag
1300713	ETM259S/2W	Nail clamps 14-20 round wire, tube	White, w/45 mm nail	15/polybag
1300714	ETM260S/1W	Nail clamps 18-22 round wire, tube	White, w/45 mm nail	10/polybag
1307304	ETM020/2W	Nail clamps 3x5, flat wire	White, w/20 mm nail	100/box
1307300	ETM018SW	Nail clamps 5-7, round wire	White, w/20 mm nail	100/box
1301183	ETM016SW	Nail clamps 6x9, flat wire	White, w/25 mm nail	100/box
1301177	ETM017SW	Nail clamps 7x10, flat wire	White, w/25 mm nail	100/box
1301176	ETM019SW	Nail clamps 7-10, round wire	White, w/25 mm nail	100/box
1307301	ETM257S/1W	Nail clamps 8-12, round wire	White, w/30 mm nail	100/box
1300716	ETM258SW	Nail clamps 10-14, round wire	White, w/30 mm nail	100/box
1301174	ETM259SN/2	Nail clamps 14-20 round wire, tube	White, w/45 mm nail	100/box
1301175	ETM260S/1W	Nail clamps 18-22 round wire, tube	White, w/45 mm nail	50/box
1307305	ETM261/1W	Nail clamps 22-26, round wire	White, w/45 mm nail	50/box
1300792	ETM019S/1B	Nail clamps 7-10, round wire	Black, w/25 mm nail	100/box
1300793	ETM258S/1B	Nail clamps 10-14, round wire	Black, w/35 mm nail	100/box
1300794	ETM259S/2B	Nail clamps 14-20, round wire	Black, w/45 mm nail	100/box
1300795	ETM260S/1B	Nail clamps 18-22, round wire	Black, w/45 mm nail	50/box
1300796	ETM261S/1B	Nail clamps 22-26, round wire	Black, w/45 mm nail	50/box

STEEL CLAMPS

Powder-coated steel clamps for round and oval cable. Mounted with the help of special hand tools.

Egant no.	Vendor no.	Parameters	Features	Packaging
1301181	ETM255S	Steel clamps, 6-9 mm	White, powder coated w/25 mm nail	100/box
1301182	ETM252S	Steel clamps, 7-10 mm	White, powder coated w/25 mm nail	100/box

TOOLS FOR STEEL CLAMPS

Tools for steel clamps.

Egant no.	Vendor no.	Parameters	Features	Packaging
1300994	ETM245S	6-9 mm, for ståklammer 24	Blue	10/polybag
1300995	ETM290S	7-10 mm, for ståklammer 27	Blue	10/polybag

CABLE CLIPS WITH SCREW
HALOGEN-FREE. CORROSIVITY CLASS C4

Screw clamps for round cable are made of UV-resistant plastic.

Egant no.	Vendor no.	Parameters	Features	Packaging
1307302	ETM266S/1W	Screw clamp 10-14 mm	White, with 35 mm screw	100/box
1301179	ETM267SW	Screw clamp 14-18 mm	White, with 37 mm screw	100/box
1301180	ETM268SW	Screw clamp 18-22 mm	White, with 40 mm screw	50/box
1300797	ETM266S/1B	Screw clamp 10-14 mm	Black, with 35 mm screw	100/box
1300798	ETM267SB	Screw clamp 14-18 mm	Black, with 37 mm screw	100/box
1300799	ETM268SB	Screw clamp 18-22 mm	Black ,with 40 mm screw	50/box

STAINLESS STEEL CLAMPS
CORROSIVITY CLASS C4

Staples type stainless steel saddles.

Egant no.	Vendor no.	Parameters	Features	Packaging
1300717	82201400	Double bent 16 mm	Stainless steel	100/box
1300718	82201500	Double bent 20 mm	Stainless steel	100/box
1300398	82201600	Single bent 6 mm	Stainless steel	100/box
1300399	82201700	Single bent 8 mm	Stainless steel	100/box
1300297	82201000	Single bent 10 mm	Stainless steel	100/box
1300298	82201100	Single bent 12 mm	Stainless steel	100/box
1300299	82201200	Single bent 14 mm	Stainless steel	100/box
1300719	82201300	Single bent 16 mm	Stainless steel	100/box

FLEX TUBE CLIPS

Pipe clips for flex tube.

Egant no.	Vendor no.	Parameters	Features	Packaging
1301178	ETM659S	Pipe clip for flex tube 16 mm	White	50/box

WIRE CLAMPS WITH TAPE

Wire clamps with adhesive tape.

Egant no.	Vendor no.	Parameters	Features	Packaging
1300715	82900210	With tape	White	10/polybag

CABLE CANALS

Egant no.	Vendor no.	Parameters	Features	Packaging
1201300	81600300	12x7, w/tape, 2 m length	White, plastic	1/10 pack
1201301	81600400	16x10, w/tape, 2 m length	White, plastic	1/10 pack
1201302	81603121	4-6, w/tape, 1 m length	White, plastic	4/polybag
1201303	81602100	7 mm, w/tape, 1 m length	White, soft plastic	4/polybag
1201304	81602000	9 mm, w/tape, 1 m length	White, soft plastic	4/polybag



DCL PLUGS AND SOCKETS



1501070

LAMP PLUG - DCL

Lamp plug - DCL. With screw connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1501070	U721	Earthed	Alpine White	1/polybag

DCL PLUG WITH LAMP CABLE

DCL plug with stripped lamp cable end for mounting ceiling lamps, etc.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500478	U721-015	Earthed 3x0.75 mm ²	White, 15 cm	1/polybag
1500479	U721-200	Earthed 3x0.75 mm ²	White, 200 cm	1/polybag

DCL PLUG WITH E27 LAMP SOCKET

DCL plug with 15 cm lamp cable and E27 lamp socket.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500480	U721+E27	Earthed 3x0.75 mm ²	White, 15 cm	1/polybag

LAMP SOCKET DCL 84X84MM - FOR FLUSH MOUNTING

Lamp Socket DCL for flush mounting in wall box. Quick connection.
For wall mounting, use the UP-box 33 mm.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500475	U713	Earthed	Alpine White, 84x84 mm	1/polybag

LAMP SOCKET DCL 95X95MM - FOR FLUSH MOUNTING

Lamp socket - DCL for flush mounting in wall box. Quick connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500193	U714	Earthed	Alpine White, 95x95 mm	1/polybag

LAMP SOCKET DCL 64X64MM - FOR SURFACE MOUNTING

Lamp socket - DCL, surface mounting. Quick connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500194	U715	Earthed	Alpine White, 64x64 mm	1/polybag

CEILING LAMP SOCKET DCL - FOR FLUSH MOUNTING

Lamp socket - DCL, with detachable hook for roof box CC 70-78 mm. Quick connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500476	U710	Earthed	Alpine White, ø 110 mm	1/polybag

CEILING LAMP SOCKET DCL - FOR SURFACE MOUNTING

Lamp socket - DCL, with detachable hook. Surface mounting or roof box CC 70-78 mm. Quick connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500477	U712	Earthed	Alpine White, ø 110 mm	1/polybag

DCL PLUGS AND SOCKETS




1506015

CEILING LAMP PLUG AND SOCKET DCL - FOR FLUSH MOUNTING

Lamp plug - DCL, with detachable hook and plug for roof box CC 70-78 mm. Quick connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1506015	U710+U721	Earthed, incl. lamp plug	Alpine White, ø 110 mm	1/polybag



1506016

WALL COVER FOR LAMP SOCKET - DCL

Surface-mounted cover for DCL lamp socket for mounting on a low ceiling box.

Egant no.	Vendor no.	Parameters	Features	Packaging
1506016	U711	Height 10 mm	Alpine White, ø 110 mm	1/polybag

LAMP ACCESSORIES



1400116

WIRE DIMMERS - LED

Cord dimmer specially designed for LED lamps, but also works well for halogen bulbs lamps. Minimum level adjustment. Has a memory function and soft start

Egant no.	Vendor no.	Parameters	Features	Packaging
1400115	U320-1	2-pole, 3-60VA	White, push button	1/polybag
1400116	U320	2-pole, 3-60VA	Black, push button	1/polybag
1400119	U320-1	2-pole, 3-60VA	White, with lamp cord 0,7x1,8 m and EU-plug	1/polybag
1400120	U320	2-pole, 3-60VA	Black, with lamp cord 0,7x1,8 m and EU-plug	1/polybag



1400119

WIRE FOOT DIMMERS - LED

Designed for dimming 3-60vA LED lamps but also works well with other types of lamps. It has a memory function, minimum level adjustment and a soft push button. For indoor installations IP20. Without cable.

Egant no.	Vendor no.	Parameters	Features	Packaging
1400249	U320F	3-60VA LED 3-100VA incandescent lamp load	White, push button	1/polybag
1400250	U320F	3-60VA LED 3-100VA incandescent lamp load	Black, push button	1/polybag



1400250



1419826

WIRE SWITCHES

Wire light switch 1-pole. For mounting on lamp cable 2x0.75 mm²

Egant no.	Vendor no.	Parameters	Features	Packaging
1419826	ACS1001	1-pole, 2A, 250V	White	1/polybag
1400353	ACS1002	1-pole, 2A, 250V	Black	1/polybag



1400353

EURO-TYPE PLUG WITH CABLE – SWITCH AND E14 LAMP HOLDER



1095400

350 cm length lamp cable, with EU plug, light switch and E14 lamp socket.

Egant no.	Vendor no.	Parameters	Features	Packaging
1501085	ETM244S	Unearthed 2x0.75 mm ²	White, 350 cm	1/polybag

EURO-TYPE PLUG WITH CABLE



1501085

Lamp cable 2x0.75 mm² with EU plug, stripped end.

Egant no.	Vendor no.	Parameters	Features	Packaging
1501086	86410010	Unearthed 2x0.75 mm ²	White, 250 cm	1/polybag
1501026	ACPW02	Unearthed 2x0.75 mm ²	Black, 250 cm	1/polybag

LAMP CABLE SKX



1501086

Lamp cable 2x0.75 mm².

Egant no.	Vendor no.	Parameters	Features	Packaging
1000044	1000044	Unearthed 2x0.75 mm ²	White, 3 m	1/polybag
1000118	1000118	Unearthed 2x0.75 mm ²	White, 5 m	1/polybag
1095400	1095400	Unearthed 2x0.75 mm ²	White, 10 m	1/polybag
1000046	1000046	Unearthed 2x0.75 mm ²	White, 100 m	1/bundle
1000043	1000043	Unearthed 2x0.75 mm ²	Black, 3 m	1/polybag
1001270	1001270	Unearthed 2x0.75 mm ²	Black, 5 m	1/polybag
1001271	1001271	Unearthed 2x0.75 mm ²	Black, 10 m	1/polybag
1000045	1000045	Unearthed 2x0.75 mm ²	Black, 100 m	1/bundle

25A SOCKET AND PLUG FOR OVEN



1506010

2X25A SOCKET AND PLUG FOR OVEN

230V, 2x25A+J

Egant no.	Vendor no.	Parameters	Features	Packaging
1506010	B230	Socket, 2x25A+J, 230V	Alpine White	1/5 pack
1506011	B229	Oven plug, 2x25A+J, 230V	Alpine White	1/10 pack
1506026	B229+K	Oven plug M/3 G4 cord, 1,25 m	Alpine White	1/50 pack



1506011

PERILEX SOCKET 400V / 16A 3-PHASE



1501075

The socket is made of thermoplastic. Sockets and plugs for connecting a stove according to the Swedish standard. IP20.

Egant no.	Vendor no.	Parameters	Features	Packaging
1501075	B420	Socket 16A 230/400VAC	Alpine white / Flush type	1/polybag
1501076	B422	Socket 16A 230/400VAC	Alpine white / Surface type	1/polybag
1501077	B421	Oven plug 16A 230/400VAC	Alpine white	1/polybag
1500195	B421+1.2	Oven plug with 1,2 m length cord, 5x1.5 mm ²	Alpine white	1/polybag



1501077



1400355

LED DIMMER “STANDARD” 10-100 VA FOR FLUSH MOUNTING

Dimmer for flush mounting, indoors IP20. For LED lamps 10-100 VA, but also for incandescent and halogen lamps connected via 12V transformers. For wall box CC 60mm or surface mounting boxes. Pressure switch 1-pole / 6.

Egant no.	Vendor no.	Parameters	Features	Packaging
1400355	U321V1-P	Dimmer 10-100 W/VA	Alpine White, thermoplastics 84x84 mm	1/polybag
1400354	U321V1-BOX	Dimmer 10-100 W/VA	Alpine White, thermoplastics 84x84 mm RS 16 plate included	1/box



1400133

LED DIMMER “ADVANCE” 10-100 VA FOR FLUSH MOUNTING

Dimmer for flush mounting, indoors IP20. For LED lamps 10-100 VA, but also for incandescent and halogen lamps connected via 12V transformers. For wall box CC 60mm or surface mounting boxes. Pressure switch 1-pole / 6. Professional version with reinforcing connection terminals.

Egant no.	Vendor no.	Parameters	Features	Packaging
1400133	U321V2-P	Dimmer 10-100 W/VA	Alpine White, thermoplastics 84x84 mm	1/polybag
1419811	U321V2-BOX	Dimmer 10-100 W/VA	Alpine White, thermoplastics 84x84 mm	1/box



1400123

SWITCHES 16A FLUSH MOUNTING

Switches for flush mounting indoors IP20. For wall box CC - 60 mm or surface mounting boxes. Screw connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1400123	U201P	1-pole/2 way, 16A, 1 button	Alpine White, thermoplastics 84x84 mm	1/polybag
1400124	U202P	2-pole, 16A, 1 button (1/0)	Alpine White, thermoplastics 84x84 mm	1/polybag
1400125	U204P	16A 2 buttons	Alpine White, thermoplastics 84x84 mm	1/polybag
1400356	U351P	Double 2 way, 16A, 2 buttons	Alpine White, thermoplastics 84x84 mm	1/polybag
1400357	U352P	Intermediate 16A 1 button	Alpine White, thermoplastics 84x84 mm	1/polybag
1419803	U201	1-pole/2 way, 16A, 1 button	Alpine White, thermoplastics 84x84 mm	1/5 pack
1419804	U202	2-pole, 16A, 1 buttons (1/0)	Alpine White, thermoplastics 84x84 mm	1/5 pack
1419805	U204	16A 2 buttons	Alpine White, thermoplastics 84x84 mm	1/5 pack



1400124



1400125



1500165

SINGLE SOCKET, 16A FOR FLUSH MOUNTING

Single socket, 16A for flush mounting indoors IP20. For wall box CC-60 mm. Screw connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500165	U207 P	Single socket, Earthed 16A 250V	Alpine White, thermoplastics 84x84 mm	1/polybag
1506003	U207	Single socket, Earthed 16A 250V	Alpine White, thermoplastics 84x84 mm	1/5 pack

SWITCHES AND SOCKETS - FLUSH MOUNTING



1500166

DOUBLE SOCKET, 16A FOR FLUSH MOUNTING

Double socket, 16A, flush mounted indoor IP20. For wall box CC-60 mm. Screw connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500166	U022 P	Double socket, Earthed 16A 250V	Alpine White, thermoplastics 84x95 mm	1/polybag
1506005	U246	Double socket, Unearthed 16A 250V	Alpine White, thermoplastics 84x95 mm	1/5 pack
1506004	U022	Double socket, Earthed 16A 250V	Alpine White, thermoplastics 84x95 mm	1/5 pack



1506012

DOUBLE SOCKET LOW (FOR 1,5 BOX) 16A FOR FLUSH MOUNTING

Double socket, 16A, flush mounted indoor IP20. For wall box 1,5 CC-60 mm. Screw connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1506012	U022L	Double socket, Earthed 16A 250V	Alpine White, thermoplastics 84x95 mm	1/5 pack



1501078

3 WAY EU TYPE SOCKET, FOR FLUSH MOUNTING

3 way eu type socket for flush mounting indoors IP20. For wall box CC-60 mm. Screw connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1501078	ETM405	3-way, EU type 250V	Alpine White, thermoplastics 84x84 mm	1/polybag

FRAMES

Frames in thermoplastics for flush mounted switches, sockets etc.

Egant no.	Vendor no.	Parameters	Features	Packaging
1400126	U205 P	2-holes	Alpine White, thermoplastics 84x155 mm	1/polybag
1400127	U206 P	3-holes	Alpine White, thermoplastics 84x225 mm	1/polybag
1419814	U234 P	4-holes	Alpine White, thermoplastics 84x297 mm	1/polybag
1419812	U205	2-holes	Alpine White, thermoplastics 84x155 mm	1/10 pack
1419813	U206	3-holes	Alpine White, thermoplastics 84x225 mm	1/10 pack

BLIND PLATE

Blind plate.

Egant no.	Vendor no.	Parameters	Features	Packaging
1419821	U264	With mounting frame	Alpine White, 54x54 mm	1/polybag
1419820	U263	Without mounting frame	Alpine White, 54x54 mm	1/polybag

SWITCHES AND SOCKETS - FLUSH MOUNTING



1400057



1419824

SURFACE MOUNTING BOXES

Surface mounting boxes for flush mounted switches, sockets etc.

Egant no.	Vendor no.	Parameters	Features	Packaging
1419822	B239	Single, height 20 mm	Alpine White, thermoplastics 84x84 mm	1/polybag
1400057	U428	Single, height 33 mm	Alpine White, thermoplastics 84x84 mm	1/polybag
1419824	B429	Double, height 40 mm	Alpine White, thermoplastics 84x155 mm	1/polybag
1419825	B409 P	Triple, height 40 mm	Alpine White, thermoplastics 84x225 mm	1/polybag

SWITCHES AND SOCKETS - SURFACE MOUNTING



1400287



1400288



1400289

SWITCHES 16A SURFACE MOUNTING

Switches for surface mounting indoors IP20. Insulated base plate. Screw connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1400287	U221EP	1-pole/2 way, 16A, 1 button	Alpine White, thermoplastics 84x74 mm	1/polybag
1400288	U222EP	2-pole, 16A, 1 button (1/0)	Alpine White, thermoplastics 84x74 mm	1/polybag
1400289	U224EP	16A 2 buttons	Alpine White, thermoplastics 84x74 mm	1/polybag
1400358	U341P	Double 2 way, 16A, 2 buttons	Alpine White, thermoplastics 84x74 mm	1/polybag
1400359	U342P	Intermediate 16A 1 button	Alpine White, thermoplastics 84x74 mm	1/polybag
1419800	U221E	1-pole/2 way, 16A, 1 button	Alpine White, thermoplastics 84x74 mm	1/5 pack
1419801	U222E	2-pole, 16A, 1 button (1/0)	Alpine White, thermoplastics 84x74 mm	1/5 pack
1419802	U224E	16A 2 buttons	Alpine White, thermoplastics 84x74 mm	1/5 pack

SINGLE SOCKET, 16A FOR SURFACE MOUNTING

Single socket, 16A for surface mounting indoors IP20. Insulated base plate. Screw connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500163	U1011 P	Single socket, Earthed 16A 250V	Alpine White, thermoplastics 64x64 mm	1/polybag
1506000	U1011	Single socket, Earthed 16A 250V	Alpine White, thermoplastics 64x64 mm	1/5 pack



1500163

SWITCHES AND SOCKETS - SURFACE MOUNTING

DOUBLE SOCKET, 16A FOR SURFACE MOUNTING



1500164

Double socket, 16A for surface mounting indoors IP20. Insulated base plate. Has double screw connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500167	U2010 P	Double socket, Unearthed, 16A 250V	Alpine White, thermoplastics 64x98 mm	1/polybag
1500164	U2011 P	Double socket, Earthed, 16A 250V	Alpine White, thermoplastics 64x98 mm	1/polybag
1506007	U2010	Double socket, Unearthed, 16A 250V	Alpine White, thermoplastics 64x98 mm	1/5 pack
1506001	U2011	Double socket, Earthed 16A 250V	Alpine White, thermoplastics 64x98 mm	1/5 pack

4-WAY SOCKET, 16A FOR SURFACE MOUNTING



1500192

4-way socket, 16A for surface mounting indoors IP20. Insulated base plate. Has double screw connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500192	U241	4-way socket, Earthed 16A 250V	Alpine White, thermoplastics 98x116 mm	1/polybag
1506002	U241	4-way socket, Earthed 16A 250V	Alpine White, thermoplastics 98x116 mm	1/5 pack

CORNER BOX WITH 3-WAYS SOCKET



1501087

Corner box with 3-ways socket.

Egant no.	Vendor no.	Parameters	Features	Packaging
1501087	U401+BOX	Corner box With 3-ways socket	Alpine White, thermoplastics 84x155 mm	1/polybag

CORNER BOXES



1400363

Corner boxes for surface mounting. Suitable for flush mounted sockets, switches etc.

Egant no.	Vendor no.	Parameters	Features	Packaging
1400363	B402	Corner box	Alpine White, thermoplastics 84x155 mm	1/polybag

SWITCHES AND SOCKETS - OUTDOORS IP44



1400360



1400362

SWITCHES 16A, SURFACE-MOUNTED IP44 FOR OUTDOOR

Switches surface-mounted IP44 for outdoor installation. Interchangeable nipples for cable insertion. Screw connection.

Egant no.	Vendor no.	Parameters	Features	Packaging
1400360	U282P	1-pole/2 way, 16A, 1 button	Alpine White, thermoplastics 64x72 mm	1/polybag
1400290	U280P	2-pole, 16A 1 button	Alpine White, thermoplastics 64x72 mm	1/polybag
1400361	U284P	16A 2 buttons	Alpine White, thermoplastics 64x72 mm	1/polybag
1400362	U410P	2-pole, 16A Rotary switch (1/0)	Alpine White, thermoplastics 64x72 mm	1/polybag

SWITCHES AND SOCKETS - OUTDOORS IP44



1500168

SINGLE SOCKET, 16A FOR SURFACE MOUNTING, WITH LID IP44 FOR OUTDOORS INSTALLATION

Single socket for surface mounting, IP44 for outdoors installation. Interchangeable nipples for cable. Screw connection, with lid.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500168	U270 P	Single socket, Earthed 16A 250V	Alpine White, thermoplastics 65x73 mm	1/polybag
1501030	U270 P	Single socket, Earthed 16A 250V	Black, thermoplastics 65x73 mm	1/polybag
1506008	U270	Single socket, Earthed 16A 250V	Alpine White, thermoplastics 65x73 mm	1/5 pack
1501028	U270	Single socket, Earthed 16A 250V	Black, thermoplastics 65x73 mm	1/5 pack



1501029

DOUBLE SOCKET, 16A FOR SURFACE MOUNTING, WITH LID IP44 FOR OUTDOORS INSTALLATION

Double socket for surface mounting, IP44 for outdoors installation. Interchangeable nipples for cable. Screw connection, with lid.

Egant no.	Vendor no.	Parameters	Features	Packaging
1500169	U271 P	Double socket, Earthed 16A 250V	Alpine White, thermoplastics 130x73 mm	1/polybag
1501029	U271 P	Double socket, Earthed 16A 250V	Black, thermoplastics 130x73 mm	1/polybag
1506009	U271	Double socket, Earthed 16A 250V	Alpine White, thermoplastics 130x73 mm	1/5 pack
1501027	U271	Double socket, Earthed 16A 250V	Black, thermoplastics 130x73 mm	1/5 pack

LED LIGHTING




3000277

EASY LED LIGHTS 12W/18W/24W

New EGANT Easy LED lights are easy to install on ceilings or wall mounting in dry rooms (IP20). EASY LED Lights are dimmable for dry rooms (IP20). You can easily choose between 3000K, 3500K and 4000K with a switch behind the luminaire.

Egant no.	Parameters	3 Color switch 3CCT	Features	Packaging
3000277	ø164 mm (cutout: ø 55-125 mm)	WW=3000K	Matt White; PF - 0,9; CRI - 80.	1/box
3000278	ø217 mm (cutout: ø 55-175 mm)	NW=3500K		1/box
3000279	ø292 mm (cutout: ø 55-250 mm)	CW=4000K		1/box



3000095

EASY LED MAGNETIC RING

EGANT magnetic ring for EGANT EASY LED.

Egant no.	Parameters	Features	Packaging
3000095	ø 166x15mm	Matt black / metal	1/box
3000096	ø 219x15mm		1/box
3000097	ø 293x15mm		1/box





3000098

EGANT EDDIS LED CEILING LAMP 13W

Round, energy-saving LED luminaire. Ø=305mm, H=84mm. The luminaire has a lifespan of 30,000 hours. IP44.

Egant no.	Parameters	Color temperature	Features	Packaging
3000098	3x2x0,75-2,5mm²	3000K	White, PF - 0,9; CRI - 80	1/box



3200519

LED DOWNLIGHTS FLUSH MOUNTING**EGANT 'AGAIN' DOWNLIGHTS AND EGANT 'SMARTPLUS 360°'**

9W downlight complete with driver and junction box. Anti-glare lens with 40 gr light angle. 2700 Kelvin (ww) mounted in 83 mm hole.

Egant no.	Vendor no.	Parameters	Features	Packaging
3200519	3200519	9W, deep, non-adjustable	White, Ø95x48 mm (back cover included)	1/box
3200240	3200240	9W, adjustable 360 degrees	White, Ø95x40 mm	1/box



3200240

DOWNLIGHT BOX

Box for flush mounted downlights, low and adjustable.

Egant no.	Vendor no.	Parameters	Features	Packaging
3200327	3200327	370-580x260x48 mm	White	1/polybag



3200327

LED DIMMER "STANDARD" 10-100 VA FOR FLUSH MOUNTING

Dimmer for flush mounting, indoors IP20. For LED lamps 10-100 VA, but also for incandescent and halogen lamps connected via 12V transformers. For wall box CC 60mm or surface mounting boxes. Pressure switch 1-pole / 6.

Egant no.	Vendor no.	Parameters	Features	Packaging
1400355	U321V1-P	Dimmer 10-100 W/VA	Alpine White, thermoplastics 84x84 mm	1/polybag
1400354	U321V1-BOX	Dimmer 10-100 W/VA	Alpine White, thermoplastics 84x84 mm RS 16 plate included	1/box



1400355

LED DIMMER "ADVANCE" 10-100 VA FOR FLUSH MOUNTING

Dimmer for flush mounting, indoors IP20. For LED lamps 10-100 VA, but also for incandescent and halogen lamps connected via 12V transformers. For wall box CC 60mm or surface mounting boxes. Pressure switch 1-pole / 6.

Professional version with reinforcing connection terminals.

Egant no.	Vendor no.	Parameters	Features	Packaging
1400133	U321V2-P	Dimmer 10-100 W/VA	Alpine White, thermoplastics 84x84 mm	1/polybag
1419811	U321V2-BOX	Dimmer 10-100 W/VA	Alpine White, thermoplastics 84x84 mm	1/box



1400133

**THERMOSTAT WITH FLOOR SENSOR**

Thermostat with floor sensor. IP21, halogen-free PC.

Egant no.	Vendor no.	Parameters	Features	Packaging
	ETM510P	230 VAC, 16A, 50Hz	Alpine White, thermoplastics	1/boks

PLUGS AND SOCKET OUTLETS



1506013

PLUGS IP20

Plugs for indoor IP20.

Egant no.	Vendor no.	Parameters	Features	Packaging
1506029	83011050, ACP1001	Unearthed	White, thermoplastics	1/polybag
1506013	83013150, ACP1003	Side entrance, Earthed	White, thermoplastics	1/polybag
1501031	1501031	Side entrance,, Earthed	Black, thermoplastics	1/polybag
1506028	83012120, ACP1002	Straight entrance, Earthed	White, thermoplastics	1/polybag



1506027

REWIRABLE SOCKETS IP20

Extension Contact indoors, IP20

Egant no.	Vendor no.	Parameters	Features	Packaging
1501079	83111010, ACJ1011	Unearthed	White, thermoplastics	1/polybag
1506027	83111110, ACJ1010	Earthed	White, thermoplastics	1/polybag



1501080

POWER SOCKET SPLITTERS

Socket extensions for indoors IP20.

Egant no.	Vendor no.	Parameters	Features	Packaging
1501080	83212010, ACA2010-1	Double, Unearthed	White, thermoplastics	1/polybag
1506031	83212111, ACA2010	Double, Earthed	White, thermoplastics	1/polybag
1501082	83212210, ACA20012	Double, EU	White, thermoplastics	1/polybag
1501083	83213110, ACA3011	3-way, 2EU+1schuko	White, thermoplastics	1/polybag



1501083

PLUG IP44

Plug for outdoors IP44.

Egant no.	Vendor no.	Parameters	Features	Packaging
1506032	83014420, ETM227S	Earthed	Black, rubber	1/polybag



1506032



1506033

EXTENSION SOCKET OUTDOORS, WITH LID

Extension socket outdoors, with lid, IP44.

Egant no.	Vendor no.	Parameters	Features	Packaging
1506033	83114420, ETM228S	Earthed	Black, rubber	1/polybag



1506014

DOUBLE EXTENSION SOCKET OUTDOORS

Double extension socket outdoors, with lid, IP44.

Egant no.	Vendor no.	Parameters	Features	Packaging
1506014	83112123, ETM212S	Earthed	Red, thermoplastics	1/polybag



1506017

EXTENSION CABLE OUTDOORS WITH DOUBLE SOCKET

Extension cable outdoors with double socket IP44. With lid. H07RN-F

Egant no.	Vendor no.	Parameters	Features	Packaging
1506017	83312102, ACPW37+ETM212S-1	Double socket, 1,5 mm² 15 m	Black/red, rubber	1/polybag
1506018	83312104, ACPW37+ETM212S-1	Double socket, 1,5 mm² 25 m	Black/red, rubber	1/polybag
1506019	1506019	Double socket, 2,5 mm² 25 m	Black/red, rubber	1/polybag




HOLE FINDER SET

Magnetic search system for electrical sockets.


Egant no.	Parameters	Packaging
1230098	Sizes: 8.21, 2 x 8.22, 8.23, 8.24	1/box

WIRING DIAGRAM SWITCHES


1 key 2 way switch
16A




1 key 2 pole switch
16A




2 key switch
16A




Double 2 key double
2-way switch 16A




1 key ntermediate
switch 16A




EGANT™ UNIQUE BENEFITS



JUSTERBARE INNERRINGER



BARNESIKKRING INTEGRERT I DEKSEL




BRUNNPLATE SOM ISOLERER



IP65 PÅVEGGBOKSER



KNOCK-OUTS FOR KABEL OG RØR



STRØMBRYTERE 16A MED TYDELIG MERKING



DIMMER FOR LED, JUSTERBAR
BÅDE FOR MIN OG MAX



ROMSLIGE KABELINNFRINGER



PRODUCTION: FACTORY IN CHINA

Our factory in Changzhou, China, is located around 180 km northwest of Shanghai. It has a staff of more than 350 and is the heart of production. With our manufacturing expertise of nearly 30 years, we continue developing and improving our production using LEAN processes. Our manufacturing processes are certified to the international standards of ISO 9001 and ISO 14001. Own factory enables us to combine low production costs with the highest quality.



SUSTAINABILITY

Sustainability is always within our goals. EGANT production is environmentally certified by international ISO 14001 standards. By currently improving product packaging, we aim to reduce the use of plastic by 30%. Furthermore, more conveniently packed products mean “leaner” logistics costs, better transportation and overall reduced energy consumption. We are keen on remaining a part of the environmentally friendly community.





EGANT™

2022

ETMAN UAB
21B Pramones Str.
Klaipeda, Lithuania
LT-94103

www.egant.eu