

# PRODUCT NUMBER: 1005073 BILSOM 303L Foamplug

Learn more about our products at howardleight.com

Learn more about hearing conservation at hearforever.org >



# **Overview**

# **Reference Number**

1005073

# **Product Type**

Hearing Protection

#### Range

Earplugs

# Line

Disposable Earplugs

#### Brand

Howard Leight by Honeywell

#### Brand formerly known as

**BILSOM** 

# Industry

- Industry Administration Agriculture Army Defence ATEX environment
- Automotive and Part Manufacturer
  Aviation
  Building and Construction
  Catering
- Chemical Industries Energy or Electricity Fire Protection brigades Fishing Food Industries
- Foundry Glass Industries Green Spaces Homeland defense Industrial Cleaning
- Iron and steel industry Laboratory Logistics Maintenance Medical and Pharmaceutical
- Metal steel Minning and Quarrying Offshore Paper Industries Petro-chemical
- Printing Industries
  Services
  Ship Building
  Telecoms
  Textile Industries
  Transportation
- Utilities Water treatment Welding Wood Industries

#### **Product Use**

Single-Use Earplug, 1-PR Pouch, 200BX

# **Features & Benefits**

#### Feature

POLYURETHANE FOAM Soft foam delivers superior long-wearing comfort and solid performance. SMOOTH, SOIL-RESISTANT SKIN Prevents dirt or other substances from accumulating on skin or entering ear canal.

#### Benefit

# BILSOM 303L Foamplug - 1005073

The Bilsom 300 Series earplugs are ideal for workers who need to block out loud noise demand the best protection and comfort available in an earplug. Europe most-used polyurethane earplug, the 300 series earplug, offers superior noise-blocking performance in a single-use earplug.

# **Technical Description**

SNR (dB)

33

H (dB)

32

M (dB)

29

L (dB)

29

**Attenuation Data** 

Attenuation data (NRR)

The state of the s										
Frequency Hz	125	250	500	1000	2000	3150	4000	6300	8000	NRR
Mean Attenuation, dB	34.4	35.0	36.2	35.9	36.4	38.9	39.8	42.6	43.0	29 dB
Standard Deviation, dB	3.4	4.2	3.8	3.0	2.9	3.0	3.2	4.2	4.1	

Tested According to ANSI S.3.19-1974

Size

Regular

Color

Yellow and white

Shape

bullet

Corded

No

Weight (grs)

0.48

# **Certifications**

E.C. Declaration of Conformity

**EC Category PPE** 

2

**Quality Assurance** 

ISO 9001 / 2000

**EC Certificate Number** 

941057

**EC** Attestation

■ EC Attestation

**EC Attestation Number** 

9404815

# **Literature & Documents**

PIC SKU - Pictures

http://www.honeywellsafety.com/assets/0/324/500/51887/ea417e6446ae40ef8a7d8ce1a98e9bfe.jpg

PIC SKU - Pictures

http://www.honeywellsafety.com/assets/0/324/500/51887/859c9b51971e41a4a74462dddaa70a3f.jpg

PIC SKU - Pictures

http://www.honeywellsafety.com/assets/0/324/500/51887/593c1ab7220f41898e20de53ab788dd6.jpg

PIC SKU - Pictures

http://www.honeywellsafety.com/assets/0/324/500/51887/2b2d27b6bd264c1489ce54b1afef102b.jpg

PIC SKU - Pictures

http://www.honeywellsafety.com/assets/0/324/500/51887/9d4f189ebe364d3785872ec7f2bbb52e.jpg

# **Additional Information**

#### **User Manual**

Instruction Manual - Bilsom 303 (global)

# **Maintenance**

#### Storage Information

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

# **Care Instructions**

Disposable earplugs are made of either TPE (Thermoplastic elastomers) or polyurethane foam. Washing and cleaning of disposable earplugs are not recommended. These plugs must be disposed of and replaced after each wearing. Excessive moisture reduces the attenuation and slows down the foam recovery which may lead to improper fit.

# **Packaging**

**EAN Code** 

7312550050736

© Honeywell International Inc.