

Zdjęcie jest reprezentatywne

## Eaton 190021

Eaton Moeller® series PKZM4 Motor-protective circuit-breaker (-EA), Ir= 32 - 40 A, Screw terminals, Terminations: IP00

### General specifications

<b>PRODUCT NAME</b>	Eaton Moeller® series PKZM4 Motor-protective circuit-breaker
<b>CATALOG NUMBER</b>	190021
<b>EAN</b>	4015081880171
<b>PRODUCT LENGTH/DEPTH</b>	160 mm
<b>PRODUCT HEIGHT</b>	140 mm
<b>PRODUCT WIDTH</b>	55 mm
<b>PRODUCT WEIGHT</b>	1.136 kg
<b>COMPLIANCES</b>	CE Marked RoHS conform
<b>MODEL CODE</b>	PKZM4-40-EA

## Features & Functions

<b>ACTUATOR TYPE</b>	Turn button
<b>FUNCTIONS</b>	Phase failure sensitive
<b>NUMBER OF POLES</b>	Three-pole

## Short-circuit rating

<b>SHORT-CIRCUIT RELEASE</b>	Basic device fixed 15.5 x Iu ± 20% tolerance 620 A, I <sub>rm</sub>
<b>RATED SHORT-CIRCUIT BREAKING CAPACITY ICU AT 400 V AC</b>	50 kA

## Electrical rating

<b>RATED OPERATIONAL POWER AT AC-3E, 220/230 V, 50 HZ</b>	11 kW
<b>RATED OPERATIONAL POWER AT AC-3E, 380/400 V, 50 HZ</b>	20 kW
<b>RATED OPERATIONAL VOLTAGE (UE) - MIN</b>	690 V
<b>RATED OPERATIONAL VOLTAGE (UE) - MAX</b>	690 V
<b>RATED UNINTERRUPTED CURRENT (IU)</b>	40 A

## Trip blocks

<b>OVERLOAD RELEASE CURRENT SETTING - MIN</b>	32 A
<b>OVERLOAD RELEASE CURRENT SETTING - MAX</b>	40 A

## Do pobrania

	<a href="#">eaton-manual-motor-starters-tripping-characteristic-pkzm4-characteristic-curve.eps</a>
CHARACTERISTIC CURVE	<a href="#">eaton-manual-motor-starters-characteristic-pkzm4-characteristic-curve.eps</a> <a href="#">eaton-manual-motor-starters-characteristic-pkzm4-characteristic-curve-002.eps</a>
DEKLARACJE ZGODNOŚCI	<a href="#">eaton-motor-protective-circuit-breaker-declaration-of-conformity-uk251169en.pdf</a> <a href="#">eaton-motor-protective-circuit-breaker-declaration-of-conformity-eu250686en.pdf</a>
INSTRUKCJE MONTAŻU	<a href="#">eaton-motors-starters-pkzm4-ea-motor-protective-circuit-breaker-instruction-leaflet-il034047zu.pdf</a> <a href="#">eaton-motors-starters-pkzm4-motor-protective-circuit-breaker-instruction-leaflet-il03407012z.pdf</a>
MODELE ECAD	<a href="#">ETN.190021.edz</a>
MODELE MCAD	<a href="#">DA-CD-pkzm4</a> <a href="#">DA-CS-pkzm4</a>
RYSUNKI	<a href="#">eaton-manual-motor-starters-circuit-breaker-pkzm4-dimensions.eps</a> <a href="#">eaton-manual-motor-starters-pkzm4-dimensions.eps</a> <a href="#">eaton-manual-motor-starters-circuit-breaker-pkzm4-3d-drawing.eps</a> <a href="#">eaton-manual-motor-starters-pkzm4-3d-drawing.eps</a>
SCHEMATY POŁĄCZEŃ	<a href="#">eaton-manual-motor-starters-transformer-pkzm0-wiring-diagram.eps</a>

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATA:**

---



**Eaton Corporation plc**

Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

Follow us on social media to get the latest product and support information.



© 2025 Eaton. Wszelkie prawa zastrzeżone.