

LogiLink_®

USB-C GaN Wall Charger 30 W

Art. No.: **PA0347 PA0348**



GaN chargers are physically smaller, and conduct higher voltages than silicon-based chargers with better heat dissipation. Charge smartphones, tablets or laptops at full speed with 30 W USB-C Power Delivery at home, in the office or on-the-go.

















Ultra-slim design, easy to carry and takes up less space.



Up to 30 W output for a variety of devices from tablets to smartphones; it powers your devices at incredible speeds.



Extremely safe, comes with overcurrent, overvoltage, overheating, overcharge, overload and short circuit protections.



Widely compatible with most USB devices such as smartphones, tablets and much more.



Specification:





Art. No.	PA0347 PA0348		
Power Output Interface	1 x USB-C female	1 x USB-C female + 1 x USB-A female	
Input	100–240 V∼, 50/60 Hz, max. 0.8 A	100–240 V∼, 50/60 Hz, max. 0.8 A	
Output	USB-C PD 3.0: 5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/2.5 A (30 W), 15 V/2 A (30 W), 20 V/1.5 A (30 W) PPS: 3.3–11 V/3 A (30 W) 3.3–16 V/2 A (30 W) Total output: 30 W max.	USB-C PD 3.0: 5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/2.5 A (30 W), 15 V/2 A (30 W), 20 V/1.5 A (30 W) USB-A QC 3.0: 5 V/3 A (15 W), 9 V/2 A (18 W), 12 V/1.5 A (18 W) USB-A + USB-C: 5 V/3 A (15 W) PPS: 3.3-11 V/3 A (30 W) 3.3-16 V/2 A (30 W) Total output: 30 W max.	
Efficiency	Level VI		
Operating Temperature	-10–35°C		

10-90% RH (non-condensing) **Operating Humidity** 20-80% RH (non-condensing) Color White **Dimensions** 8.1 x 3.6 x 1.5 cm

Weight 37.5 g

(!) Proper use of the PD function can only be guaranteed in combination with certified USB cables with E-Mark chipset.



^{*}The specifications and pictures are subject to change without prior notice. *All trade names referenced are the registered trademarks of their respective owners.

- Package Contents:
 » 1x USB-C Wall Charger
- » 1x User Manual

Package Information:

Art-No.	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
PA0347	75 x 25 x 95 mm	0.059 kg	290 x 210 x 400 mm	100 pcs	6.21 kg
PA0348	75 x 25 x 95 mm	0.059 kg	290 x 210 x 400 mm	100 pcs	6.36 kg

