



Input expander, SpaceLogic IP-IO Series, 10 digital inputs [TAA]

SXWIPIOAA10001

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Backup Time	7 days	
Width	6.02 in (153 mm)	
Mounting Mode	DIN Rail Mount Panel-mounted	
Power Consumption in W	9 W	
Power Consumption in VA	17 VA	
Clock Drift	+/- 1 min/month	
Product or Component Type	I/O module	
Device short name	IP-IO-DI10	
Height	4.3 in (110 mm)	
Model	IP-IO-DI10	
Network Frequency	50 Hz 60 Hz	
Ambient Air Temperature for Storage	-4158 °F (-2070 °C)	
Ambient air temperature for operation	32122 °F (050 °C)	
Number of Port	2 RJ45 1 USB type A female 1 USB device port Mini-B	
Relative Humidity	095 % RH, non-condensing	
Number of inputs	10 digital input	
Memory Type	32 MB flash 128 MB RAM	
Communication Port Support	ETHERNET 10/100BASE-TX	
[Us] Rated Supply Voltage	24 V AC +/- 20 % 2430 V DC 2133 V DC	
Communication Port Protocol	BACnet IP	

Complementary

Standards CAN/CSA C22.2 No. 24

Ordering and shipping details

GTIN	3606489778859
Returnability	No

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.61 in (16.8 cm)
Package 1 Width	4.88 in (12.4 cm)
Package 1 Length	2.76 in (7 cm)
Package 1 Weight	13.4 oz (380 g)

Compliance

Compliance TAA



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Carbon footprint (kg CO2 eq, Total Life cycle)	350	
Environmental Disclosure	Product Environmental Profile	

Use Better

Recycled metal content at CR level	0
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant with Exemptions
SCIP Number	216d30ea-561a-4180-91a4-6fde03982c56
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Halogen content performance	Halogen free plastic parts product
PVC free	Yes

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.