



CP7 **2K**

Smart Home Video Doorphone

Home access made smart, safe, & straightforward

A game-changer for home intercom, the CP7 maximizes front door convenience and home safety like never before. For the first time, a video doorphone introduces unparalleled 2K vision, internet-connected app control, human motion detection, and even elegant design to greatly optimize the user experience. Front door interaction becomes a breeze. Homeowners can view, talk, and grant access to visitors even if they are not home.



2K Resolution



7-Inch Color Touch Screen



Remote Door/Gate Unlock¹



2-Wire



Smart Human Motion Detection



Two-Way Talk (Supports voice changer feature)



Built-In Doorbell with Multiple Ringtones



Smart RFID Unlock (3 tags included)



Weatherproof Design



Supports 2.4 / 5 GHz Dual-Band Wi-Fi



Supports MicroSD Card (Up to 512 GB) & EZVIZ CloudPlay Storage²


Built to be reliable for houses and villas

The CP7 is ideal for anyone who seeks to replace their bulky intercom in a renovated home, or for those who are moving into a spacious villa and need convenient communication and confident security. This stylish kit combines a 2-in-1 outdoor video doorbell with a large indoor monitor and easily fits any home style.



2-Wire Installation
(Also compatible with 4-wire systems)

Wire Length



Waterproof Doorphone



Gate/Door Dual Controls¹



Manage your door easily - even remotely

Heavy dangling keys can now be history. The CP7 provides far easier access controls while adding visual protection to verify your visitors.



Swipe open with smart RFID
(3 tags included)



Unlock via the indoor monitor



Open the door using the EZVIZ App

An all-in-one touch monitor to communicate & control

The 7-inch color touch screen is where you set up and manage your outdoor doorphone, respond to visitors, and save important video clips. Whenever a visitor rings your door, the indoor screen will automatically light up to let you know who's outside.

Versatile features

Crisp live viewing

Two-way talk

Gate/Door unlock

Video history and storage

(Supports microSD card of up to 512 GB)



It's easier than ever to respond from afar

Even if you're not home, the CP7 makes sure you don't miss a visitor. You can always use your phone to stay connected, and open the door for guests remotely. When responding to uninvited strangers, you can enable change the voice feature to keep yourself unidentified and to add another layer of protection.

 Two-way Talk

 Remote Unlock

 Voice Changer for Privacy Protection

Hi, you have a delivery.



Thank you, please leave that outside the door.



Stunning 2K



Next-level vision for a home intercom

The CP7 is designed to render ultra-wide and clear imaging, from day to night. With a 162-degree viewing angle and 2K lens, you can easily see a postman from head to toe without pixelated or blurry details. The CP7 camera also provides 5-meter infrared night vision for peace-of-mind 24/7.

Enhanced security with smart human motion detection


Whenever the CP7 video doorbell detects human activity at your front door, it will send you mobile notifications right away in case there's an uninvited guest. You can always fine-tune the detection sensitivity and set up specific detection zones to reduce unwanted alerts.

 Smart Human Motion Detection

 Customizable Detection Zone

 Adjustable Detection Sensibility

FREE No Subscription Fee



Additional convenience to welcome visitors

To make sure you hear the ring even from afar, the indoor monitor doubles as a chime to deliver pleasant ringing tones. It thoughtfully provides a variety of ringtone choices³ to better fit your home vibe.


Elegant design elevates your front door

The CP7 kit adopts a refined, minimalist look, with a simple, consistent glossy black for both devices. A standout from traditional intercoms, the CP7 satisfies modern tastes for a stylish home. The indoor monitor screen also maximizes the touch area, enhancing the whole user experience.



Steady connection for boosted performance

To maximize the connected experience with remote controls, you can connect the indoor monitor to either the 2.4 or 5 GHz band. Enjoy strong Wi-Fi with lower latency, larger bandwidth, and a stable signal.



Enhanced viewing pleasure with smaller video files


Compared against the prevailing H.264 video compression technology, H.265 creates a more fluid viewing experience with recorded footage. Meanwhile, you won't have to worry about large video files taking up too much of your storage space – H.265 technology can reduce their sizes by up to 50%⁴.

50%
Video Storage Space

50%
Required Bandwidth



Supports MicroSD Card²



Supports EZVIZ CloudPlay Storage²

Extra-Large, safe storage options that you can trust


You can secure your recorded videos on a local microSD card of up to 512 GB, or subscribe to EZVIZ CloudPlay for fully-encrypted cloud storage.

We do our best to protect your data and privacy

We design the product to respectfully protect your data and privacy. You can also set up no filming zones to make sure recording only happens when it's appropriate and allowed.



EZVIZ has been awarded by DNV for **information security** (ISO/IEC 27001:2013), **personal data protection** (ISO/IEC 27701:2019), **cloud security** (CSA STAR) and more.



AES-128

Data Encryption

TLS

Data Transmission Encryption

- 1 To check the installation requirements and product compatibility, please refer to the User Manual for detailed information.
- 2 The local storage card must be purchased separately. The cloud storage service is only available in certain markets. Please verify the availability before making a purchase.
- 3 Users are able to customize the ringtone sent by the indoor display by touch controls or via the EZVIZ App. The outdoor doorbell only provides one default ringtone and cannot be customized.
- 4 Data from EZVIZ Lab's test results under standard conditions. Will vary with the frequency and complexity of the activity captured, and other environmental factors.

Specifications CS-CP7-R105-1W2TFC

Outdoor Doorbell Parameters

| | |
|-------------------|---|
| Image Sensor | 1/2.7" Progressive Scan CMOS (Supports low light sensitivity) |
| Lens | 2.0 mm @ F2.2,viewing angle: 162° (Diagonal) |
| Day & Night | IR-cut filter with auto-switching, 850nm infrared light x 2 (max. 6m) |
| Max. Resolution | 2K, 2048 × 1296 |
| DNR | 2D/3D DNR |
| Video Compression | H.265 / H.264 |
| Frame Rate | Max: 15fps; Self-Adaptive during network transmission |

Outdoor Doorbell Interface

| | |
|-----------------|--|
| Audio Input | Built-in high-sensitivity microphone |
| Audio Output | Built-in high-power speaker |
| Doorbell Button | Support, 1 button. The light can be set on or off. |
| Terminal | Two wiring ports to connect screen. Two wiring ports to connect gate. Two wiring ports to connect electric strike plate. |

Functions

| | |
|-------------------|---|
| Intelligent Alarm | Smart Human Motion Detection, Lingering Detection |
| Tamper Alarm | Supports |
| Video Intercom | Long-distance video two way talk |

Connection and Function

| | |
|-----------------------------------|--|
| Connection Method | Wired connection (2-Wired, capable with 4-Wired), Digital signal transmission |
| Transmission Distance | Φ 2 x 0.75mm ² , max. 50m Φ 2 x 1.5mm ² , max. 100m Twisted pair, max. 120m |
| Unlocking (Gate) | Supports 2 wiring ports. 1-10m distance. The intercom panel provides a "dry"-contact connection, without an electric current, to connect to the button for automated gate, gate breaking capacity: 12V/2A |
| Unlocking (Electric strike plate) | Supports 2 wiring ports. 1-10m distance. The electric strike plate or lock that you order must have a mechanical memory; the power supply to the electric strike plate or lock must not exceed 12V/1.1A, other wise should do as user manual. |
| Door Open Methods | 1.RFID badge unlock (CPU card x 3 pcs) 2.App remote unlock 3.Indoor display unlock |

General

| | |
|--------------------------|--|
| Operation Conditions | -30°C to 60°C, Humidity 95% or less (non-condensing) |
| Ingress Protection Grade | Waterproof, with shield cover |
| Size | 161 × 87 × 20 mm (6.34 × 3.42 × 0.79 inch) |
| Power Supply | 24V DC from screen |

Specifications CS-CP7-R105-1W2TFC

Interior Display

| | |
|--------------|-----------------|
| Display size | 7" touch screen |
| Resolution | 1024 × 600 |

Interface

| | |
|--------------|--|
| Audio Input | Built-in high-sensitivity microphone |
| Audio Output | Built-in high-power speaker |
| Button | Screen On / Off Button |
| Terminal | Two wiring ports to connect outdoor doorbell |
| Storage | Supports microSD card up to 512 GB Supports EZVIZ Cloud storage |

Network Parameters

| | |
|--------------------|----------------------------------|
| Protocol | EZVIZ Cloud Proprietary Protocol |
| Interface Protocol | EZVIZ Cloud Proprietary Protocol |
| Protocol | EZVIZ EZCONNECT Protocol |

Wi-Fi Parameters

| | |
|-------------------|---|
| Wi-Fi Standard | IEEE802.11b, 802.11g, 802.11n, 802.11ac |
| Frequency Range | 2.4GHz ~ 2.4835GHz 5.15GHz ~ 5.25GHz |
| Channel Bandwidth | Supports 20MHz |
| Security | 64/128-bit WEP,WPA/WPA2, WPA-PSK/WPA2-PSK |
| Transmission Rate | 11b: 11Mbps, 11g: 54Mbps, 11n: 150Mbps, 11ac: 433.3Mbps |

Function

| | |
|--------------------|---|
| Multiple ringtones | Up to 20 ringtones |
| Functions | Live View, Playback, Two-way Talk, Video Call |

General

| | |
|--------------------------------|--|
| Operation Conditions | -10°C to 45°C, humidity 95% or less (non-condensing) |
| Size | 180 × 111 × 15 mm (7.09 × 4.37 × 0.59 inch) |
| Power Supply | DC 24V 1A power supply, adaptor (100-240Vac) |
| Power Consumption | 8W, Max. 24W |
| Weight (Doorbell & Display) | Net weight : 845 g (29.80 oz) With package: 1668 g (58.84 oz) |

In the box

- Monitor
- Wall Bracket for Monitor
- Power Adapter for Monitor
- Intercom Panel
- Drill Template for Monitor
- Drill Template for Intercom Panel
- Screwdriver
- Badges (×3)
- Screw Kit (×2)
- DC 24V Power Supply Jack Connector Cable
- Wires and Wire Connectors
- Regulatory Information
- Quick Start Guide

Certification

CE / REACH / WEEE / RoHS

Specifications are subject to change without notice. "EZVIZ" and other trademarks and logos are the properties of EZVIZ in various jurisdictions.