

Specyfikacje



Eaton 272484

Eaton Distribution parts. Transformator 230V, 12/24V, 2/1A, 3HP

General specifications

PRODUCT NAME	Eaton Distribution parts
CATALOG NUMBER	272484
EAN	4015082724849
PRODUCT LENGTH/DEPTH	55 mm
PRODUCT HEIGHT	90 mm
PRODUCT WIDTH	54 mm
PRODUCT WEIGHT	0.608 kg
COMPLIANCES	RoHS conform
MODEL CODE	TR-G2/24

Specyfikacje produktu

FEATURES	Short-circuit protected Temperature protection Modular version
TRANSFORMER TYPE	Standard bell ringing transformer
AMBIENT OPERATING TEMPERATURE - MAX	35 °C
AMBIENT OPERATING TEMPERATURE - MIN	-25 °C
HEAT DISSIPATION CAPACITY	0 W
HEAT DISSIPATION PER POLE, CURRENT-DEPENDENT	0 W
OUTPUT POWER - MAX	0 W
POWER LOSS - MAX	0 W
RATED OPERATIONAL CURRENT FOR SPECIFIED HEAT DISSIPATION (IN)	0 A
SECONDARY RATED CURRENT 1	2 A
SECONDARY RATED CURRENT 2	1 A
SECONDARY RATED CURRENT 3	0 A
SECONDARY VOLTAGE RATING 1	12 V
SECONDARY VOLTAGE RATING 2	24 V
SECONDARY VOLTAGE RATING 3	0 V
STATIC HEAT DISSIPATION, NON-CURRENT-DEPENDENT	0 W
WIDTH IN NUMBER OF MODULAR SPACINGS	3
EQUIPMENT HEAT DISSIPATION, CURRENT-DEPENDENT	7.92 W
SUITABLE FOR	Surface mounting
OUTPUT CURRENT - MAX	0 A
PRIMARY VOLTAGE	230 V

Do pobrania

DEKLARACJE ZGODNOŚCI	eaton-distribution-parts-declaration-of-conformity-eu250246en.pdf
SCHEMATY POŁĄCZEŃ	Mas_TR

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATA:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. Wszelkie prawa zastrzeżone.

Follow us on social media to get the latest product and support information.

