

2021-2022 CATALOG

NEW & REFURBISHED **VETERINARY EQUIPMENT**

Anesthesia Machines • Vital Signs Monitors
Electrosurgical Units • Surgical Tables
Defibrillators/AEDs • Respiratory Ventilators
and much more

PAGE
4 Premier XP
Anesthesia Machine



A leader in veterinary research equipment for more than 30 years

Avante Animal Health, formerly known as DRE Veterinary, is a division of Avante Health Solutions. For more than 30 years, Avante Animal Health has provided a combination of new and professionally refurbished medical equipment to veterinarians, veterinary surgery centers, research facilities, universities and technical schools.

Veterinary facilities rely on Avante to provide products and services that save time and money, allowing veterinary surgeons to do what they do best.


Contact Avante Animal Health today to see how we can maximize your veterinary equipment performance.



Browse online at
www.avantevet.com

Shop online for new and professionally refurbished equipment, veterinary supplies and accessories from top brands and manufacturers.

At avantevet.com, you can request a quote for the equipment you need. We can ship to nearly any destination in the world!



GSA *Advantage!*

*Avante Animal Health is a
GSA Advantage
Contract Holder*

*Select Avante
products are available!*

Contract Number:
V797P-4385B
Federal I.D. Number:
47-4682356

Call 1-800-980-1282 for information

Vaporizer Cleaning and Calibration Maintenance Services

Our skilled biomedical staff offers superior pricing and a quick turnaround.

We also have a wide selection of new and professionally refurbished vaporizers from Penlon, Ohmeda, and Dräger.



One source for new and refurbished veterinary equipment solutions.



PAGE 4 Premier XP
Anesthesia Machine

PAGE 11

HighDent Quattro Plus
Veterinary Dental System



PAGE 12

Avante Citadel 180
Electrosurgical Unit

PAGE 18

Avante Waveline VS
Vital Signs Monitor



PAGE 40

Crystal 4P
Digital Ultrasound

CALL TODAY FOR A QUOTE!

1-800-980-1282 | avantevet.com

FOLLOW, LIKE, AND CONNECT



Avante | Health Solutions

Contents

- 4 Anesthesia
- 8 Anesthesia Ventilators
- 9 Autoclaves
- 9 Centrifuges
- 10 Defibrillators
- 11 Dental Care
- 12 Electrosurgical
- 14 Endoscopy
- 15 Imaging
- 16 Medical Gas
- 17 Microscopes
- 18 Monitors
- 21 Monitors - MRI
- 21 Monitors - ECG
- 22 Monitors - Telemetry
- 24 MRI
- 28 Procedure Lights
- 31 Pumps
- 32 Respiratory Ventilators
- 33 Stainless Steel
- 36 Surgery Tables
- 38 Exam Tables
- 39 Exam Room Package
- 40 Ultrasounds
- 42 Warmers
- 43 Cages
- 44 X-Ray
- 46 Supplies & Accessories





Premier XP

Compact anesthesia system offers true mobility throughout your facility

0.1 – 4 lpm oxygen flowmeter with rotary float and large, easy to read scale.

1,500 mL CO₂ absorber designed for easy and fast replenishing of soda lime.

New momentary closed feature incorporated into the pop-off valve.

Recessed flush valve prevents accidental activation.

Quick-connect fresh gas outlet for easy and secure switching between breathing circuits.

Includes 5-year manufacturers warranty.

Web ID 9838

FIND IT FAST at www.avantevet.com
when you search by Web ID number

Premier XP MRI-Compatible Configuration

with Penlon Nuffield 200 Ventilator, Penlon Vaporizer and Circle System

Selectatec compatible manifold makes installing the vaporizer quick and easy.

Patient circuit with 2-liter and 3-liter bags.

More info on page 24.

Web ID 369



Elite/Coaxial

For small animals and rebreathing anesthesia

0.1 to 4 lpm oxygen flowmeter.

Quick-close, pop-off valve.

Coaxial breathing circuit reduces heat loss and helps humidify inspired gas.

Web ID 371



Bain Circuit Adaptor
(non-rebreathing)



E-tank Holder
(single and dual)



Scavenger Interface
(active and passive)



Circuit Alarm



Top-Shelf
Attachment

Anesthesia Options

University Pro

Sophisticated anesthesia workstation adapts to the needs of your facility

0.1 to 4 lpm oxygen flowmeter, coaxial or conventional.

CO₂ absorber, dual vaporizer manifold with interlocking capability, recessed flush valve, rotary float, and dual canister for longer cases.

Optional N₂O, medical air flow meters, N₂O tank holder, bain circuit adaptor, ventilator bracket with shelf and mounted IV pole.

Web ID 12257



Ask about custom color options!



Premier XP Field Service

Perfect unit to bring everywhere

0 to 15 lpm oxygen flowmeter

Quick-connect fresh gas outlet for easy and secure switching between breathing circuits.

Web ID 13435



Assembled in a hard-carrying case with wheels

Small Animal
Anesthesia Accessories



Slide Top Induction
Chambers



Close Top Induction
Chamber



Rodent Nose
Cone/Face Masks



Rodent Circuits

Compact Mini

Small, easy-to-operate unit with an optional carrying case.

O₂ flow meter, new or refurbished vaporizer and O₂ hose.

Available with rodent nose cone and rodent circuit, or t-piece adaptor with shut off valve for 1 or 2 patients.

Web ID 9280



Non-rebreathing systems designed for laboratories and research facilities that anesthetize small animals

Compact 150

Includes O₂ flow meter, O₂ flush valve, new or refurbished vaporizer and O₂ hose.

Available with rodent nose comb and a rolling stand.

Customizable with multiple flowmeters for anesthetizing multiple animals.

Web ID 373



Titan XL

Large animal anesthesia system for equine, bovine and a variety of zoological animals

Frequency control variable from 0 to 99 breaths per minute in 1 BPM increments.

5 - 15 liters of tidal volume available.

Ventilator is time cycled, electronically controlled and pneumatically-powered.


Inspiratory flow controlled through operator adjustable regulator.

Touch-control tidal volume adjustment.

Vapor exclusion system protects from both vaporizers delivering agent. One is in use, while the other shuts off.

Optional scavenger interface, Foal absorber, Extended inspiratory and expiratory ratios
Large animal sized endotracheal tubes available.

Web ID 534



Optional foal absorber

3-year warranty!

Avante Integra SL

Compact system for operating rooms where space is at a premium

Electronic flow display and conventional flowmeter options are available.

6 ventilation modes.

New top shelf with secure GCX mounting system for patient monitors.

Territory-specific electrical outlet options.

Selectatec compatible back bar (1 or 2 stations).

Illuminated work space with large capacity drawer units.

GCX compatible aluminium uprights for additional accessory mounting, Integrated CO₂ absorber and bellows unit with ventilator interface.

MRI-Compatible version available. See page 24.

Web ID 12412

Includes the AV-S
Touchscreen Anesthesia Ventilator



< Patient monitor sold separately



Datex-Ohmeda S/5 Aespire

Enhanced monitor integration capabilities with our Datex-Ohmeda Anesthesia Monitor and Compact Anesthesia monitor.

Lightweight and compact for easy maneuverability

Optional integrated auxiliary O₂ flowmeter and suction control

Advanced Breathing System (ABST™)

Web ID 11649



Dräger Fabius GS

Combines advanced ventilation technology with reliable breathing system components

Proven ventilation versatility

Electric gas-flow measurement

Compact, convenient breathing system

Industry-standard anesthesia machine backed by manufacturer

Fully-loaded models come with volume control, pressure control and support

Web ID 11644

Pro 5 Liter Oxygen Concentrator

A reimagined, compact, and highly mobile machine

Lightweight Thermoplastic Cabinet

Flame Retardant Safety Feature

Designed for Easy, Low-Maintenance Service

Concentration: 90.0% (+5.6/ -3.0)
Purified Oxygen

Web ID 13533



Anesthesia Supplies & Accessories

Anesthesia Masks and Diaphragms

Individual and complete sets: small, medium and large (feline and canine), and rodent




CO₂ Absorbent

2.5-lb. pre-packaged canisters, bags, and 5-gallon buckets



O₂ Fuel Cells

Dräger, Avante, Ohmeda, Siemens, Datascope and Criticare



Circuits and Bags

Many styles and sizes



Shop avantevet.com for all your veterinary supply needs!



Vaporizers

New and recalibrated

Our selection includes Ohmeda Tec 4 & Tec 5, Penlon Sigma Delta, and Dräger 19.1 & Vapor 2000

Isoflurane and Sevoflurane

Shop
avantevet.com
for autoclave
and sterilizer
supplies!



Hydrotherm SG

Operates easily, safely, and reliably

Screen display of parameters and conditions during processing.

Adjustable sterilization times.

Successive sterilization process option keeps the autoclave warm until it is opened, allowing for reduced warming time between sterilizations.

Equipped with a water quality check system.

Web ID 13180

Tuttnauer 3870EA

Large Capacity Automatic Autoclave

Closed-door active drying system to maintain sterility and efficiency.

Program parameters can be changed and stored.

Web ID 114



Tuttnauer EZ9

Automatic Autoclave

Closed door active drying system to maintain sterility and ensure efficient drying of packs and pouches.

High efficiency air pump.

Customizable, storable program parameters.

Web ID 420



Stainless Steel Gurney with Anesthesia Machine

Combination of stainless steel gurney with optional Premier XP anesthesia machine

16-gauge stainless steel.

Two 5" locking casters.

Available in custom sizes with single or dual e-tank holders.

Premier XP:

0.1 to 4 oxygen flowmeter with rotary float.

1500 ml CO₂ absorber designed for easy and fast replenishing of soda lime.

Web ID 10105



Puma V6

Color touchscreen display and microcomputer controls

Pneumatically driven anesthesia ventilator for use with large and small animals.

Includes easily interchangeable large and small bellows.

O₂% airway gas monitoring.

Web ID 12720



Hallowell Ventilators

Available models:

Hallowell EMC 2002 Pro with and without Adjustable I:E Ratio

Pressure limited:
Increases patient safety by limiting the maximum working pressure that can be adjusted to a pressure range of 10 to 60 cmH₂O.

Web ID 12706



Penlon Nuffield 200

MRI-compatible anesthesia ventilator

Simple controls: A wide range of settings enable a constant flow during the inspiratory phase and infinite variability of I:E settings.

Available with a circle system and/or Newton Valve for the ventilation of small patients.

Web ID 48



Centrifuges



Avante Universal Centrifuge

0 - 13,000 rpm and 8 interchangeable rotors available.

LED or mechanical timer.

Web ID 120



Avante Standard Centrifuge

Mechanical 60 minute timer.

Speed: 4500rpm maximum.

Web ID 119



USA E8 Centrifuge

Angled rotor with an eight-tube capacity.

Auto-calibrating speed for precise results.

Web ID 13307



Microhematocrit Centrifuge

0 - 13,000 rpm, safety latch and an inner switch shut-off.

Capacity: 24 slides.

Web ID 118

Physio-Control Lifepak 20

Defibrillator/Monitor

CprMAX™ technology.

Easily converts to manual mode.

Paddle choices: Standard, pediatric, and/or sterilizable; internal and external.

Compact and lightweight for easy carrying and versatile use.

Highly intuitive for quick, effective AED use

Optional Pacing, AED, and SpO₂ capabilities.

Web ID 11385



Certified Refurbished

Philips Heartstart XL

Biphasic Defibrillator with ECG Monitoring

Combination manual device with automated external defibrillator capabilities.

ECG monitoring with pads or electrodes.

SMART Biphasic Technology.

Charges to highest energy level, 200 Joules, in less than 3 seconds.

Impedance Compensation - Measures chest impedance and delivers a low-energy shock based on patient's unique physical requirements.

Web ID 12103



Internal paddles available for most defibrillator options at avantevet.com

Zoll M Series

A Model for Every Application – One User Interface


Easy handling and optimal viewing while the built-in AC power and battery charger doesn't add size or weight.

Features consistent, straight forward controls and intuitive menus

Zoll proprietary Rectilinear Biphasic™ waveform with its lower energy and current and the 40-msec Rectilinear Pacing waveform provides superior efficacy while optimizing patient safety.

Offers superior capture at lower mean thresholds, reducing muscle artifact and ensuring more patient comfort and better patient tolerance.

Web ID 12248



Teres V-400

High speed veterinary dental unit

All-in-one unit lets you easily switch from polishing to scaling to cutting.

Surgical stainless steel, heat-treated tips glide smoothly across tooth surfaces.


Optional fiber optics system with high-speed handpiece.

Tips gently cool and lubricate teeth, and wash away dislodged debris.

Built-in 25K ultrasonic scaler maintains optimum frequency.

Web ID 1512

Dental instruments available at avantevet.com



HighDent Quattro Plus

A complete veterinary dental system

Suction with Foot Pedal Control.

Automatic Handpiece Selection.

110V Oil Compressor.

Air/Water Syringe with 360° Tip Rotation.

The Quattro Plus is also available as a wall mount.

Web ID 13204

Other HighDent dental unit models are available



Son-Mate II

Water line with quick disconnect attached.

From 200 RPM high torque micro-motor.

Web ID 9674



Scale-Aire Mini

Connects to an nitrogen tank easily with NO costly compressor required.

Surgical stainless steel, heat-treated tips glide smoothly across the tooth.

Web ID 9674



Ultrasonic Dental Scaler

Alternate from scaling to polishing at the touch of a switch.

Water line with filter and quick disconnect.

Perform curettage, deep scaling of heavy calculus and stain removal.

Transducer (stack) inserted in the handpiece.

Web ID 12578





Citadel EZ

Ideal for light to moderate surgical procedures

High frequency, 120-watt electrocautery unit ideal for light to moderate surgical procedures.

Multi-functional ESU operates in the following modes: Pure Cut, Blend, Forced Coag, Soft Coag, and Bipolar.

Neutral electrode connection is constantly monitored for safe operation.

Control the monopolar handpiece output for complete attention to the surgical field.

Web ID 12597

Citadel 180

Easily-programmable electrocautery unit

180-watt power supply with innovative tissue feedback technology.

Patient return electrode monitoring and various cut and coagulation settings.

Web ID 12597



Citadel 300

Easily adapts to a variety of settings

Stable, 300-watt power supply over a wide range of tissue with innovative tissue feedback technology.

Navigate 30 cut and coag settings with the easily-programmable interface for quick setup.


Safety-diagnostic protocols help to ensure all parts and accessories are functioning properly.

Spray coagulation function provides homogenous, efficient coagulation over a large area.

Web ID 12598



Foot Switch



ESU Pens



Bipolar Forceps



Grounding Plates and Cords



Electrodes

Electrosurgical
Accessories



Citadel X3

A versatile, highly-adjustable electrocautery unit

Easily keep pace with any dynamic operating room environment.

Internet connectivity and data logging capabilities.

Web ID 12646

Citadel EVS

Provides vessel sealing and bipolar electrocautery capabilities

Internet connectivity and data logging capabilities.

Easily keep pace with any dynamic operating room environment.

Web ID 12701



Valleylab Force FX

For bipolar and monopolar procedures

Power for cutting, desiccating, and fulgurating tissue.

Improved safety/dependability.

Web ID 790



Valleylab Ligasure

Vessel sealing system provides permanent vessel occlusion

Revolutionary technology replaces almost all other hemostatic tools — fuses vessel walls to create a permanent seal.

Isolated output configuration.

Web ID 9808



Optional carts
available



ValleyLab Force Triad

First-of-its kind integrated solution for open and laparoscopic electrocautery procedures

All-in-one unit is compatible with conventional electrocautery instruments and all current and new LigaSure instruments.

Combines 3 different tissue effects: monopolar, bipolar and vessel sealing.

Web ID 12559



Stryker Laparoscopy Tower

Customizable, all-in-one units for the visualization and documentation of laparoscopy procedures

Available with a mobile cart (like the one shown at left) and essential laparoscopy components.

Also gives you capacity for arthroscopy and other rigid endoscopy procedures.

Web ID 9904



Probe repair options available! Contact your Avante rep for more info.

Stryker 1488 HD

HD 3-chip camera with 9 surgical specialty settings designed to provide a clear, bright image.

Web ID 13273



Stryker L9000

400-watt LED bulbs delivers bright, crisp light and long life expectancy

Web ID 13272



Olympus EVIS EXERA III

Provides state of the art imaging quality and user-friendly features

Pre-freeze function automatically buffers a continuous, rapid series of procedural images and saves the sharpest renderings, saving time and frustration.

Advanced compression technology allows extended recording time.


Web ID 12796




Olympus CLV-180



Olympus CV-180



Olympus GIF-XP160
Video Gastroscope
5.9 mm insertion tube



Olympus GIF-N180
Video Gastroscope
Large, sharp images



Ecotron Anyview Series C-Arm

Mobile imaging with the right features and price for the veterinary industry

9 or 12-inch High Resolution Image Intensifier.

Reduced dosage with pulse frequencies of 8, 15 or 30 Hz.

Produces up to 30 frames per second in any imaging mode.

Intelligent Dose Reduction automatically reduces dosage without sacrificing image quality.

Virtual collimator image guides can reduce unnecessary exposure.

Web ID 12847



GE OEC 9900 Elite C-Arm

Web ID 12914



GE OEC 9800 C-Arm

Web ID 12888



GE OEC 6800 Mini C-arm

Web ID 12911



Fluoriscan Insight 2 Mini C-Arm

Web ID 13120



GE Signa HD 1.5T MRI System

Delivers simultaneous image reconstruction and acquisition

1.5T optimized protocols accessible via easy user interface.

Designed to produce faster scan times and a lower signal-to-noise ratio.

Web ID 13175



GE LightSpeed RT 16 CT Scanner

Effectively balances speed, coverage, dose, and resolution

Considered one of the world's leading CT scanners for cancer care.

Provides 16-slice acquisition with 20mm of coverage.

Web ID 13170



Avante Animal Health has the information, knowledge, and products to create, design or consult on Medical Gas layout in new clinics or existing facilities. We can help ensure that your clinic's design allows for an economical gas system.



Automatic Digital Gas Manifold

Web ID 394



Manual Gas Manifold

Web ID 9829



Medical Gas Alarm Panels

Web ID 396



MG0098 Remote Audio/Visual Alarm

Web ID 13149



Vacuum/Evacuation System

Web ID 327



Waste Gas Evacuation Ventilator/Blower

Web ID 9279

Custom hose drops available in any gas, any length, and any fitting



DISS



Chemetron



Ohmeda / Quick Connect

Medical Gas Fittings & Hoses



Wall Suction Regulator

Web ID 11277

Superior outlets

Double O-ring seal that doesn't deform and leak when weight is added to the outlet front.

Outlet is capable of supporting 10 lbs. at 2" without leaking.

Outlets incorporate protective vinyl labels that are durable and scratch resistant.



Avante Compass LED

Combination of classic aesthetics and modern technology

6-Step magnification system.

LED lightsource Lux, life, Kelvin.

20W LED coaxial illuminator.

10x Wide Field Eyepiece (12.5x available).

250mm Objective Lens (200-400mm also available).

Counter-balanced pantographic arms design and tension control adjustable.

Integrated Video Camera.


Web ID 12340



Zeiss Opmi 6S-CFC

Zeiss optics: Sharp optical view; terrific depth of focus; inclined binocular with eyepieces; high resolution, internal motorized focus and zoom; bright red reflex.

Web ID 646



Zeiss Opmi Visu 200

Apochromatic optics provide brilliance, definition and contrast.

Maximum image quality, minimum eye fatigue.

Red reflex light is rich in contrast, low in reflections — perfect for eye surgery.

Web ID 12870



Laboratory Microscopes

EXC-120 Microscope Series

The Accu-Scope EXC-120 is a basic clinical microscope that features sharp, high-contrast objectives and ergonomic design.

Web ID 12840



Accu-scope Excelis HD Color Microscopy Camera

Web ID 12449



Accu-Scope Compound 3000 LED


Features infinity plan optical system, a 20mm field of view and a super-bright 3 watt LED illuminator to provide high contrast images with outstanding resolution.

Web ID 329



Accu-scope Excelis HDS Camera and Monitor System

Web ID 12938



Avante Waveline Touch

Bright, easy to use, color touchscreen display with up to 8 adjustable waveforms.

Integrates with our Vetrec Telemetry systems.

Built-in battery and printer optional.

Multi-lead ECG monitoring with optional EtCO₂

Web ID 9460



Parameters: 3 or 5 lead ECG, Suntech NIBP, respiration, Nellcor or Masimo SpO₂, dual temperature and heart rate.

Optional: EtCO₂ (Sidestream or Mainstream), and Dual Invasive Blood Pressures.

Avante Verso

Multi-parameter monitor with adaptable user interface.

Easily adjust screen display, default settings, alarm limits, and manage up to 72 hours of detailed patient data.

Upgrade the Verso in the field for a variety of clinical applications.

Versatile patient monitor with touchscreen and modular design

Web ID 13271



Parameters: NIBP, ECG with arrhythmia detection, Masimo SET SpO₂, TEMP, and RESP.

Optional: EtCO₂, Agent, IBP, Cardiac output.

Avante Waveline VS

10.1" Color TFT LCD Screen.


Suitable for feline, canine, and other animals.

Defibrillation and Electrosurgical Interference Protection.

Pitch Tone (Pulse-Tone Modulation).

Portable multi-parameter monitor

Web ID 12394



Parameters: 3 or 5 Lead ECG, SPO₂, Suntech Noninvasive Blood Pressure, Dual Temperature, and Respiration.

Optional: 2-IBP, Philips Respironics CO₂ (Mainstream and Sidestream), and Thermal Recorder.

Avante Waveline Pro

Large (15"), touchscreen with high-resolution flat panel display.

Color-coded alarms, patient data entry, battery backup, graphical and tabular trending.

Integrates with our Vetrec Telemetry Systems.

EtCO₂ (mainstream or sidestream) (Respironics)

Multi-lead simultaneous ECG monitoring

Automatically set alarm limits

Masimo SET® Pulse Oximetry

Available with a built-in thermal printer

Touchscreen monitor available with EtCO₂, and 5-agent analysis

Web ID 2012



Parameters: 3 or 5 lead ECG with ST segment monitoring, Suntech NIBP, Nellcor or Masimo SpO₂, Dual Temperature, and Respiration rate.

Optional: Sidestream or mainstream EtCO₂, Dual Invasive Blood Pressures, built in Drager Anesthesia Gas Module (5-agents, Auto ID, FiO₂, N₂O and EtCO₂) and optional built-in thermal printer.

Avante Waveline EZ

Touch-screen provides immediate operation

Simultaneous multi-lead ECG monitoring

Masimo SET® Pulse Oximetry

Advanced ST and arrhythmia detection

Graphical and tabular trending

Displays three waveforms

Audible and visual alarms

Quick BP readings recall

Integrates with our Vetrec Telemetry Systems.

Portable touchscreen monitor

Web ID 9765



Parameters: 3 or 5 lead ECG, Suntech NIBP, respiration, Nellcor or Masimo SpO₂, dual temperature and battery backup.

Optional: EtCO₂ and Dual Invasive Blood Pressures.

Avante Echo CO₂

5.7" high resolution display for easy reading.

Flexible configurations to meet different clinical needs.

Lightweight, portable design and user-friendly interface for easy operation.

Real-time parameters measurement display with trend table for easy reviewing.

Built-in rechargeable Lithium-ion battery for 10 hours continuous working.

Provides cost-effective SPO₂ and CO₂ monitoring with accuracy and durability

Web ID 10606



Masimo Radical 57

Versatile, handheld oximeter with a rugged, lightweight design

Helps reduce the risk of misdiagnosing unsuspected carbon monoxide poisoning.

Accurate SpO₂ and pulse rate measurements during the most difficult clinical conditions.

Assists clinicians in detecting potentially life-threatening acquired Methemoglobinemia.

User may program default power-up settings. Delivers more than 8 hours of continuous monitoring of SpCO, SpMet, SpO₂, Pulse Rate, and Perfusion Index.

Protective boot cover with built-in table-top stand.

Web ID 9842



GE CARESCAPE B850

High-performance monitor

For use in the operating room or intensive care environments.

Displays 8 to 14 waveforms.

Integrated USB port.

Web ID 12730



Philips IntelliVue Monitors

Available models:

MP50 and MP70

IntelliVue patient monitors combine portability and measurement flexibility to match the pace and unique needs of intermediate care environments

Web ID 12734



Monitoring Supplies & Accessories

ECG Supplies

3 or 5-lead ECG sets, esophageal probes, alligator clips, and electrodes



SpO₂ Probes and Sensors

Nellcor, BCI, Ohmeda and more brands available



NIBP


Neonatal cuffs 1 – 5
Small/large animal cuffs

Invasive Blood Pressure

Cables and transducers

Batteries

For monitors & Defibrillators



Printer Paper

For monitors and defibrillators



Shop avantevet.com for all your veterinary supply needs!

Dräger Vamos

Plus Anesthetic Gas Analyser

Anesthetic agents, CO₂ and Nellcor N₂O.

Can be upgraded to include all monitoring for all 5 anesthetic agents.

Web ID 12192



ECG Monitors



Avante True ECG Advance 12-channel ECG

12.1" color touchscreen.

Review 120 seconds of ECG waveform.

Web ID 9666



TrueVET ECG-1 1-channel ECG

Accurate ECG monitoring in a portable package

Web ID 12256



Avante True ECG Plus 6-channel ECG

Available with PC data management software

Web ID 9667



Philips PageWriter TC70 ECG

Web ID 12899



Avante True ECG 12T 12-channel ECG

Automatic measurement and interpretation test

Web ID 9665

"The Vetrec makes cardiac monitoring easy and cost efficient by monitoring multiple patients at once without using multiple cage side units. The portable transmitters allow patients to move about freely."

Leslie Wereszczak, LVMT, VTS
Small Animal ICU Supervisor, University of Tennessee College of Veterinary Medicine



Monitor multiple patients from a single location with the Vetrec NXT

Fully-configured telemetry system designed for emergency and critical care/ICU settings.

Seamless integration with wireless ECG transmitters and Avante Waveline multi-parameter monitors.



Provides auto charting; full disclosure (96 hours); auto-generation of alarm events; manual recording (ECG analysis); trends, charts and strips for arrhythmia; ECG data detection; and color waveforms.

Automatically compiles and archives user-selectable discharge reports.

With a networked system, you can e-mail discharge reports in PDF format.

Web ID 12967

Features flexible software that can be customized to the specific needs of your facility.



Our most advanced central monitoring system

Keep watch of up to 16 patients at once using waterproof ECG transmitters and Avante multi-parameter monitors!

Connect NXT transmitters directly to patients for ECG monitoring, or utilize Avante-brand patient monitors to view multiple parameters from the central station.

See pages 18-19 for more monitor options!



ECG Transmitters

Waveline EZ

Waveline Touch

Waveline Pro



ECG Transmitters Small, portable and lightweight

Single, multi-lead

Frequency: Medical 608 MHZ

Independent lead wires

Waterproof


Operates on 2 AAA battery

Flexible and durable



Easy-to-use graphical interface

The Vetrec NXT features split screen technology that allows you to review, edit and enter patient information while observing all patients in the system.



MRI-Compatible Premier XP

The right anesthesia choice for veterinary imaging facilities

0.1 to 4 oxygen flowmeter with rotary float.

Rotary float and large scale for easy readability.

Recessed flush valve to prevent accidental activation.

Quick-connect fresh gas outlet for easy and secure switching between breathing circuits.

SELECTATEC™ compatibility manifold for easy and quick installation of vaporizer.

Mobile five wheel spider base.

1500 ml CO2 absorber designed for easy and fast replenishing of sodalime.

Condensation trap to prevent water build-up in sodalime.

Easy and efficient gas sealing.

Patient circuit with 2 and 3-liter bags.

New momentary closed feature incorporated into the pop-off valve.

Available with MRI-compatible vaporizer and Optional Deeper Canister Base.

Web ID 369



Invivo Precess 3160 Blue

MRI vital signs monitor specifically designed for high magnetic field environments

MRI monitor designed specifically for high magnetic field environments.

Operates safely at the 5,000 Gauss field line and 4 W/Kg SAR regardless of configuration.

Monitor displays six waveforms: 2 ECG, SpO2, EtCO2, 2 IBP.

Display measures 12 inches, provides easy-to-see overview of patient status.

Wireless SpO2 monitoring delivers precise values using digital signaling.

Proprietary Invivo quick connect sensors for precise saturation and fast acquisition.

Wireless ECG and SpO2 feature shorter cables to reduce the risk of cable heating and damage.

Battery life rated at a full 8 hours of life on one single charge.

Remote battery charger charges up to four depleted batteries simultaneously.

Web ID 13334



Avante Integra SL-MRI

An advanced anesthesia system, designed specifically for the MRI suite

MR-conditional anesthesia system approved for use with a 3.0 Tesla scanner, up to the 400 gauss line.

All components designed and tested for use in an MRI environment.

Advanced ventilator includes all major modes of ventilation for the modern operating suite: Pressure Support, Pressure Control, SIMV, SMMV, Spontaneous and Auto-PEEP.

Features six ventilation modes and patient support for spontaneous breathing.

Includes integrated CO2 absorber with ventilator interface, vaporizer, flowmeter.

Optional — Auxiliary oxygen flowmeter.

Web ID 12647



Invivo Expression

Powerful MRI Monitor with easy-to-read color display

MRI monitor displays 6 waveforms: 2 ECG, SpO2, EtCO2, 2 IBP.

Displays color coded waveforms and numerics that are easy to view at a distance.

Intuitive interface features easy dial-and-select navigation system.

Proprietary Advanced Gradient software provides cleanest, safest ECG information available for use with any clinical magnet up to and including 3.0 Tesla.

Wireless SpO2 monitoring delivers precise values using a digital signature.

Precise EtCO2 measurement with waveform fill.

Web ID 13329



Available with a large selection of accessories!
Ask your Avante representative for details.



GE Signa HD 1.5T

Whole body MRI scanner for broad clinical applications.

1.5T optimized protocols accessible via easy user interface.

Designed to produce faster scan times and a lower signal-to-noise ratio.

High-definition technology with simultaneous image reconstruction and acquisition.

Automated scanning interface helps to create reproducible results among different technicians.

Delivers simultaneous image reconstruction and acquisition

Web ID 13175



MedRad MRI Continuum

Perfect for MR Imaging

Designed for MR Environment

Interference-Free Imaging

Multi-Fluid Delivery in Single Line

Automatic Free-Flow Protection

Easy User Programming

Battery Operated

Web ID 13530

MRI-Compatible Gurney

Constructed of 16-gauge, 304 stainless steel.

Fully-welded, 10-inch under shelf.

Corner bumpers for wall protection.

290 pound weight capacity.

Custom configurations available.

Web ID 12663



Penlon Nuffield

MRI-compatible, pneumatically driven ventilator

Simple Controls - A wide range of settings enable a constant flow during the inspiratory phase and infinite variability of I:E settings.

IDP Alarm - A suitable ventilator alarm and pollution control system can be attached to the ventilator, if required.

Manometer - Respiratory manometer with a range of -20 to 100 cmH₂O and zero adjustment facility.

Newton Valve - The Standard Patient Valve can be replaced with the Newton Valve for the ventilation of small patients.

Web ID 48



MRI-Safe ConRad Thermal Blanket

Every Pet Deserves to be Warm

Provide a barrier to all three mechanisms of heat loss: Conductive, Convective, Radiant.

Prevents Rapid-Heat Loss During MRI Scans: MRI Safe, No Signal Loss.

Two Internal Heat Loss Barriers: Insulative Conductive Thermal Barrier, Proprietary MRI-Safe Thermal Barrier.

Soft Comfortable Exterior.

Impermeable to Fluids.

Web ID 13430



Provita MRI Compatible I.V. Stand

MRI compatible (due to the processing of non-magnetic materials)
I.V. Pole for MRI's up to 3 Tesla

Effective infusion care by safely hanging IV-bottles and bags

Web ID 12122



Avante Maxx Luxx LED 160

Exceptional 160,000 lux and a rich, adjustable color temperature

- Built to last at a rated 50,000 hours.
- 160,000 lux output (14,800 foot candles).
- Adjustable focusing and CRI.
- Adjustable color temperature for optimizing tissue colors.

Web ID 12563



LCD touchscreen control for easily adjustable output

Configurations



Single ceiling mount



Dual ceiling mount



Avante Maxx Luxx LED

Maximum brightness with extremely cool output for 50,000 hours

- Superb color temperature of 4,300° Kelvin.
- Wide range mechanical 5-stage dimming.
- 130,000 lux output at 1 meter.
- 6.5" – 9" adjustable pattern.

Web ID 12160

Configurations



Single ceiling mount



Dual ceiling mount



Monitor/Camera combination

Avante Vision LED

Provides unsurpassed longevity and flexibility

- 50,000-hour rated LED life.
- 100,000 lux output at 1 meter.
- 4,300° Kelvin color temperature.

Web ID 9830



Efficient LED lights provide low heat

Configurations



Mobile system



Single wall mount



Single ceiling mount



Dual ceiling mount


Avante SLS 9000 Plus

Bright, consistent illumination

- Maximum output rated at 140,000 Lux.
- Rated for 50,000 hours of LED life.
- Expertly engineered design makes it easy to position and adjust light heads for any surgical procedure.

LCD touch screen operation measures illumination intensity, color temperature and Chromogenic index.

Web ID 12721



Available as a single or dual head ceiling mount



Avante Vision EX5

75,000 lux output perfect for small procedures

- Extremely long life at a rated 50,000 hours.
- 4,300° Kelvin color temperature.
- Extremely cool output — lowest possible heat.
- 3-stage dimming.

Web ID 12524

Configurations



Mobile system



Single wall mount



Single ceiling mount



Dual ceiling mount

Avante Vista LED

Low energy, low heat, high efficiency

- 50,000 lux of homogenous light output at 1 meter.
- 4,300° Kelvin color temperature at 24" (61 cm) distance.
- Life rating of 50,000 hours.
- 2-stage dimming.

Web ID 11087

Provides low, economical energy consumption



Configurations



Mobile system



Single wall mount



Single ceiling mount



Dual ceiling mount

Avante SLS 2500 LED

Dimming knob located on the side of the light head for quick and easy adjustments.

Color temperature close to natural sunlight with 3,500 K ~ 5,000 K.

Light and strong nova alloy arm allows easy and convenient positioning.

60,000 lux output at 1 meter.

Web ID 12379



Avante Vista Flex LED

Cost-saving, energy-efficient LED bulb produces up to 50,000 hours of illumination.

Provides a color temperature of 5,300 K.

Light produces 70,000 Lux at an 8" working distance.

Control panel features intuitive controls and 2 handles for easy maneuverability.

Web ID 12755

Available in a variety of mounting options



Avante SLS 9000 LED

Shadowless light with 90,000 lux output

50,000-hour rated LED life.

Color temperature of 3,500°- 5,000° Kelvin.

Web ID 12349



Xavier X

With a bright, shadow-free light, the Xavier X guarantees accuracy

LED light source produces less heat than traditional halogen headlamps.

Color temperature of 5000K for bright, shadow-free light.

Headlight can be used while charging.

Lightweight and comfortable for all surgical applications.

Adjustable spot size and brightness control allows for viewing tissue characteristics without distortion.

Smart design is convenient for mobile diagnosis.

Web ID 13174



Surgical Headlight

Avanti NXT3

Comprehensive infusion care for any medical facility

Avanti NXT3 Infusion Pump features varying modes of operation: Vol/rate mode, Time mode, Body weight mode, Optional: Drop rate mode

Unique design allows for a more streamlined appearance and workflow.

Anti-bolus technology for increased safety after sudden occlusion release.

Web ID 13185



Baxter SIGMA Spectrum

EMR Integration and Quick-Search MDL Access

Light-weight and compact pump with bright color screen and lithium-ion battery pack

Safety features include: titration error prevention, check flow information alerts, automatic MDL updates

Standard IV administration set compatible

Web ID 12839

Certified Refurbished



A step up from Flo-Gard series models



DripAssist Gravity IV

Simplifies IV fluid administration

A monitor and alarm for gravity IV fluid applications.

Precision measurement and monitoring without the complexity of expensive infusion pumps.

Web ID 12445

Syringe Pumps

Medfusion 3500

Connectivity with Patient Data Management Systems.

Programmable dose limits.

Rapid occlusion detection.

Web ID 9845



Medfusion 4000

Industry leading infusion pump delivers safe, accurate medication delivery in a variety of clinical settings.

Improved pump functionality and library.

Web ID 13146



Certified Refurbished



Puritan Bennett 840

Enhanced noninvasive ventilation (NIV) for patient comfort

High-performance pneumatics, dual-microprocessor electronics and DualView™ touchscreens.

Designed with rugged and reliable components. Its modular design provides easy serviceability.

Optional compressor in Neonate mode.

Web ID 10611



Siemens SERVO-i

Engineered to evolve with the changing needs of medical professionals

Can easily be adjusted to meet the needs of neonatal, pediatrics, adult patients. It's a high performance, mobile, cost effective respiratory system.

Web ID 11131



Puritan Bennett 980

Engineered to help patients breathe more naturally

Clinicians can use the unit's advanced tools to synchronize the ventilator with patient needs.

Web ID 12792



Volumax VOS Veterinary Oxygen System

Detachable and disposable patient circuit can be changed within five minutes for minimal downtime.

Built-in oxygen/air blender, electronic flowmeters and controllers.

All internal sensors are self-calibrating and self-monitoring.

Internal battery backup maintains flow and oxygen percentage for at least 15 minutes if AC power is cut off.

Temperature, flow and oxygen percentage are adjusted via a single setting control knob on the front panel.

Automatically senses cartridge type, maximum flow setting is automatically reduced is the low-flow cartridge if installed.

Large, easy to read panel displays all values and alarms.

Flow range: 1-40 lpm.

Allows for simple control over flow, oxygen, and temperature

Web ID 12859



Designed to add warm moisture to breathing gases during ventilation



Pulmonetic LTV 1000

Ease of use and versatility help ensure optimal patient care.

Compact and lightweight; 12.6 lbs and about the size of a laptop! Functions with high and low pressure/low flow oxygen sources.

1 button operation with ventilator pre-sets.

Invasive and non-invasive modes of ventilation for patients as small as 11 lbs.

Also available: **Pulmonetic LTV 1200** with built in PEEP.

Web ID 261



Aspirators



Gomco Optimvac G180 AC/DC portable suction unit

25-550 mm Hg vacuum range, coupled with greater than 30 lpm flow.

Web ID 1513



Schuco-Vac 130 Dependable suction unit

Aspirator's wire basket accommodates a wide variety of canisters.

Web ID 576



Avante DM-660 1/5 horsepower pump

Dual protection system with a float shut-off in the canister lid.

Web ID 9828

Classic Exam Table

Full wrap marine edge top to help control spills.

18-gauge, 304 stainless steel.

14-gauge steel powder coated, weighted pedestal.

Heavy-duty adjustable feet to avoid floor damage.

Dimensions: 48" L x 22" W x 34" H

Web ID 10541



Custom sizes available for all stainless steel options!

Over Operating Table

Mobile telescoping base for versatility.

Easy, one-hand crank height adjustment.

Surface measures 40" L x 23" W

Overall Dimensions: 40" L x 23" W x 39" - 62" H

Web ID 11075



Mobile Utility Cart

16-gauge 304 stainless steel

3 drawers (Dimensions: 13.875" x 14.5" x 5.75").

5" diameter swivel castors, 2 of which have locking brakes.

Top features 3-sided 2" high stainless steel rail for standard size mayo tray.

Web ID 9950





Cabinet-Style Wet Table with Knee Space

6" deep wet table liner is constructed of 16-gauge, 304 stainless steel.
3 large, full extension drawers and a storage cabinet. Hinges are hidden Euro-style.
Various color finished available.
Available in 48" or 60" with knee space for right or left.
All Stainless Steel version available.

Web ID 10055

Different drawer and cabinet options available!

Economy Stainless Steel 6" Deep Wet Table

16-gauge, 304 stainless steel.
Stainless steel flanged adjustable bullet feet.
The drain is located at the center, near a faucet.
Includes a stainless steel prep rack.
Dimensions: 60" L x 24.5" W x 36" H

Web ID 9925



Mobile Gurney and Transport Table

Web ID 2022




Mobile Exam Table

Web ID 9948




Mobile Utility Stand

Web ID 9949




Classic Fold-Up Wall Mounted Exam Table

Web ID 9878



Classic Wall-Mounted Table with Pass-Through Drawer

Web ID 9954



Solid Stainless Steel Insert

Web ID 10006



Stainless Steel Economy Bi-Level Wet Table

16-gauge, 304 stainless steel.
Liner is 15" deep at the faucet side and 6" deep at the knee space.
Dimensions: 60" L x 24.5" W x 34" H

Web ID 9870

Single-Wide Scrub Sink

Available as wall-mounted (includes mounting brackets) or as a drop-in counter top model (requires use of deck-mount faucet).

Available with a backsplash.

Dimensions
25" L x 20" W x 10.5" H

Web ID 9999



Double-Wide Scrub Sink

Available as wall-mounted (includes mounting brackets) or as a drop-in counter top model (requires use of deck-mount faucet).

Available with a backsplash.

Dimensions: 45" L x 20" W x 10.5" H

Web ID 10002



Custom sizes available for all stainless steel options!



Basic Bathing Tub with Ramp

16-gauge, 304 stainless steel.
Non-removable ramp slide back underneath the tub.
One-piece design with wrap around angled backsplash protects against leaks and water damage.
Dimensions: 48" L x 21" W x 57" H
Web ID 9965

Economy Bathing Tub

One-piece freestanding tub and backsplash with side-mounted stands.
Includes a removable ramp.
Dimensions: 48" L x 24" W x 38" H
Web ID 9961



Basic Bathing Tub

The one-piece with angled backsplash design protects against leaks and water damage.
Includes a tie-down rail for securing animals.
Dimensions: 48" L x 26" W x 54" H
Web ID 9956



Aqua Quest Walk-in Animal Bath

Fabricated of heavy duty 16 gauge stainless steel.
57" Height ; 24" Depth.
Telescoping pull-out ramp for easy convenience.
Accommodates animals up to 300 lbs.
Web ID 9296



Plumbing Options & Accessories



Wall-Mount Spout

Web ID 9871



Wall-Mount Sprayer

Web ID 10031



Deck-Mount Faucet with Swivel Gooseneck Spot

Web ID 10039

Floor-Mount Foot-Operated Valve

Web ID 10009



Wall Mount Foot-Operated Valve

Web ID 10010



Knee-Operated Valve

Web ID 9876



Pannomed OP Surgical Table

High-end specialty procedure table designed for ophthalmology and advanced orthopedic surgery

Features remote controlled height adjustment from 23.23" to 39".

330 lb load capacity.

Lateral positions up to 40° electric tilting.

Longitudinal electric tilting up to 15°.

Sliding top for ophthalmic or head and neck surgical procedures.

Web ID 641



Flexible positioning with x-ray translucent sliding top and optional arm rests

V-top version available!

Web ID 13473



X-ray translucent tabletop



Pannomed Aeron

Designed for C-arm use and advanced surgical procedures

Fully electric controls allow for height adjustment from 31" to 43".


Lateral to 20° and Trendelenburg and Reverse Trendelenburg to 15°.

Angled table plane can support animals up to 250lbs and provides improved drainage during surgery.

Web ID 330




Lateral Positioner




Traction Device



Limb Holder



Tension Clamp



Extension/Insert



Arm Rests

Table Accessories

Edge Flat Top

Affordable table with adjustable height and Trendelenburg positioning.

Table height is electronically adjustable ranging 28" to 40".

Durable stainless steel tabletop helps to maintain sterility in your facility.

Trendelenburg positioning ranges flat to nearly vertical.

14 Tie-down hooks are strategically placed for support during Trendelenburg movements.

Available with optional accessories like OP-rails, infusion pole, leg supports, instrument tray and more.

Web ID 12610



Heated top options available for both Edge tables



Edge V-Top

Customizable and dependable table with premium positioning capabilities.

Table height is electronically adjustable — 28" to 40".

Stainless steel v-top angle adjusts 0 to 90 degrees.

Table top has longitudinal tilt up to 50 degrees.

Trendelenburg positioning ranges to flat to nearly vertical.

Available with optional accessories like OP-rails, infusion pole, leg supports, instrument tray and more.

Web ID 12613

Haico Pro 3

Equine operating table with 4-way tilt to allow clear patient access throughout the procedure.

4-way tilt option: +/- 25%; lateral tilt +/- 15%.

Side panels can be locked by gas hydraulic cylinders.

2-speed lift for unloading and loading of table.

Strong and flexible cover to protect mechanics and electronics.

Web ID 12416

Adjustable and removable side panels, and moveable head support



Visit avantevet.com to shop all Haico Equine Surgery Tables.



Pannomed EPT with Scale

Streamlines the exam process

Designed specifically for performance in the veterinary exam and procedure room environment.

Electrical or battery-powered height adjustable foot control.

250 lb load capacity.

Web ID 12705

Pannomed EPT

Mobile treatment table available with electric and battery power

Height adjustable by foot control.

High grade chassis for maximum stability.

250 lb weight capacity.

Scratchproof/cold temperature resistant top.

Web ID 12365



Pannomed ECO Lift

Lift table that allow for height adjustment up to 39"

Height adjustable by foot control.

2 operation options: electric or battery.

Height adjustment from 21" up to 39".

264 lb weight capacity.

Web ID 12383

Millwork Cabinet Style Exam Table with Knee Space

The marine edge top constructed of 16-gauge, 304 stainless steel.

Available with drawers or cabinet door options and with knee space at the right or left side.

Web ID 10058



Millwork Cabinet Style Exam Table

The marine edge top constructed of 16-gauge, 304 stainless steel.

Available with drawers or cabinet door options and laminate flush top option.

Web ID 10063



Millwork available in 2 color choices; Shop all tables at avantevet.com

Millwork Tables



ONE FURNISHED ROOM • ONE AFFORDABLE PRICE • ONE GREAT DEAL

Avante ONE Room

Practice Exam Room Package

Five great products, packaged at one affordable price.

Furnish an entire exam room with contemporary style in one convenient package. The One Room from Avante provides a modern base and wall cabinet combination, a veterinary exam table, wall mount diagnostic system, comfortable pneumatic stool and side chair, all color coordinated and ready to go.

There is no better exam room package of equipment at a better price point than The One Room. The equipment alone, backed by a 5-year warranty, is a big deal. The affordable price makes it a great one.

Web ID 12538

Available colors:
Sapphire, Roma Beige and Black
Made in the USA



Classic Fold-Up Wall Mounted Exam Table

Constructed of 18-gauge 304 stainless steel and includes a 2" high backsplash.



Cabinet Combo

Features stainless steel sink, all laminate construction, soft close hinges and drawers that hold up to 75 lbs.



5-Leg Pneumatic Stool

Easily adjustable; 15" diameter, padded seat and dual wheel casters for durable performance.



Premium Side Chair

Features a durable, metal, powder-coated frame and comfortable padded seat and backrest.



WS350 Wall Mount Diagnostic System

Easy to install system that puts the most important diagnostic instruments within arms reach.

Scales



400 Scale

Web ID 12437



700 Scale

Web ID 12438



700XL Scale

Web ID 12439

Crystal 4P

Sharp image acquisition for diagnostic confidence

- High resolution, 12" LCD display.
- Lightweight design for excellent mobility.
- Color flow, pulse wave, and power doppler imaging.
- Phased inversion harmonic compound imaging.
- Speckle resistant imaging.

Web ID 12185




Mindray DP-20

Features an ergonomic mobile design and PW Doppler imaging

- Light-Weight Design for Excellent Mobility
- Color Doppler Flow Imaging
- Power (Directional Power) Doppler Imaging
- Phased Inversion Harmonic Compound Imaging
- Multi-Frequency Broadband Transducer Selection

Web ID 13449

More Mindray and GE brand ultrasounds available at avantevet.com



V900

Portable digital veterinary ultrasound system, perfect for Equine use

Software packages for use with canine, feline, equine, sheep, swine, llama and bovine.

7" LCD monitor with pseudo colors 9.

Rechargeable built-in battery; only weighs 5.5 lbs!

Web ID 11714



Sonosite M-Turbo

Sharp image acquisition for diagnostic confidence

Web ID 12738



FS-60

Features enhanced support of PW imaging

Web ID 12194



GE LOGIQ e

Versatile and shared-services with CW Doppler.
15" LCD screen for clarity and accuracy.

Web ID 12096



We carry a wide selection of new and refurbished ultrasound probes. Visit www.avantevet.com to shop now!

Ultrasound Probes

GE Logiq P6

Speckle Reduction Imaging (SRI): Heighten your visibility of organs and lesions with high-definition contrast resolution that suppresses speckle artifact while maintaining true tissue architecture.

CrossXBeam™: Enhance tissue and border differentiation with a real-time spatial compounding acquisition and processing.

Real-time 4D Imaging: Acquire and construct volumetric images, displaying multiplanar views of the anatomy. See anatomical relationships not visualized otherwise.

DualBeam: Maintain high frame rates while using high line density, even in abnormal settings. Increase temporal resolution in fast-flow cardiac and vascular studies.

Harmonics: Increase resolution and cystic clarity with a combination of code harmonics and Phase Inversion Harmonics.

Web ID 13326



Philips CX50

Premium performance in a compact design

- B, M, PW & CW Doppler, Colorflow
- 17" Flat Panel Display
- xSTREAM architecture
- PureWave Crystal Transducers

Web ID 13667



Comfort Series

Blanket and fluid warmers

Rapid warming time and uniform heating.
Digital controls and display.
Made of 100% USA Stainless Steel.
Refurbished options available.
2-year warranty included.

9 Different
Styles & Sizes
Floor & Counter top Options



Comfort Dual View
Web ID 582



Comfort VC21
Web ID 586



Comfort VC9
Web ID 580



Comfort Dual
Web ID 579



Comfort C5
Web ID 583



Comfort VC5
Web ID 581

Bair Hugger 505

Safe, quiet, and effective

Small size frees up more usable workspace and allows storage to become easier.
Light weight allows for easy transport and set-up.

Web ID 1200



Avante Wildcat 750

Lightweight, space-saving and intuitive

Main unit weighs less than 10 pounds, making it ideal for transport and mobile warming.

Easy-to-use interface designed for quick setup and efficient operation.

Web ID 12700



Washable
Warming Blankets
available at
avantevet.com



HTP-1500

The perfect solution for veterinary warming

4 pad sizes available.

Extremely accurate, can be calibrated to within 1.0° F.

3 temperature safety units to prevent overheating.

Web ID 13160

Infantia NB1

Touch switch panel with LED digital display.

Set temperature, real temperature and auxiliary temperature are displayed separately.

Heating power rate indicates 0 – 100%.

Web ID 12109



Avante NL1

Servo Control Mode: Air Temp

Instant Parameter Displaying: Set Temp, Air Temp, Heat Power Rate

Power Failure Reset Memory and Self-Test Function



Hood with Dual-Slope: 4 Hand-Ports

Web ID 13642



4' to 14' Cage Assemblies

Find all available options at avantevet.com




Stainless Steel Hybrid Cage

Web ID 13632



Stainless Steel Rounded Corner Cage with Waster Tray and Floor Grid

Web ID 13635



Fiberglass Medium Size Oxygen Therapy Cage

Web ID 13636



Flat Packing Professional Modular Cage with Solid Walls

Web ID 13634

Wireless Portable X-Ray System

Excellent imaging, quality, and accuracy

Includes a flat panel detector, touchscreen monitor with software, and a high-frequency x-ray generator housed in a durable case.

Acquisition and transfer of images within 5 seconds.

Wireless radiography detector with dual band wireless transmission.

Generator features easy-to-use operating console, allowing clinicians to easily select and change x-ray parameters.

Web ID 13083



Wireless Mixed Practice X-Ray Plate

Fits easily into existing cassette trays for a simple and efficient upgrade

Provides acquisition and transfer of high quality images in about 4 seconds.

CsI direct-deposition technology for superior image quality.

Unique wireless technology eliminates wiring to the generator.

Rubber insulated frame and strong aluminum-alloy case protects while preserving the panel's slim, lightweight design.

Extra long battery life provides 1,400 shots per charge with 7 hours of standby time.

Web ID 12678



Digital X-Ray Station

Delivers seamless acquisition, diagnostic image processing, viewing, and image management

Easy Touch, Intuitive Control Panel

4-Way Float Top Table

Compact High-Frequency Generator

Flat Panel Detector

Smart DR Software

Portable or Stationary Use

Web ID 13665

Equine Wireless X-Ray Plate

Web ID 12680



Santu Digital MDDS Cloud Storage System

Web ID 12782



Equine Digital X-Ray

Web ID 12852



Battery Powered Digital X-Ray

Web ID 12881



Dental X-Ray System

Assures you get the best image the first time, every time

Available in mobile and wall mount configurations.

Advanced dual microprocessor system and a high frequency DC system provide a sharp and crisp image quality.

Flexible exposure system triggers from distance with no-shift image position.

30 pre-programmed techniques enhance flexibility.


Web ID 13274



Protective Apron
Web ID 12695



Portable X-Ray Stand
Web ID 12530



Immobilizers
Web ID 11667

Surgical Instruments

German bandage and operating room scissors.

German towel clamp, extracting and magill forceps.

German needle holders, scalpel blades, retractors, nail nippers, cutters, chisels, OB instruments, rongeurs and more.

German Stainless Steel Instrument Sets

Knee Pack
Eye Pack
Osteotome Pack
Orthopedic Pack
Surgery Pack
Canine and Feline Spay Packs



Surgical Blades



Stainless and carbon steel, chisels and mini-blades

Instrument Wraps



High quality, two-ply, and safety-surged

Surgical Masks



Cone, earloop and tie-on options

Endotracheal Tubes



Available in sizes: 3.0 mm – 11.0 mm

Disposable Gloves



Multiple sizes and styles available

Syringes and Needles



Nylon Muzzles



High quality, water resistant

Veterinary Bandage Wraps



I.V. Catheters



Sutures



Liquid Tissue Adhesive



Skin Staplers



Economy Collars



Multiple sizes

Clinical Thermometers



Elastikon Tape



Zonas Porous Tape



Sterile/Non-Sterile Stretch Gauze Rolls



Orthopedic Stockinettes



Sundry Jars



Rx Containers



Lightweight and transparent

Welch Allyn Diagnostic Sets



Sun-Med Diagnostic Kit



Stethoscopes



Shop online for hundreds of products from the brands you trust.
Order supplies and accessories anytime at **avantevet.com**.

BIOMEDICAL FIELD SERVICES



PATIENT MONITORS



SURGERY LIGHTS



ELECTROSURGICAL

Equipment not working properly?

We can fix it.

Time for preventive maintenance?

We're on our way.

Setting up a new O.R.?

Allow us.

On-site repair and service done right.

Product photos and descriptions are for informational purposes only. The picture shown is a representation of the product, not the actual product in stock. The product description is not intended to match the exact configuration and options that will be quoted by your sales representative. Please base your purchasing decision on specific information you receive from your sales representative.

————— *A Division of Avante Health Solutions* —————

Avante | Animal
Health

CONTACT US TODAY (800) 980-1282 • avantevet.com