



Product Catalogue 2025



Lineup 2025

	ROAD	ALL-ROAD	GRAVEL	TRI	TRACK
PRO	 SUM ^{PRO}	 KRYPTON ^{PRO}		 E119	 ELECTRON
ELITE	 SUM	 KRYPTON	 DARK MATTER	 E117	
CS	 EQUATION		 GREY MATTER		 ELECTRON
E-BIKE	 SUBITO		 SUBITO		



TOOLS for ROAD Performance



SUM^{PRO}

All Together Faster

Race-ready handling and premium ride quality. The Sum Pro features our most advanced layup and technologies. From the climbs to the crits, for the rider who accepts no compromise in aero performance, lightweight advantage, and flat-out, bunch sprint handling.

Highlighted Features

- Hourglass-Shaped Headtube** - Reducing the frontal area and increasing aerodynamics.
- Draft deflecting fork blades** - Optimising airflow around the bike, reducing turbulence and drag.
- Downtube profile** - Enhancing overall aerodynamic performance and efficiency.
- D-shaped seatpost & Integrated seatpost clamp** - Aero optimized and vibration dampening to enhance rider comfort.

Build	USD	CAD	EUR	GBP	DKK
SRAM Red AXS	13,000	17,500	13,500	12,000	103,950
Shimano Dura-Ace Di2	12,000	16,000	12,500	11,000	95,950
SRAM Force AXS	9,000	12,500	9,995	8,750	76,950
Shimano Ultegra Di2	8,500	12,000	9,245	8,250	71,250
Frameset	4,400	6,000	4,600	4,000	34,400

Support Documents

Download the media kit and find pictures, videos etc.

[MEDIA KIT](#)



Pro Carbon Layup
Used on our top
of the range bikes.



378A - Titanium / Racing Red



378B - Crystal Black / Foil

Photos are for illustrative purposes only.
Product not necessarily sold as shown.

SUM PRO BUILD OPTIONS

SRAM Red AXS

FRONT DERAILEUR	SRAM RED AXS	CRANKSET	SRAM RED Powermeter 48/35	HANDLEBAR	Vision Metron 5D ACR EVO
REAR DERAILEUR	SRAM RED AXS	BB	CeramicSpeed BB86 DUB Coated	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	SRAM RED AXS	CHAIN	SRAM RED 12S	SADDLE	Repente Prime 3.0
BRAKE CALIBERS	SRAM RED AXS	CASSETTE	SRAM XG 1290 10-33 XDR	SEATPOST	Argon 18 SUM Specific
ROTORS	SRAM Centerlock Paceline X / F:160mm R:140mm	HEADSET	FSA ACR NO.55R 1.5" + 3D	TIRES	Vittoria Corsa PRO 28-622 TLR, para-black G2.0
		STEM	N/A	WHEELSET	Zipp 454 NSW

Shimano Dura-Ace Di2


FRONT DERAILEUR	Shimano Dura-Ace Di2 R9250	CRANKSET	Shimano Dura-Ace FC-R9200 52/36	HANDLEBAR	Vision Metron 5D ACR EVO
REAR DERAILEUR	Shimano Dura-Ace Di2 R9250	BB	CeramicSpeed BB86 Shimano Coated	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	Shimano Dura-Ace Di2 R9270	CHAIN	Shimano Dura-Ace CN-M9100 12S	SADDLE	Repente Quasar CR Carbon Rail
BRAKE CALIBERS	Shimano Dura-Ace Di2 R9270	CASSETTE	Shimano Dura-Ace CS-R9200 11/30	SEATPOST	Argon 18 SUM Specific
ROTORS	Shimano Dura-Ace RT-MT900 / F:160mm R:140mm	HEADSET	FSA ACR NO.55R 1.5" + 3D	TIRES	Challenge Criterium RS TLR 28c Black
		STEM	N/A	WHEELSET	Scope Artech A4

SRAM Force AXS

FRONT DERAILEUR	SRAM Force AXS	CRANKSET	SRAM Force Powermeter 48/35	HANDLEBAR	Vision Metron 5D ACR EVO
REAR DERAILEUR	SRAM Force AXS	BB	CeramicSpeed BB86 DUB Coated	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	SRAM Force AXS	CHAIN	SRAM Force 12S 118L	SADDLE	Repente Quasar CR Carbon Rail
BRAKE CALIBERS	SRAM Force AXS	CASSETTE	SRAM XG 1270 10-33 XDR	SEATPOST	Argon 18 SUM Specific
ROTORS	SRAM Centerlock Paceline X / F:160mm R:140mm	HEADSET	FSA ACR NO.55R 1.5" + 3D	TIRES	Vittoria Corsa PRO 28-622 TLR, para-black G2.0
		STEM	N/A	WHEELSET	Zipp 404 Firecrest

Shimano Ultegra Di2

FRONT DERAILEUR	Shimano Ultegra Di2 R8150	CRANKSET	Shimano Ultegra FC-R8100 52/36	HANDLEBAR	Vision Metron 5D ACR EVO
REAR DERAILEUR	Shimano Ultegra Di2 R8150	BB	CeramicSpeed BB86 Shimano Coated	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	Shimano Ultegra Di2 R8170	CHAIN	Shimano Ultegra CN-M8100 12S	SADDLE	Repente Quasar CR Carbon Rail
BRAKE CALIBERS	Shimano Ultegra Di2 R8170	CASSETTE	Shimano Ultegra CS-R8100 11-30	SEATPOST	Argon 18 SUM Specific
ROTORS	Shimano Ultegra RT-CL800 / F:160mm R:140mm	HEADSET	FSA ACR NO.55R 1.5" + 3D	TIRES	Challenge Criterium RS TLR 28c Black
		STEM	N/A	WHEELSET	DT Swiss ARC1400



SUM PRO GEOMETRY

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	CM	39.5	42.5	46.0	50.5	55.0	59.5
B	SEAT TUBE ANGLE	DEG	75.0	74.5	74.0	73.5	73.0	72.5
C	HEAD TUBE ANGLE	DEG	71.2	72.1	72.7	72.7	72.7	73.0
D	TOP TUBE LENGTH*	CM	50.3	52.0	53.8	55.7	57.8	60.0
E	CHAINSTAY LENGTH	CM	41.0	41.0	41.0	41.0	41.0	41.0
F	WHEELBASE	CM	96.7	97.2	97.5	99.0	100.6	102.0
G	BB DROP	CM	6.9	7.3	7.7	7.7	7.7	7.7
H1	HEAD TUBE LENGTH	CM	6.9	8.5	10.1	12.6	15.2	18.0
H2	(+15MM 3D)	CM	8.4	10.0	11.6	14.1	16.7	19.5
H3	(+25MM 3D)	CM	9.4	11.0	12.6	15.1	17.7	20.5
I	STANDOVER HEIGHT**	CM	67.6	70.0	72.7	76.6	80.4	84.1

* Horizontal Top Tube Length.
 ** Measured with 700x28c tires

SUM PRO FIT (STACK AND REACH)

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK*	CM	47.1	49.3	51.6	54.0	56.5	59.2
K	REACH	CM	37.5	38.2	38.9	39.7	40.5	41.4
J	STACK (W. 15 MM 3D)*	CM	48.5	50.7	53.0	55.4	57.9	60.6
K	REACH (W. 15 MM 3D)	CM	37.0	37.7	38.5	39.3	40.1	41.0
J	STACK (W. 25 MM 3D)*	CM	49.5	51.7	54.0	56.4	58.9	61.6
K	REACH (W. 25 MM 3D)	CM	36.7	37.4	38.2	39.0	39.8	40.7
SADDLE HEIGHT MIN.**		CM	56.5	59.5	63.0	67.5	72.0	76.5
SADDLE HEIGHT MAX.**		CM	71.5	74.5	78.0	82.5	87.0	91.5

* An ACR integrated stem and headset raises the stack by about 12mm compared to a standard stem and headset.
 ** Measured From Middle of BB to Top of Saddle Along Seat tube Based on a saddle with 50mm between center of rail to top.



SUM

All Together Faster

A rider-oriented design approach ensures a frame that is both rooted and responsive, with a ride experience most aero frames can't match. Engineered to maximise aerodynamics while keeping weight low, the design process for the Sum allowed us to strip away all unnecessary weight within the new aero profile tube shapes – all while maintaining maximum power transfer.

Highlighted Features

- Hourglass-Shaped Headtube** – Reducing the frontal area and increasing aerodynamics.
- Draft deflecting fork blades** – Optimising airflow around the bike, reducing turbulence and drag.
- Downtube profile** – Enhancing overall aerodynamic performance and efficiency.
- D-shaped seatpost & Integrated seatpost clamp** – Aero optimized and vibration dampening to enhance rider comfort.



Elite Carbon Layup
Used on our
midlevel bikes.



377A – Smoked Nickel



377B – British Racing Green

Build	USD	CAD	EUR	GBP	DKK
SRAM Force AXS	6,800	9,250	7,500	6,750	57,950
Shimano Ultegra Di2	6,250	8,500	6,500	5,750	49,950
SRAM Rival AXS	5,250	7,000	5,250	5,000	40,450
Shimano 105 Di2	4,975	6,895	5,495	4,750	42,250

Support Documents

Download the media kit and find pictures, videos etc.

[MEDIA KIT](#)

Photos are for illustrative purposes only.
Product not necessarily sold as shown.

SUM BUILD OPTIONS

SRAM Force AXS

FRONT DERAILEUR	SRAM Force AXS	CRANKSET	SRAM Force Powermeter 48/35	HANDLEBAR	FSA Energy SCR Compact
REAR DERAILEUR	SRAM Force AXS	BB	SRAM DUB PF 86.5	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	SRAM Force AXS	CHAIN	SRAM Force 12S 118L	SADDLE	Repente Quasar
BRAKE CALIBERS	SRAM Force AXS	CASSETTE	SRAM XG 1270 10-33 XDR	SEATPOST	Argon 18 SUM Specific
ROTORS	SRAM Centerlock Centerline XR / F:160mm R:140mm	HEADSET	FSA ACR NO.55R 1.5" + 3D	TIRES	Vittoria Corsa N.EXT TLR 28mm
		STEM	FSA SMR-II	WHEELSET	Scope R4

Shimano Ultegra Di2


FRONT DERAILEUR	Shimano Ultegra Di2 R8150	CRANKSET	Shimano Ultegra FC-R8100 52/36	HANDLEBAR	FSA Energy SCR Compact
REAR DERAILEUR	Shimano Ultegra Di2 R8150	BB	Shimano Ultegra SM-BB72	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	Shimano Ultegra Di2 R8170	CHAIN	Shimano Ultegra CN-M8100 12S	SADDLE	Repente Quasar
BRAKE CALIBERS	Shimano Ultegra Di2 R8170	CASSETTE	Shimano Ultegra CS-R8100 11-30	SEATPOST	Argon 18 SUM Specific
ROTORS	Shimano Ultegra RT-CL800 / F:160mm R:140mm	HEADSET	FSA ACR NO.55R 1.5" + 3D	TIRES	Vittoria Corsa N.EXT TLR 28mm
		STEM	FSA SMR-II	WHEELSET	Scope R4

SRAM Rival AXS

FRONT DERAILEUR	SRAM Rival AXS	CRANKSET	SRAM Rival AXS Crankset DUB 48/35	HANDLEBAR	FSA Energy SCR Compact
REAR DERAILEUR	SRAM Rival AXS	BB	SRAM DUB PF 86.5	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	SRAM Rival AXS	CHAIN	SRAM RIVAL 12S 118L	SADDLE	Repente Quasar
BRAKE CALIBERS	SRAM Rival AXS	CASSETTE	SRAM XG 1250 10-30 XDR	SEATPOST	Argon 18 SUM Specific
ROTORS	SRAM Centerlock Paceline / F:160mm R:140mm	HEADSET	FSA ACR NO.55R 1.5" + 3D	TIRES	Vittoria Corsa N.EXT TLR 28mm
		STEM	FSA SMR-II	WHEELSET	Scope S4.A

Shimano 105 Di2

FRONT DERAILEUR	Shimano 105 Di2 R7150	CRANKSET	Shimano 105 FC-R7100 52/36	HANDLEBAR	FSA Energy SCR Compact
REAR DERAILEUR	Shimano 105 Di2 R7150	BB	BB Ultegra SM-BB72	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	Shimano 105 Di2 R7170	CHAIN	Shimano 105 CN-M7100 118L 12S	SADDLE	Repente Quasar
BRAKE CALIBERS	Shimano 105 Di2 R7170	CASSETTE	Shimano 105 CS-R7100 11/34	SEATPOST	Argon 18 SUM Specific
ROTORS	Shimano 105 SM-RT70 / F:160mm R:140mm	HEADSET	FSA ACR NO.55R 1.5" + 3D	TIRES	Vittoria Corsa N.EXT TLR 28mm
		STEM	FSA SMR-II	WHEELSET	Scope S4.A



SUM GEOMETRY

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	cm	39.5	42.5	46.0	50.5	55.0	59.5
B	SEAT TUBE ANGLE	deg	75.0	74.5	74.0	73.5	73.0	72.5
C	HEAD TUBE ANGLE	deg	71.2	72.1	72.7	72.7	72.7	73.0
D	TOP TUBE LENGTH*	cm	50.3	52.0	53.8	55.7	57.8	60.0
E	CHAINSTAY LENGTH	cm	41.0	41.0	41.0	41.0	41.0	41.0
F	WHEELBASE	cm	96.7	97.2	97.5	99.0	100.6	102.0
G	BB DROP	cm	6.9	7.3	7.7	7.7	7.7	7.7
H1	HEAD TUBE LENGTH	cm	6.9	8.5	10.1	12.6	15.2	18.0
H2	(+15MM 3D)	cm	8.4	10.0	11.6	14.1	16.7	19.5
H3	(+25MM 3D)	cm	9.4	11.0	12.6	15.1	17.7	20.5
I	STANDOVER HEIGHT**	cm	67.6	70.0	72.7	76.6	80.4	84.1

* Horizontal Top Tube Length.

** Measured with 700x28c tires

SUM FIT (STACK AND REACH)

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK*	cm	47.1	49.3	51.6	54.0	56.5	59.2
K	REACH	cm	37.5	38.2	38.9	39.7	40.5	41.4
J	STACK (W. 15 MM 3D)*	cm	48.5	50.7	53.0	55.4	57.9	60.6
K	REACH (W. 15 MM 3D)	cm	37.0	37.7	38.5	39.3	40.1	41.0
J	STACK (W. 25 MM 3D)*	cm	49.5	51.7	54.0	56.4	58.9	61.6
K	REACH (W. 25 MM 3D)	cm	36.7	37.4	38.2	39.0	39.8	40.7
SADDLE HEIGHT MIN.**		cm	56.5	59.5	63.0	67.5	72.0	76.5
SADDLE HEIGHT MAX.**		cm	71.5	74.5	78.0	82.5	87.0	91.5

* An ACR integrated stem and headset raises the stack by about 12mm compared to a standard stem and headset.

** Measured From Middle of BB to Top of Saddle Along Seat tube Based on a saddle with 50mm between center of rail to top.



EQUATION

Our Formula For Fun

Max out those summer rides with ultimate comfort, reliable components, intuitive handling – and maximum value for a performance-minded carbon frame. The Equation gives you value-packed performance, with our trusted technologies to enhance your ride.

Highlighted Features

- 1. Topological Compliance System** - For ultimate comfort, making long rides a breeze.
- 2. Endurance Geometry** - For high comfort while keeping the racing DNA.
- 3. 32c tire clearance** - For a comfortable ride with optimal performance.
- 4. 27,2mm SP & seat clamp** - Simple, reliable and proven system. Easy to maintain.

Build	USD	CAD	EUR	GBP	DKK
SRAM Rival AXS	3,700	4,950	3,800	3,500	29,250
Shimano 105	2,700	3,650	3,000	2,700	22,950
Shimano Tiagra	2,400	3,200	N/A	N/A	N/A

Support Documents

Download the media kit and find pictures, videos etc.

[MEDIA KIT](#)



375A - Asphalt Grey



375B - Podium Champagne

Photos are for illustrative purposes only.
Product not necessarily sold as shown.

EQUATION BUILD OPTIONS

SRAM Rival AXS


FRONT DERAILEUR	SRAM Rival AXS	CRANKSET	SRAM Rival AXS Crankset DUB 48/35	HANDLEBAR	FSA Omega Compact
REAR DERAILEUR	SRAM Rival AXS	BB	SRAM DUB PF 86.5	BAR TAPE	Ciclovation LEATHER TOUCH Tornado Gloss
SHIFTERS	SRAM Rival AXS	CHAIN	SRAM RIVAL 12S 114L	SADDLE	Repente Quasar
BRAKE CALIBERS	SRAM Rival AXS	CASSETTE	SRAM XG 1250 10-30	SEATPOST	FSA Gossamer SB20 27.2mm
ROTORS	SRAM Centerlock Centerline XR / F:160mm R:140mm	HEADSET	FSA NO.69 SRS System	TIRES	Vittoria Zaffiro Pro 30-622
		STEM	FSA OS-167 Omega Pro	WHEELSET	Vision Team 30 Clincher

Shimano 105

FRONT DERAILEUR	Shimano 105 R7100	CRANKSET	Shimano FC-R7100 105, 50/34T	HANDLEBAR	FSA Vero Compact
REAR DERAILEUR	Shimano 105 R7100	BB	Shimano BB-RS500-PB	BAR TAPE	Prologo Plaintouch
SHIFTERS	Shimano 105 R7120	CHAIN	Shimano 105 CN-M7100	SADDLE	Prologo AKERO Black/Red Argon 18
BRAKE CALIBERS	Shimano 105 R7120	CASSETTE	Shimano 105 CS-R7100 11/34	SEATPOST	FSA Gossamer SB20 27.2mm
ROTORS	Shimano SM-RT86 / F:160mm R:160mm	HEADSET	FSA NO.69 SRS System	TIRES	Vittoria Zaffiro Pro 30-622
		STEM	FSA OS-167 Omega Pro	WHEELSET	DT Swiss E1800

Shimano Tiagra

FRONT DERAILEUR	Shimano Tiagra R4700	CRANKSET	Shimano Tiagra FC-4700 50/34	HANDLEBAR	FSA Vero Compact
REAR DERAILEUR	Shimano Tiagra R4700 LC	BB	Shimano BB-RS500-PB	BAR TAPE	Prologo Plaintouch
SHIFTERS	Shimano Tiagra R4720	CHAIN	KMC X10 EPT	SADDLE	Repente Quasar
BRAKE CALIBERS	Shimano Tiagra R4720	CASSETTE	Shimano Tiagra CS-R4700 11/32	SEATPOST	FSA Gossamer SB20 27.2mm
ROTORS	Shimano SM-RT64 / F:160mm R:160mm	HEADSET	FSA NO.69 SRS System	TIRES	Vittoria Zaffiro V 28-622
		STEM	FSA OS-167 Omega Pro	WHEELSET	Shimano RS-171 CL



EQUATION GEOMETRY

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	cm	42.0	45.0	48.5	52.0	55.5	59.0
B	SEAT TUBE ANGLE	deg	75.5	74.9	74.3	73.7	73.1	72.5
C	HEAD TUBE ANGLE	deg	70.3	71.3	72.0	72.0	72.0	72.5
D	TOP TUBE LENGTH*	cm	49.6	51.6	53.7	55.8	58.0	60.4
E	CHAINSTAY LENGTH	cm	41.7	41.7	42.0	42.0	42.0	42.0
F	WHEELBASE	cm	98.1	98.9	99.7	101.3	103.0	104.3
G	BB DROP	cm	8.0	8.0	7.8	7.8	7.5	7.5
H1	HEAD TUBE LENGTH (0mm)	cm	8.4	10.1	12.0	14.1	16.6	18.9
H2	HEAD TUBE LENGTH (25mm)	cm	10.9	12.6	14.5	16.6	19.1	21.4
I	STANDOVER HEIGHT**	cm	67.3	70.0	73.4	76.4	79.7	82.7

* Horizontal Top Tube Length.

** Measured with 700x28c tires

EQUATION FIT (STACK AND REACH)

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK	cm	51.8	53.7	55.8	57.8	60.0	62.3
J	REACH	cm	35.1	36.1	37.2	38.1	39.0	40.0
K	STACK (W. 25 MM 3D)	cm	54.1	56.1	58.1	60.2	62.3	64.6
K	REACH (W. 25 MM 3D)	cm	35.9	36.9	37.9	38.8	39.7	40.7
SADDLE HEIGHT MIN.*		cm	56.0	59.0	62.5	66.0	69.5	73.0
SADDLE HEIGHT MAX.*		cm	74.0	77.0	80.5	84.0	87.5	91.0
L	FORK LENGTH (AXLE-TO-CROWN)	cm	38.7	38.7	38.7	38.7	38.7	38.7
R	FORK RAKE	cm	5.2	52.2	4.7	4.7	4.7	4.7
T	TRAIL	cm	6.8	6.1	6.2	6.2	6.2	5.9

* Measured from middle of BB to top of saddle along seat tube based on a saddle with 50mm between center of rail to top.



TOOLS for **ALL-ROAD** Performance



KRYPTON^{PRO}

All Roads. All Day. All In.

Higher performance, more features, ready for more roads and even more miles. We answered: designed for speed and comfort over all surfaces, the Krypton Pro offers increased tire clearance for versatility, a downtube storage compartment to carry tools and gear, and shorter chainstays for a more responsive ride.

Highlighted Features

- 1. Topological Compliance System** - For ultimate comfort, making long rides a breeze.
- 2. In-frame hidden storage** - for easy carriage of your gear
- 3. 40c tire clearance** - For a comfortable ride on all surfaces.
- 4. 27,2mm SP & seat clamp** - Simple, reliable and proven system. Easy to maintain.

Build	USD	CAD	EUR	GBP	DKK
SRAM RED AXS	13,000	17,500	13,500	12,000	103,950
SRAM FORCE AXS	8,750	11,500	9,500	8,750	72,950
Shimano Ultegra Di2	7,400	9,950	8,100	7,000	62,250
Frameset	4,500	6,400	4,600	4,000	34,300

Support Documents

Download the media kit and find pictures, videos etc.

[MEDIA KIT](#)



Pro Carbon Layup
Used on our top
of the range bikes.



364A - Crystal Black - Copper, Gloss

Photos are for illustrative purposes only.
Product not necessarily sold as shown.

KRYPTON PRO BUILD OPTIONS

SRAM Red AXS


FRONT DERAILEUR	SRAM RED AXS	CRANKSET	SRAM RED Powermeter 48/35	HANDLEBAR	Vision Metron 5D ACR EVO
REAR DERAILEUR	SRAM RED AXS	BB	CeramicSpeed T47 SRAM DUB	BAR TAPE	Ciclovation Leather Touch Tornado Reflective
SHIFTERS	SRAM RED AXS	CHAIN	SRAM RED 12S 118L	SADDLE	Repetto Quasar CR Carbon Rail
BRAKE CALIBERS	SRAM RED AXS	CASSETTE	SRAM XG 1290 10-36 XDR	SEATPOST	Argon 18 TDS-C
ROTORS	SRAM Centerlock Centerline XR / F:160mm R:140mm	HEADSET	FSA Headset NO.55R 1.5" + 3D	TIRES	Vittoria Corsa N.EXT 32-622 TLR
		STEM	N/A	WHEELSET	Zipp 353 NSW

SRAM Force AXS

FRONT DERAILEUR	SRAM Force AXS	CRANKSET	SRAM Force AXS Powermeter 48/35	HANDLEBAR	FSA SL-K SCR Compact
REAR DERAILEUR	SRAM Force AXS max 36T	BB	SRAM DUB T47 BB	BAR TAPE	Ciclovation Leather Touch Tornado Reflective
SHIFTERS	SRAM Force AXS	CHAIN	SRAM Force 12S	SADDLE	Repetto Quasar CR
BRAKE CALIBERS	SRAM Force AXS	CASSETTE	SRAM Force AXS XG-1270 10-36	SEATPOST	Argon 18 TDS-C
ROTORS	SRAM Centerlock Centerline XR / F:160mm R:140mm	HEADSET	FSA Headset NO.55R 1.5" + 3D	TIRES	Vittoria Corsa N.EXT TLR 700x30c
		STEM	FSA OS-99	WHEELSET	Zipp 303 Firecrest

Shimano Ultegra Di2

FRONT DERAILEUR	Shimano Ultegra Di2 R8150	CRANKSET	Shimano Ultegra FC-R8100 52/36	HANDLEBAR	FSA SL-K SCR Compact
REAR DERAILEUR	Shimano Ultegra Di2 R8150	BB	TOKEN T47 BB	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	Shimano Ultegra Di2 R8170	CHAIN	Shimano Ultegra CN-M8100 12S	SADDLE	Repetto Quasar
BRAKE CALIBERS	Shimano Ultegra Di2 R8170	CASSETTE	Shimano Ultegra CS-R8100 11-30	SEATPOST	Argon 18 TDS-C
ROTORS	Shimano Ultegra RT-CL800 / F:160mm R:140mm	HEADSET	FSA Headset NO.55R 1.5" + 3D	TIRES	Vittoria Corsa N.EXT 30-622 TLR
		STEM	FSA OS-99	WHEELSET	HUNT 44 Aerodynamisist Disc (EU) Zipp 303 S (North America)



KRYPTON PRO GEOMETRY

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	cm	42.0	45.0	48.5	52.0	55.5	59.0
B	SEAT TUBE ANGLE	deg	75.5	74.9	74.3	73.7	73.1	72.5
C	HEAD TUBE ANGLE	deg	70.6	71.5	72.3	72.3	72.3	72.8
D	TOP TUBE LENGTH*	cm	49.6	51.6	53.7	55.8	58.0	60.4
E	CHAINSTAY LENGTH	cm	41.5	41.5	41.5	41.5	41.5	41.5
F	WHEELBASE	cm	97.5	98.4	98.9	100.5	102.0	103.3
G	BB DROP	cm	8.0	8.0	7.8	7.8	7.8	7.8
H1	HEAD TUBE LENGTH (0mm)	cm	10.6	12.3	41.2	16.4	18.6	20.8
H2	HEAD TUBE LENGTH (25mm)	cm	13.1	18.8	16.7	18.9	21.1	23.3
I	STANDOVER HEIGHT**	cm	67.5	70.4	73.8	77.0	80.1	83.2

* Horizontal Top Tube Length.

** Measured with 700x28c tires

KRYPTON PRO FIT (STACK AND REACH)

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK	cm	52.3	54.3	56.3	58.4	60.5	62.8
K	REACH	cm	35.7	36.7	37.7	38.6	39.5	40.6
J	STACK (W. 25 MM 3D)	cm	54.7	56.7	58.7	60.8	62.9	65.2
K	REACH (W. 25 MM 3D)	cm	34.9	35.9	37.0	37.9	38.8	39.8
SADDLE HEIGHT MIN.*		cm	59.0	62.0	65.5	69.0	72.5	76.0
SADDLE HEIGHT MAX.*		cm	74.0	77.0	80.5	84.0	87.5	91.0
FORK LENGTH (AXLE-TO-CROWN)		cm	38.5	38.5	38.5	38.5	38.5	38.5
FORK RAKE		cm	5.2	5.2	4.6	4.6	4.6	4.6

* Measured from middle of BB to top of saddle along seat tube based on a saddle with 50mm between center of rail to top.



KRYPTON

Further. Faster. Wherever.

With increased tire clearance, the Krypton offers a more reactive and responsive ride, from pure tarmac to off-piste. Steady on the rough, sharp on the smooth, and flat out fast over the long haul, the Krypton is a refined ride for any road.

Highlighted Features

- 1. Topological Compliance System** - For ultimate comfort, making long rides a breeze.
- 2. In-frame hidden storage** - for easy carriage of your gear
- 3. 40c tire clearance** - For a comfortable ride on all surfaces.
- 4. 27,2mm SP & seat clamp** - Simple, reliable and proven system. Easy to maintain.



365A - Iridescent Charcoal, Gloss

Build	USD	CAD	EUR	GBP	DKK
SRAM Force AXS	6,500	8,750	6,800	6,000	51,950
Shimano Ultegra Di2	6,000	8,250	6,500	5,750	49,950
SRAM Rival AXS	5,250	7,000	5,500	5,000	42,250
Shimano 105 Di2	4,975	6,895	5,495	4,750	41,950

Support Documents

Download the media kit and find pictures, videos etc.

[MEDIA KIT](#)



365B - Frostbite Blue, Gloss



365C - Rainbow Grey, Gloss

Photos are for illustrative purposes only. Product not necessarily sold as shown.

KRYPTON BUILD OPTIONS

SRAM Force AXS

FRONT DERAILEUR	SRAM Force AXS	CRANKSET	SRAM Force DUB 48/35	HANDLEBAR	FSA Energy SCR Compact
REAR DERAILEUR	SRAM Force AXS	BB	SRAM DUB T47 BB	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	SRAM Force AXS	CHAIN	SRAM Force 12S 118L	SADDLE	Repente Quasar
BRAKE CALIBERS	SRAM Force AXS	CASSETTE	SRAM Force AXS XG-1270 10-36	SEATPOST	Argon 18 TDS-C
ROTORS	SRAM Centerlock Centerline XR / F:160mm R:140mm	HEADSET	FSA Headset NO.55R 1.5" + 3D	TIRES	Vittoria Rubino Pro 30-622 TLR
		STEM	FSA SMR	WHEELSET	Scope R4.A

Shimano Ultegra Di2


FRONT DERAILEUR	Shimano Ultegra Di2 R8150	CRANKSET	Shimano Ultegra FC-R8100 50/34	HANDLEBAR	FSA Energy SCR Compact
REAR DERAILEUR	Shimano Ultegra Di2 R8150	BB	TOKEN T47 BB	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	Shimano Ultegra Di2 R8170	CHAIN	Shimano Ultegra CN-M8100 12S	SADDLE	Repente Quasar
BRAKE CALIBERS	Shimano Ultegra Di2 R8170	CASSETTE	Shimano Ultegra CS-R8100 11/34	SEATPOST	Argon 18 TDS-C
ROTORS	Shimano Ultegra RT-CL800 / F:160mm R:140mm	HEADSET	FSA Headset NO.55R 1.5" + 3D	TIRES	Vittoria Corsa N.EXT 32-622 TLR
		STEM	FSA SMR	WHEELSET	Scope R4.A

SRAM Rival AXS

FRONT DERAILEUR	SRAM Rival eTap AXS	CRANKSET	SRAM Rival 46/33	HANDLEBAR	FSA Energy SCR Compact
REAR DERAILEUR	SRAM Rival eTap AXS	BB	SRAM DUB T47 BB	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	SRAM Rival eTap AXS	CHAIN	SRAM Rival 12S 118L	SADDLE	Repente Quasar
BRAKE CALIBERS	SRAM Rival eTap AXS	CASSETTE	SRAM Rival AXS Cassette XG-1250 10-36	SEATPOST	Argon 18 TDS-C
ROTORS	SRAM Centerlock Paceline / F:160mm R:140mm	HEADSET	FSA Headset NO.55R 1.5" + 3D	TIRES	Vittoria Corsa N.EXT 32-622 TLR
		STEM	FSA SMR	WHEELSET	ATTEN L42

Shimano 105 Di2

FRONT DERAILEUR	Shimano 105 Di2 R7150	CRANKSET	Shimano 105 FC-R7100 50/34	HANDLEBAR	FSA Energy SCR Compact
REAR DERAILEUR	Shimano 105 Di2 R7150	BB	TOKEN T47 BB	BAR TAPE	Ciclovation Leather Touch Tornado Gloss
SHIFTERS	Shimano 105 Di2 R7170	CHAIN	Shimano 105 CN-M7100 118L 12S	SADDLE	Prologo Scratch M5 Tirox
BRAKE CALIBERS	Shimano 105 Di2 R7170	CASSETTE	Shimano 105 CS-R7100 11/34	SEATPOST	Argon 18 TDS-C
ROTORS	Shimano 105 SM-RT70 / F:160mm R:140mm	HEADSET	FSA Headset NO.55R 1.5" + 3D	TIRES	Vittoria Corsa N.EXT 32-622 TLR, black G2.0
		STEM	FSA SMR	WHEELSET	Scope S4.A



KRYPTON GEOMETRY

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	cm	42.0	45.0	48.5	52.0	55.5	59.0
B	SEAT TUBE ANGLE	deg	75.5	74.9	74.3	73.7	73.1	72.5
C	HEAD TUBE ANGLE	deg	70.6	71.5	72.3	72.3	72.3	72.8
D	TOP TUBE LENGTH*	cm	49.6	51.6	53.7	55.8	58.0	60.4
E	CHAINSTAY LENGTH	cm	41.5	41.5	41.5	41.5	41.5	41.5
F	WHEELBASE	cm	97.5	98.4	98.9	100.5	102.0	103.3
G	BB DROP	cm	8.0	8.0	7.8	7.8	7.8	7.8
H1	HEAD TUBE LENGTH (0mm)	cm	10.6	12.3	41.2	16.4	18.6	20.8
H2	HEAD TUBE LENGTH (25mm)	cm	13.1	18.8	16.7	18.9	21.1	23.3
I	STANDOVER HEIGHT**	cm	67.5	70.4	73.8	77.0	80.1	83.2

*Horizontal Top Tube Length.

**Measured with 700x28c tires

KRYPTON FIT (STACK AND REACH)

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK	cm	52.3	54.3	56.3	58.4	60.5	62.8
K	REACH	cm	35.7	36.7	37.7	38.6	39.5	40.6
J	STACK (W. 25 MM 3D)	cm	54.7	56.7	58.7	60.8	62.9	65.2
K	REACH (W. 25 MM 3D)	cm	34.9	35.9	37.0	37.9	38.8	39.8
SADDLE HEIGHT MIN.*		cm	59.0	62.0	65.5	69.0	72.5	76.0
SADDLE HEIGHT MAX.*		cm	74.0	77.0	80.5	84.0	87.5	91.0
FORK LENGTH (AXLE-TO-CROWN)		cm	38.5	38.5	38.5	38.5	38.5	38.5
FORK RAKE		cm	5.2	5.2	4.6	4.6	4.6	4.6

*Measured from middle of BB to top of saddle along seat tube based on a saddle with 50mm between center of rail to top.



TOOLS for GRAVEL Performance



DARK MATTER

The Dark Matter isn't just a gravel bike. It's your tool for getting through the rough stuff—physically and mentally. Built for those who don't turn around when the trail turns brutal, it thrives in the places most avoid.

Because when the road ends and the challenge begins, the Dark Matter is ready. Whatever it is—get over it.

Highlighted Features

- Massive tire clearance (57mm)** - Tackle rough terrain and loose gravel with confidence. Better traction, comfort, and versatility.
- Integrated downtube storage** - Adventure-ready with everything you need.
- Adventure ready geometry** - Built to handle anything. Ride farther, longer, and tackle unpredictable terrain with a geometry designed for control and stability.



Elite Carbon Layup
Engineered for rough riding
in all conditions.

Build	USD	CAD	EUR	GBP	DKK
SRAM Force XPLR AXS	6,650	9,395	7,395	6,500	56,500
SRAM Rival XPLR AXS	4,650	6,295	5,095	4,500	38,900
Shimano GRX	3,650	4,995	3,995	3,500	30 500

Support Documents

Download the media kit and find pictures, videos etc.

[MEDIA KIT](#)



373B - Root Beer



373C - Cactus Green



373A - Anthracite

Photos are for illustrative purposes only.
Product not necessarily sold as shown.

DARK MATTER BUILD OPTIONS

SRAM Force XPLR AXS


FRONT DERAILLEUR	N/A	CRANKSET	SRAM Force 1 Wide DUB 40T	HANDLEBAR	FSA A-Wing Pro AGX
REAR DERAILLEUR	SRAM Force XPLR AXS	BB	SRAM BB DUB T47 Wide	BAR TAPE	Ciclovation Grind Touch
SHIFTERS	SRAM Force AXS	CHAIN	SRAM Force Flattop	SADDLE	Repenste Quasar 2.0
BRAKE CALIBERS	SRAM Force AXS	CASSETTE	XG 1271 10-44	SEATPOST	Argon 18 TDS-C
ROTORS	SRAM Centerlock Centerline XR / F:160mm R:160mm	HEADSET	FSA MR127 + 3D	TIRES	Schwalbe G-One RX PRO, TLR 700x50c
		STEM	FSA SMR-II	WHEELSET	ZIPP 303 XPLR S

SRAM Rival AXS

FRONT DERAILLEUR	N/A	CRANKSET	SRAM Rival 1 Wide DUB 40T	HANDLEBAR	FSA A-Wing Pro AGX
REAR DERAILLEUR	SRAM Rival XPLR eTap AXS	BB	SRAM BB DUB T47 Wide	BAR TAPE	xG 1251 10-44
SHIFTERS	SRAM Rival eTap AXS	CHAIN	SRAM Rival Flattop	SADDLE	Repenste Quasar 2.0
BRAKE CALIBERS	SRAM Rival eTap AXS	CASSETTE	XG 1251 10-44	SEATPOST	Argon 18 TDS-C
ROTORS	SRAM Centerlock Paceline / F:160mm R:160mm	HEADSET	FSA MR127 + 3D	TIRES	Schwalbe G-One RX PRO, TLR 700x50c
		STEM	FSA SMR-II	WHEELSET	DT Swiss G1800 XDR

Shimano GRX

FRONT DERAILLEUR	N/A	CRANKSET	GRX RX610-1, 40T	HANDLEBAR	FSA A-Wing Pro AGX
REAR DERAILLEUR	GRX RX822, 51T Max	BB	TOKEN T47 24mm	BAR TAPE	Ciclovation Grind Touch
SHIFTERS	Shimano GRX RX610	CHAIN	CN-M7100	SADDLE	Repenste Quasar S 2.0
BRAKE CALIBERS	RX400	CASSETTE	SLX, CS-M7100 10-51T	SEATPOST	Argon 18 TDS-C
ROTORS	SM-RT70 / F:160mm R:160mm	HEADSET	FSA MR127 + 3D	TIRES	Vittoria Terreno T50 Mixed 700x50c
		STEM	FSA SMR-II	WHEELSET	DT Swiss G1800 Microspline



DARK MATTER GEOMETRY

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	cm	42.0	43.5	46.0	49.5	54.0	58.5
B	SEAT TUBE ANGLE	deg	75.5	74.9	74.3	73.7	73.1	72.5
C	HEAD TUBE ANGLE	deg	68.5	70.0	70.5	71.0	71.0	71.0
D	TOP TUBE LENGTH*	cm	50.7	51.3	53.4	55.6	57.9	60.3
E	CHAINSTAY LENGTH	cm	43.6	43.6	43.6	43.6	43.6	43.6
F	WHEELBASE	cm	103.0	103.6	104.5	105.9	108.0	110.1
G	BB DROP	cm	8.0	8.0	7.8	7.8	7.6	7.6
H1	HEAD TUBE LENGTH (0mm)	cm	7.2	8.7	10.6	12.6	15.1	17.8
H2	HEAD TUBE LENGTH (25mm)	cm	9.5	11.2	13.1	15.1	17.6	20.3
I	STANDOVER HEIGHT**	cm	69.7	71.3	74.0	77.1	81.2	85.2

*Horizontal Top Tube Length.
**Measured with 700x50c tires

DARK MATTER FIT (STACK AND REACH)

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK	cm	52.0	54.0	56.1	58.2	60.3	62.9
J	STACK (W. 25 MM 3D)	cm	54.3	56.4	58.5	60.6	62.7	65.3
K	REACH	cm	37.0	38.2	39.4	40.6	41.8	43.0
K	REACH (W. 25 MM 3D)	cm	36.1	37.3	38.6	39.8	41.0	42.2
SADDLE HEIGHT MIN*		cm	59	60.5	63	66.5	71	75.5
SADDLE HEIGHT MAX*		cm	79	80.5	83	86.5	91	95.5
FORK LENGTH (AXLE-TO-CROWN)		mm	425	425	425	425	425	425
FORK RAKE		mm	54	54	48	48	48	48
SEATPOST LENGTH		mm	400	400	400	400	400	400
SEATPOST SETBACK		cm	2	2	2	2	2	2

*Measured from middle of BB to top of saddle along seat tube based on a saddle with 50mm between center of rail to top.



DARK MATTER

Rugged Race or Rough Adventures

The Dark Matter takes you ever further off the beaten path with new bike-packing features, cable integration, and updated stack and reach. What hasn't changed is the confident, responsive ride that's made it a gravel classic. Light and lean and ready to race, or now with up to four bottle mounts and full paniers, the Dark Matter goes from scrappy race-day ride to sidekick for your longest off-road adventures.

Highlighted Features

- 1. Topological Compliance System** - For ultimate comfort, making long rides a breeze.
- 2. SRS Cable Routing** - No-fuss assembly and adjustment
- 3. 45c tire clearance** - For a comfortable ride on all surfaces.
- 4. Dropper ready 27.2 mm carbon seatpost** - Light and comfortable with 2 setback options (15 & 25mm).



Build	USD	CAD	EUR	GBP	DKK
SRAM Force AXS XPLR	5,800	7,850	6,300	5,500	47,000
SRAM Rival AXS XPLR	4,200	5,650	4,600	4,000	34,300
SRAM Rival AXS Wide	4,200	5,650	4,600	4,000	34,300
SRAM Apex AXS XPLR	3,700	4,900	4,000	3,500	29,800

Support Documents

Download the media kit and find pictures, videos etc.

[MEDIA KIT](#)



363A - Olive Green, Gloss



363A - Inferno Red, Gloss

Photos are for illustrative purposes only.
Product not necessarily sold as shown.

DARK MATTER BUILD OPTIONS

SRAM Force AXS XPLR

FRONT DERAILEUR	N/A	CRANKSET	SRAM Force 1 Wide DUB 42T	HANDLEBAR	FSA A-Wing Pro AGX
REAR DERAILEUR	SRAM Force XPLR AXS	BB	SRAM DUB PF 86.5 Road Wide	BAR TAPE	Ciclovation Grind Touch
SHIFTERS	SRAM Force AXS	CHAIN	SRAM Force 12S	SADDLE	Prologo Scratch-M5 AGX
BRAKE CALIBERS	SRAM Force AXS	CASSETTE	SRAM Force XPLR XG-1271 10-44	SEATPOST	Argon 18 TDS
ROTORS	SRAM Centerlock Centerline XR / F:160mm R:140mm	HEADSET	FSA No.69 SRS + 3D	TIRES	Vittoria Terreno Dry TLR G2.0 700x40
		STEM	FSA OS-99	WHEELSET	HUNT 42 Limitless Gravel Disc XDR

SRAM Rival AXS Wide


FRONT DERAILEUR	SRAM Rival ETAP AXS WIDE	CRANKSET	SRAM Rival WIDE DUB 43/30	HANDLEBAR	FSA NS Adventure Compact HR-RD-310S
REAR DERAILEUR	SRAM Rival ETAP AXS	BB	SRAM DUB PF 86.5 ROAD WIDE	BAR TAPE	Ciclovation Grind Touch
SHIFTERS	SRAM Rival eTap AXS	CHAIN	SRAM Rival 12S	SADDLE	Repente Quasar
BRAKE CALIBERS	SRAM Rival eTap AXS	CASSETTE	SRAM Rival XG-1250 10-36	SEATPOST	Argon 18 TDS
ROTORS	SRAM Centerlock Paceline / F:160mm R:140mm	HEADSET	FSA No.69 SRS + 3D	TIRES	Vittoria Terreno Dry TLR G2.0 700x40
		STEM	FSA OS-167 Omega Pro	WHEELSET	HUNT 4Season All-Road XDR

SRAM Rival AXS XPLR

FRONT DERAILEUR	N/A	CRANKSET	SRAM Rival 1 Wide DUB 40T	HANDLEBAR	FSA NS Adventure Compact HR-RD-310S
REAR DERAILEUR	SRAM Rival XPLR eTap AXS	BB	SRAM DUB PF 86.5 Road Wide	BAR TAPE	Ciclovation Grind Touch
SHIFTERS	SRAM Rival eTap AXS	CHAIN	SRAM Rival 12S	SADDLE	Prologo Scratch-M5 AGX
BRAKE CALIBERS	SRAM Rival eTap AXS	CASSETTE	SRAM Rival XPLR XG-1251 10-44	SEATPOST	Argon 18 TDS
ROTORS	SRAM Centerlock Paceline / F:160mm R:140mm	HEADSET	FSA No.69 SRS + 3D	TIRES	Vittoria Terreno Dry TLR G2.0 700x40
		STEM	FSA OS-167 Omega Pro	WHEELSET	HUNT 4Season All-Road XDR

SRAM Apex AXS XPLR

FRONT DERAILEUR	N/A	CRANKSET	SRAM Apex 1 Wide DUB 42T	HANDLEBAR	FSA NS Adventure Compact HR-RD-310S
REAR DERAILEUR	SRAM Apex AXS XPLR	BB	SRAM DUB PF 86.5 Road Wide	BAR TAPE	Ciclovation Grind Touch
SHIFTERS	SRAM Apex AXS	CHAIN	SRAM Apex 12S	SADDLE	Prologo AKERO Black/Red Argon 18
BRAKE CALIBERS	SRAM Apex AXS	CASSETTE	SRAM APEX XPLR PG-1231 11-44	SEATPOST	Argon 18 TDS
ROTORS	SRAM Centerlock Paceline / F:160mm R:140mm	HEADSET	FSA No.69 SRS + 3D	TIRES	Vittoria Terreno Dry TLR G2.0 700x38c
		STEM	FSA OS-167 Omega Pro	WHEELSET	HUNT 4Season All-Road XDR



DARK MATTER GEOMETRY

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	cm	42.0	45.0	48.5	52.0	55.5	59.0
B	SEAT TUBE ANGLE	deg	75.5	74.9	74.3	73.7	73.1	72.5
C	HEAD TUBE ANGLE	deg	69.5	71.0	71.4	72.0	72.0	72.5
D	TOP TUBE LENGTH*	cm	49.2	51.3	53.4	55.6	57.9	60.3
E	CHAINSTAY LENGTH	cm	42.8	42.8	42.8	42.8	42.8	42.8
F	WHEELBASE	cm	100.8	101.1	102.4	103.0	104.6	105.9
G	BB DROP	cm	7.0	7.0	7.0	7.0	7.0	7.0
H1	HEAD TUBE LENGTH (0mm)	cm	11.9	13.4	15.3	16.9	19.0	21.5
H2	HEAD TUBE LENGTH (25mm)	cm	14.3	15.8	17.8	19.4	21.5	23.9
I	STANDOVER HEIGHT**	cm	69,7	71,3	74,0	77,1	81,2	85,2

*Horizontal Top Tube Length.

**Measured with 700x50c tires

DARK MATTER FIT (STACK AND REACH)

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK	cm	52.9	54.9	56.9	58.9	60.9	63.4
K	REACH	cm	35.7	36.7	37.7	38.7	39.7	40.7
J	STACK (W. 25 MM 3D)	cm	55.2	57.2	59.2	61.2	63.2	65.7
K	REACH (W. 25 MM 3D)	cm	34.8	35.9	36.9	38.0	39.0	40.0
SADDLE HEIGHT MIN*		cm	62.5	65.5	69.0	72.5	76.0	79.0
SADDLE HEIGHT MAX*		cm	74.0	77.0	80.5	84.0	87.5	91.0

*Measured from middle of BB to top of saddle along seat tube based on a saddle with 50mm between center of rail to top.



GREY MATTER

Go On. Get Lost.

No more excuses – get rough and ready for anything on the new Grey Matter. The gravel-specific handling, geometry and features that made the Dark Matter the ultimate dirt machine are now available in an alloy frame.

Highlighted Features


- 1. Alloy Frame & Carbon Fork** - Highly durable and sturdy, with full carbon fork, optimized weight, comfort and handling.
- 2. Max Storage** - Mounts on top tube, fork, downtube and rear stays for easy carriage of your gear.
- 3. 42c tire clearance** - For a comfortable ride on all surfaces.
- 4. SRS Cable Routing** - No-fuss assembly and adjustment.

Build	USD	CAD	EUR	GBP	DKK
SRAM Apex AXS XPLR	2,400	3,245	2,695	2,300	20,450
SRAM Apex XPLR	2,000	2,795	2,295	1,950	17,450

Support Documents


Download the media kit and find pictures, videos etc.

[MEDIA KIT](#)

 **Alloy Frame**
Used on our
aluminium bikes.



356A - Tundra Green, Gloss



Photos are for illustrative purposes only.
Product not necessarily sold as shown.


GREY MATTER BUILD OPTIONS

SRAM Apex AXS XPLR

FRONT DERAILLEUR	N/A	CRANKSET	SRAM Apex 1 Wide DUB 42T	HANDLEBAR	FSA NS Adventure Compact HR-RD-310S
REAR DERAILLEUR	SRAM Apex AXS XPLR	BB	SRAM DUB PF 86.5 Road Wide	BAR TAPE	Ciclovation Grind Touch
SHIFTERS	SRAM Apex AXS	CHAIN	SRAM Apex 12S	SADDLE	Prologo AKERO Black/Red Argon 18
BRAKE CALIBERS	SRAM Apex AXS	CASSETTE	SRAM APEX XPLR PG-1231 11-44	SEATPOST	FSA Gossamer SB20 Seat Post (27.2mm)
ROTORS	SRAM Centerlock Paceline / F:160mm R:140mm	HEADSET	FSA No.69 SRS + 3D	TIRES	Vittoria Terreno Dry TLR G2.0 700x40
		STEM	FSA OS-167 Omega Pro	WHEELSET	Team Aero-Gravel i23 TC AGX 700c

SRAM Apex XPLR

FRONT DERAILLEUR	N/A	CRANKSET	SRAM Apex AXS 1 Wide DUB 42T	HANDLEBAR	FSA NS Adventure Compact HR-RD-310S
REAR DERAILLEUR	SRAM Apex XPLR	BB	SRAM DUB PF 86.5 Road Wide	BAR TAPE	Ciclovation Grind Touch
SHIFTERS	SRAM Apex 12	CHAIN	SRAM Apex 12S	SADDLE	Prologo AKERO Black/Red Argon 18
BRAKE CALIBERS	SRAM Apex 12	CASSETTE	SRAM Apex XPLR PG-1231 11-44	SEATPOST	FSA Gossamer SB20 Seat Post (27.2mm)
ROTORS	SRAM G2CS Rotors / F:160mm R:140mm	HEADSET	FSA No.69 SRS + 3D	TIRES	Vittoria Terreno Dry 40-622
		STEM	FSA OS-167 Omega Pro	WHEELSET	Team Aero-Gravel i23 TC AGX 700c



GREY MATTER GEOMETRY

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	cm	42.0	45.0	48.5	52.0	55.5	59.0
B	SEAT TUBE ANGLE	deg	75.5	74.9	74.3	73.7	73.1	72.5
C	HEAD TUBE ANGLE	deg	69.5	71.0	71.4	72.0	72.0	72.5
D	TOP TUBE LENGTH*	cm	49.6	51.7	53.8	56.0	58.2	60.7
E	CHAINSTAY LENGTH	cm	42.8	42.8	42.8	42.8	43.0	43.2
F	WHEELBASE	cm	100.3	100.6	102.1	102.7	104.8	106.2
G	BB DROP	cm	8.0	8.0	7.5	7.5	7.0	7.0
H1	HEAD TUBE LENGTH (0mm)	cm	10.4	11.9	14.4	16.0	18.7	21.1
H2	HEAD TUBE LENGTH (25mm)	cm	12.9	14.4	16.9	18.5	21.2	23.6
I	STANDOVER HEIGHT**	cm	68.9	71.6	75.3	78.3	81.8	84.9

* Horizontal Top Tube Length.

** Measured with 700x40c tires

GREY MATTER FIT (STACK AND REACH)

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK	cm	52.5	54.5	56.5	58.5	60.5	63.0
K	REACH	cm	35.8	36.8	37.8	38.8	39.8	40.8
J	STACK (W. 25 MM 3D)	cm	54.8	56.9	58.9	60.9	62.9	65.4
K	REACH (W. 25 MM 3D)	cm	34.8	36.0	37.0	38.0	39.0	40.0
SADDLE HEIGHT MIN.*		cm	49.	52.0	55.5	59.0	62.5	66.0
SADDLE HEIGHT MAX.*		cm	74.0	77.0	80.5	84.0	87.5	91.0
FORK LENGTH (AXLE-TO-CROWN)		cm	39.5	39.5	39.5	39.5	39.5	39.5
FORK RAKE		cm	5.4	5.4	5.4	4.9	4.9	4.9

* Measured from middle of BB to top of saddle along seat tube based on a saddle with 50mm between center of rail to top.



TOOLS for TRIATHLON Performance



E119

Every Second. Every Watt. Every Advantage.

The E119 offers full aero integration: in an industry first, we've even integrated the brake calipers into the frame. Integration throughout the design also means a hidden toolkit in the BB, an integrated bento box and a fully redesigned cockpit. That this bike is aero goes without saying. But our focus was on full-system aero performance: bike and rider, plus all carry-ons.

Highlighted Features

- Fully Integrated Cockpit** - Developed in collaboration with 51 Speedshop.
- Integrated Disc Brakes** - For optimal aero performance.
- Integrated Toolkit in BB Area** - Optimized aerodynamics and weight distribution.
- Deep Bento Box** - Easily accessible storage.

Build	USD	CAD	EUR	GBP	DKK
SRAM RED AXS	14,000	18,995	15,595	13,550	119,950
Shimano Ultegra Di2	10,000	13,500	11,000	9,600	83,950
Frameset	6,000	7,800	7,000	6,000	52,200

Support Documents

Download the media kit and find pictures, videos etc.

[MEDIA KIT](#)



Pro Carbon Layup
Used on our top
of the range bikes.



368A - Constellation Black



368B - Vivid Blue

Photos are for illustrative purposes only.
Product not necessarily sold as shown.


E119 BUILD OPTIONS

SRAM Red AXS

FRONT DERAILLEUR	SRAM RED AXS	CRANKSET	SRAM RED AXS Powermeter 48/35	HANDLEBAR	Argon 18 Integrated Cockpit + 51 Speedshop Custom Extensions
REAR DERAILLEUR	SRAM RED AXS	BB	CeramicSpeed BB86 DUB Coated	BAR TAPE	Tape Prologo Plaintouch black
SHIFTERS	SRAM Wireless blips	CHAIN	SRAM RED 12S	SADDLE	ISM PN3.1
BRAKE CALIBERS	Argon 18 Integrated Brake System	CASSETTE	SRAM XG 1290 10-33 XDR	SEATPOST	Argon 18 E-119 Specific
ROTORS	TRP TR140-25 / F:140mm R:140mm	HEADSET	Oneness 3.0 system	TIRES	Vittoria Corsa N.EXT TLR 700x28
WHEELSET	Zipp 858 NSW	STEM	Argon 18 Integrated Cockpit		

Shimano Ultegra Di2

FRONT DERAILLEUR	Shimano Ultegra Di2 R8150	CRANKSET	Shimano Ultegra FC-R8100-P 52/36	HANDLEBAR	Argon 18 Integrated Cockpit + 51 Speedshop Custom Extensions
REAR DERAILLEUR	Shimano Ultegra Di2 R8150	BB	CeramicSpeed BB86 Shimano Coated	BAR TAPE	Tape Prologo Plaintouch black
SHIFTERS	Shimano SW-R9150 Sprint / Bar Shifters	CHAIN	Shimano Ultegra CN-M8100 12S	SADDLE	ISM PN3.1
BRAKE CALIBERS	Argon 18 Integrated Brake System	CASSETTE	Shimano Ultegra CS-R8100 11/30	SEATPOST	E-119 Tri+ Disc Seat Post
ROTORS	TRP TR140-25 / F:140mm R:140mm	HEADSET	Oneness 3.0 system	TIRES	Vittoria Corsa N.EXT TLR 700x28
WHEELSET	DT Swiss ARC1400 Dicut	STEM	Argon 18 Integrated Cockpit		



E119 GEOMETRY

			XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	cm	45.5	50.2	51.7	54.2	57.3
B	SEAT TUBE ANGLE	deg	78.0	78.0	78.0	78.0	78.0
C	HEAD TUBE ANGLE	deg	72.0	72.0	72.0	72.0	72.0
D	TOP TUBE LENGTH*	cm	49.1	50.5	51.8	53.3	54.9
E	CHAINSTAY LENGTH	cm	41.3	41.3	41.3	41.3	41.3
F	WHEELBASE	cm	97.4	98.8	100.3	102.1	104.1
G	BB DROP	cm	7.3	7.3	7.3	7.3	7.3
H	HEAD TUBE LENGTH	cm	6.0	7.0	8.6	11.3	14.4
I	STANDOVER HEIGHT**	cm	72.6	76.5	78.0	80.5	83.2

*Horizontal Top Tube Length.
 **Measured with 700x23c tires

E119 FIT (STACK AND REACH)

			XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK MIN.*	cm	57.3	58.3	59.8	62.3	65.3
	STACK MAX.	cm	66.3	67.3	68.8	71.3	74.3
K	REACH MIN.*	cm	41.4	42.4	43.4	44.4	45.4
	REACH MAX.	cm	50.1	51.1	52.1	53.1	54.1
SADDLE HEIGHT MIN.**		cm	58.0	62.7	64.2	66.7	69.8
SADDLE HEIGHT MAX.**		cm	77.5	82.2	83.7	86.2	89.3

* Stack and Reach measured at center of elbow pad.
 ** Measured from middle of BB to top of saddle along seat tube.



E117

Your Best Bike Splits Awaits

Introducing the new, redesigned E117 triathlon bike, developed for serious triathletes and TT competitors determined to shatter their personal bests. The E117 is a race-ready, fully-equipped and value-packed performance machine, delivering unmatched innovation drawn directly from our pro-level bikes. Built on the advanced DNA of our renowned E119 and Electron Pro, this bike offers UCI-legal, elite-level performance for all triathletes and TT riders.

Highlighted Features

- Two Cockpit Options** - Open cockpit with mechanical groupset build. Integrated cockpit with electronic groupset builds.
- Wide Fit Window** - Removable 35mm 3D cap & 90mm of extensions stack.
- Tool Box** - Additional storage.
- Integrated Disc Brakes** - Aero innovation.



Elite Carbon Layup
Used on our top of the range bikes.



374A - Black Stealth



374B - Flaming Red

Photos are for illustrative purposes only.
Product not necessarily sold as shown.

Build	USD	CAD	EUR	GBP	DKK
Shimano Ultegra Di2	7,450	10,295	8,495	7,250	63,450
Shimano 105 Di2	6,200	8,495	6,895	5,800	52,950
Shimano 105	4,050	5,595	4,695	3,900	34,950

Support Documents

Download the media kit and find pictures, videos etc.

[MEDIA KIT](#)

E117 BUILD OPTIONS

Shimano Ultegra Di2


FRONT DERAILEUR	Shimano Ultegra Di2 R8150	CRANKSET	Shimano Ultegra FC-R8100 52/36	HANDLEBAR	Argon 18 Integrated Cockpit + 51 Speedshop Custom Extensions
REAR DERAILEUR	Shimano Ultegra Di2 R8150	BB	Shimano Ultegra SM-BB72	BAR TAPE	Tape Prologo Plaintouch black
SHIFTERS	Shimano SW-R9150 Sprint / Bar Shifters	CHAIN	Shimano Ultegra CN-M8100 12S	SADDLE	ISM PR1.0
BRAKE CALIBERS	Argon 18 Integrated Brake System	CASSETTE	Shimano Ultegra CS-R8100 11/30	SEATPOST	Argon 18 E117 Specific
ROTORS	TRP TR140-25 / F:140mm R:140mm	HEADSET	Argon 18	TIRES	Vittoria Corsa N.EXT TLR 700x28
		STEM	Argon 18 Integrated Cockpit	WHEELSET	Scope R5

Shimano 105 Di2

FRONT DERAILEUR	Shimano 105 Di2 R7150	CRANKSET	Shimano 105 FC-R7100 52/36	HANDLEBAR	Argon 18 Integrated Cockpit + 51 Speedshop Custom Extensions
REAR DERAILEUR	Shimano 105 Di2 R7150	BB	Shimano BB-RS500-PB	BAR TAPE	Tape Prologo Plaintouch black
SHIFTERS	Shimano SW-R9150 Sprint / Bar Shifters	CHAIN	Shimano 105 CN-M7100 118L 12S	SADDLE	ISM PR1.0
BRAKE CALIBERS	Argon 18 Integrated Brake System	CASSETTE	Shimano 105 CN-M7100 118L 12S	SEATPOST	Argon 18 E117 Specific
ROTORS	TRP TR140-25 / F:140mm R:140mm	HEADSET	Argon 18	TIRES	Vittoria Corsa N.EXT TLR 700x28
		STEM	Argon 18 Integrated Cockpit	WHEELSET	ATTEN L42

Shimano 105

FRONT DERAILEUR	Shimano 105 R7100	CRANKSET	Shimano 105 FC-R7100 52/36	HANDLEBAR	Argon 18 carbon basebar + Profile Design Sonic/Ergo/39a + 10mm pad
REAR DERAILEUR	Shimano 105 R7100	BB	Shimano BB-RS500-PB	BAR TAPE	Tape Prologo Plaintouch black
SHIFTERS	Microshift TT / Tri Bar End shifters	CHAIN	Shimano 105 CN-M7100 118L 12S	SADDLE	Prologo Dimension-Tri 143
BRAKE CALIBERS	Argon 18 Integrated Brake System	CASSETTE	Shimano 105 CS-R7100 11/34	SEATPOST	Argon 18 E117 Specific
ROTORS	TRP TR140-25 / F:140mm R:140mm	HEADSET	Argon 18	TIRES	Vittoria Rubino Pro IV 28-622 TLR G2.0
		STEM	Profile Design 1 / Seventeen Stem -17°	WHEELSET	DT Swiss E1800



E117 GEOMETRY

			XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	cm	45.5	50.0	51.6	54.2	56.8
B	SEAT TUBE ANGLE	deg	78.0	78.0	78.0	78.0	78.0
C	HEAD TUBE ANGLE	deg	72.0	72.0	72.0	72.0	72.0
D	TOP TUBE LENGTH*	cm	49.2	50.4	51.7	52.7	54.5
E	CHAINSTAY LENGTH	cm	41.3	41.3	41.3	41.3	41.3
F	WHEELBASE	cm	97.6	98.9	100.4	101.7	103.8
G	BB DROP	cm	7.0	7.0	7.0	7.0	7.0
H	HEAD TUBE LENGTH (0MM)	cm	4.9	6.0	7.7	10.4	13.1
H	HEAD TUBE LENGTH (35MM)	cm	8.4	9.5	11.2	13.9	16.6
I	STANDOVER HEIGHT**	cm	72.9	76.7	78.2	80.8	83.3

* Horizontal Top Tube Length.
 ** Measured with 700x23c tires

E117 FIT (STACK AND REACH)

			XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK MIN.*	cm	55.0	56.0	57.6	60.2	62.8
	STACK MAX. (35MM)	cm	67.4	68.4	70.0	72.6	75.1
K	REACH MIN.*	cm	40.5	41.5	42.5	43.0	44.2
	REACH MAX. (35MM)	cm	50.4	51.4	52.3	52.8	54.1
SADDLE HEIGHT MIN.**		cm	60.0	64.5	66.1	68.7	71.3
SADDLE HEIGHT MAX.**		cm	77	81.5	83.1	85.7	88.3

* Stack and Reach measured at center of elbow pad.
 ** Measured from middle of BB to top of saddle along seat tube.



TOOLS for TRACK Performance



ELECTRON^{PRO} TKO

Optimized for the Most Aggressive Riders on the Track

The Electron Pro TKO Pursuit is the result of over 4500 hours of engineering - design, modelling and testing. The Electron Pro TKO Pursuit is ready to maximize every possible advantage and win every fraction of a second. The Electron Pro TKO has one goal: victory on the track.

Highlighted Features

- Speed-Optimized Frame** - Maximum stiffness. Aero optimized. Lightweight.
- Data Ready** - Integrated data logger bay, speed sensor mount on the chain stays and timing chip bracket on the fork.
- Cockpit Swap** - Convert to sprint bars.
- Saddle Rail Clamp** - Stable saddle under extreme power output.



Pro Carbon Layup
Used on our top
of the range bikes.



350A - Pursuit - Black Matte, Red Gloss

Build	USD	CAD	EUR	GBP	DKK
Frameset TKO - Pursuit	8,400	11,250	8,000	8,000	59,600
Frameset TKO - Sprint	6,850	9,150	6,400	6,400	47,900
Frameset RIO - Pursuit	7,200	9,600	7,100	N/A	52,900
Frameset RIO - Sprint	6,300	8,400	N/A	N/A	N/A

Compatibility

- Wheels:** 24mm tire clearance, 12mm x 100mm thru-axle, Vision 3-Spoke (only through Argon 18) Campagnolo (full disc), Corima (Spoke) Any 100mm bolt-on wheel with bolt-on axle adaptor
- Speed Sensor:** Giant RideSense
- Timing Chip:** Tissot, Mylaps

Support Documents

Download the tech sheet for a full overview of the specs.

[PURSUIT - TECH SHEET](#)


[SPRINT - TECH SHEET](#)

[FORK - TECH SHEET](#)



350B - Sprint - Black Matte, Red Gloss

Photos are for illustrative purposes only.
Product not necessarily sold as shown.



ELECTRON PRO TKO PURSUIT GEOMETRY


			XS (47-50)	S (51-53)	M (54-56)	L (57-59)
A	SEAT TUBE HEIGHT	cm	43.0	51.5	53.0	54.0
B	SEAT TUBE ANGLE	deg	76.0	76.0	76.0	76.0
C	HEAD TUBE ANGLE	deg	72.7	72.7	72.7	72.7
D	TOP TUBE LENGTH*	cm	51.5	54.0	56.3	59.1
E	CHAINSTAY LENGTH	cm	37.5	37.5	37.5	37.5
F	WHEELBASE	cm	94.7	96.9	99.1	102.0
G	BB DROP	cm	3.7	5.0	5.5	5.5
H	HEAD TUBE LENGTH	cm	10.2	12.9	13.9	15.5
I	STANDOVER HEIGHT**	cm	73.2	79.4	80.4	81.5

*Horizontal Top Tube Length.
 **Measured with 700x23c tires

ELECTRON PRO TKO PURSUIT FIT (STACK AND REACH)

			XS (47-50)	S (51-53)	M (54-56)	L (57-59)
J	STACK MIN.*	cm	49,7	53,6	55,1	56,6
	STACK MAX.	cm	59,7	63,6	65,1	66,6
K	REACH MIN.*	cm	44,8	46,3	48,3	50,7
	REACH MAX.	cm	49,3	50,8	52,8	55,2
J	STACK (DROP BAR)**	cm	46,1	50,0	51,5	53,0
K	(REACH (DROP BAR)**	cm	39,7	41,2	43,2	45,6
BASE BAR WIDTH		cm	36,0	36,0	36,0	36,0

*Stack and Reach measured at center of elbow pad.
 **Nominal stack and reach in drop bar configuration. Maximal of 20mm of spacer under the stem measured at the base of the steerer module.



ELECTRON PRO TKO SPRINT GEOMETRY

			XS (47-50)	S (51-53)	M (54-56)	L (57-59)
A	SEAT TUBE HEIGHT	cm	43.0	51.5	53.0	54.0
B	SEAT TUBE ANGLE	deg	76.0	76.0	76.0	76.0
C	HEAD TUBE ANGLE	deg	72.7	72.7	72.7	72.7
D	TOP TUBE LENGTH*	cm	51.5	54.0	56.3	59.1
E	CHAINSTAY LENGTH	cm	37.5	37.5	37.5	37.5
F	WHEELBASE	cm	94.7	96.9	99.1	102.0
G	BB DROP	cm	3.7	5.0	5.5	5.5
H	HEAD TUBE LENGTH	cm	10.2	12.9	13.9	15.5
I	STANDOVER HEIGHT**	cm	73.2	79.4	80.4	81.5

*Horizontal Top Tube Length.
 **Measured with 700x23c tires

ELECTRON PRO TKO SPRINT FIT (STACK AND REACH)

			XS (47-50)	S (51-53)	M (54-56)	L (57-59)
J	STACK (DROP BAR)**	cm	46,1	50,0	51,5	53,0
K	REACH (DROP BAR)**	cm	39,7	41,2	43,2	45,6

*Stack and Reach measured at center of elbow pad.
 ** Nominal stack and reach in drop bar configuration. Maximal of 20mm of spacer under the stem measured at the base of the steerer module.



ELECTRON

When Fun Meets Fast

Ideal for: Track riders who are either getting introduced to track cycling or performing/training at their local velodrome. Based on our Electron Pro, which was developed for the world's leading Federations and track teams, the UCI approved Electron offers stiff, responsive riding designed for maximum power output.

Highlighted Features

1. **Carbon Fork** - Light and stiff.
2. **Rim Brake Compatible** - Road ready.
3. **53T Max Chain Ring** - Ratio range to suit beginning athletes.
4. **Tripple Butted Alloy Sections** - Weight reduction.
5. **28c Tire Clearance** - Improved comfort and stability.

Alloy Frame
Used on our
aluminium bikes.

DS/A-Y



351A - Black/Red, Gloss

Build	USD	CAD	EUR	GBP	DKK
Kit Track	1,850	2,395	1,995	1,800	15,375

Support Documents

Download the tech sheet for a full overview of the specs.

[TECH SHEET](#)




Photos are for illustrative purposes only.
Product not necessarily sold as shown.

ELECTRON BUILD OPTIONS

Kit Track

FRONT DERAILLEUR	N/A	CRANKSET	Miche Pistard Air 50T	HANDLEBAR	FSA Vero Compact
REAR DERAILLEUR	N/A	BB	Miche EvoMax BB	BAR TAPE	Prologo Plaintouch Black
SHIFTERS	N/A	CHAIN	KMC Z510HX or Miche Pista	SADDLE	Kappa RS saddle
BRAKE CALIBERS	N/A	SPROCKET	Miche Pistard 15T	SEATPOST	FSA Gossamer SB20 Seat Post (27.2mm)
ROTORS	N/A	HEADSET	N/A	TIRES	Vittoria Zaffiro V 700x25
		STEM	FSA OS-167 Omega Pro	WHEELSET	Miche Pistard



ELECTRON GEOMETRY

			XS (47-50)	S (51-53)	M (54-56)	L (57-59)
A	SEAT TUBE HEIGHT	cm	41.0	51.0	54.0	57.0
B	SEAT TUBE ANGLE	deg	76.5	75.0	74.5	74.0
C	HEAD TUBE ANGLE	deg	74.0	74.5	74.5	74.5
D	TOP TUBE LENGTH*	cm	51.0	53.0	55.0	57.0
E	CHAINSTAY LENGTH	cm	37.5	37.5	37.5	37.5
F	WHEELBASE	cm	92.5	93.0	94.5	95.5
G	BB DROP	cm	5.0	5.0	5.0	5.0
H	HEAD TUBE LENGTH	cm	8.5	10.0	11.5	13.0
I	STANDOVER HEIGHT**	cm	74.0	75.5	77.0	78.5

*Horizontal Top Tube Length.

**Measured with 700x25c tires

ELECTRON FIT (STACK AND REACH)

			XS (47-50)	S (51-53)	M (54-56)	L (57-59)
J	STACK MIN.*	cm	48.5	50.0	51.5	53.0
K	REACH MIN.*	cm	39.0	39.5	40.5	41.5

*Measured from middle of BB to top of saddle along seat tube.



TOOLS for e**PERFORMANCE**



SUBITO

Your Power Outlet

The Subito eRoad is responsive, agile, and with impeccable handling, this is a performance road bike first and e-bike second. A sub-12kg bike that handles, fits, and responds at the top of its class, it may provide all that even without the assistance of the motor. But if you want that bit of extra tailwind, it's ready for you. With a neatly internally cabled light kit system to light up the road in front of you.

Highlighted Features

- 1. Integrated Battery and Cable Routing** - Provides approximately 100 km of assistance.
- 2. Ebikemotion X35+ System** - 250W pedal-assisted hub motor.
- 3. BB Access for Battery** - Seamless Recharging access.
- 4. Up to 45c tire clearance** - 650B X 45c (max width 47mm) or 700c x 40c (max width 42mm).



Elite Carbon Layup
Used on our midlevel bikes.



360A - Deep Blue, Gloss

Build	USD	CAD	EUR	GBP	DKK
Shimano Ultegra Di2	6,300	8,500	6,700	5,800	49,900
Shimano 105	4,800	6,500	5,100	4,400	38,000

Support Documents

Download the media kit and find pictures, videos etc.

[MEDIA KIT](#)



Photos are for illustrative purposes only.
Product not necessarily sold as shown.


SUBITO E ROAD BUILD OPTIONS

Shimano Ultegra Di2

FRONT DERAILLEUR	Shimano Ultegra Di2 R8150	CRANKSET	Shimano Ultegra FC-R8100 50/34	HANDLEBAR	FSA Energy SCR Compact
REAR DERAILLEUR	Shimano Ultegra Di2 R8150	BB	Shimano BB-RS500	BAR TAPE	Ciclovation Leather Touch Tornado Reflective
SHIFTERS	Shimano Ultegra Di2 R8170	CHAIN	Shimano Ultegra CN-M8100 12S	SADDLE	Prologo Proxim W450 Performance
BRAKE CALIBERS	Shimano Ultegra Di2 R8170	CASSETTE	Shimano Ultegra CS-R8100 11-30	SEATPOST	Argon 18 TDS-C
ROTORS	Shimano SM-RT86 / F:160mm R:160mm	HEADSET	FSA No.69 SRS + 3D	TIRES	Vittoria Rubino Pro IV G2.0 30-622
MOTOR	Mahle X35	STEM	FSA Energy	WHEELSET	Vision Team 30 w/ Mahle X35

Shimano 105

FRONT DERAILLEUR	Shimano 105 R7100	CRANKSET	Shimano FC-RS520 50/34	HANDLEBAR	FSA Vero Compact
REAR DERAILLEUR	Shimano 105 R7100	BB	Shimano FC-RS520	BAR TAPE	Ciclovation Leather Touch Tornado Reflective
SHIFTERS	Shimano 105 R7120	CHAIN	Shimano CN-M7100 12S	SADDLE	Prologo Proxim W350
BRAKE CALIBERS	Shimano 105 R7120	CASSETTE	Shimano 105 CS-R7100 11-34	SEATPOST	Argon 18 TDS-C
ROTORS	Shimano SM-RT86 / F:160mm R:160mm	HEADSET	FSA No.69 SRS + 3D	TIRES	Vittoria Rubino Pro IV G2.0 30-622
MOTOR	Mahle X35	STEM	FSA OS-167 Omega Pro	WHEELSET	Vision Team 30 w/ Mahle X35



SUBITO EROAD GEOMETRY

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	cm	42.0	45.0	48.5	52.0	55.5	59.0
B	SEAT TUBE ANGLE	deg	75.5	74.9	74.3	73.7	73.1	72.5
C	HEAD TUBE ANGLE	deg	69.3	70.8	71.3	72.0	72.0	72.3
D	TOP TUBE LENGTH*	cm	49.0	51.0	52.7	55.0	57.3	59.8
E	CHAINSTAY LENGTH	cm	42.2	42.2	42.2	42.2	42.2	42.2
F	WHEELBASE	cm	99.4	99.7	101.0	101.4	103.2	104.8
G	BB DROP	cm	7.5	7.5	7.5	7.5	7.5	7.5
H1	HEAD TUBE LENGTH (0mm)	cm	10.6	12.1	14.2	16.1	18.6	21.2
H2	HEAD TUBE LENGTH (25mm)	cm	13.1	14.6	16.7	18.6	21.1	23.7
I	STANDOVER HEIGHT**	cm	68.3	71.0	74.2	77.3	80.4	83.5

*Horizontal Top Tube Length.

**Measured with 700x30c tires

SUBITO EROAD FIT (STACK AND REACH)

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK	cm	51,9	53,9	56,1	58,4	60,8	63,4
K	REACH	cm	35,2	36,2	37,2	38,2	39,2	40,2
J	STACK (W. 25 MM 3D)	cm	54,2	56,2	58,4	60,7	63,1	65,7
K	REACH (W. 25 MM 3D)	cm	34,3	35,4	36,4	37,5	38,5	39,5
SADDLE HEIGHT MIN.*		cm	52,0	55,0	58,5	62,0	65,5	69,0
SADDLE HEIGHT MAX.*		cm	74,0	77,0	80,5	84,0	87,5	91,0

*Measured from middle of BB to top of saddle along seat tube.



SUBITO

New Limits ... Or No Limits.

Lightweight, rugged, and ready to roll, the Subito eGravel lets you amp up your next adventure. Built on the Ebikemotion platform, the Subito eGravel promises a little something extra when that kick is needed. Stable ride quality from a longer wheelbase, dropped chainstays and clearance for 650x45c (47mm) tires offer the confidence to take the road less travelled.

Build	USD	CAD	EUR	GBP	DKK
SRAM Apex AXS XPLR	5,400	7,300	5,750	4,900	42,900

Highlighted Features

- 1. Integrated Battery and Cable Routing** - Provides approximately 100 km of assistance.
- 2. Ebikemotion X35+ System** - 250W pedal-assisted hub motor.
- 3. BB Access for Battery** - Seamless Recharging access.
- 4. Up to 45c tire clearance** - 650B X 45c (max width 47mm) or 700c x 40c (max width 42mm).



Elite Carbon Layup
Used on our
midlevel bikes.



360B - Everlasting Green, Gloss




Photos are for illustrative purposes only.
Product not necessarily sold as shown.

SUBITO EGRAVEL BUILD OPTIONS

SRAM Apex AXS XPLR

FRONT DERAILLEUR	N/A	BB	SRAM DUB PF 86.5 Road Wide	BAR TAPE	Ciclovation Leather Touch Tornado Reflective
REAR DERAILLEUR	SRAM Apex AXS XPLR MAX 44T	CHAIN	SRAM Apex 12S	SADDLE	Prologo Proxim W350
SHIFTERS	SRAM Apex AXS	CASSETTE	SRAM APEX XPLR PG-1231 11-44	SEATPOST	Argon 18 TDS-C
BRAKE CALIBERS	SRAM Apex AXS	HEADSET	FSA No.69 SRS + 3D	TIRES	Vittoria Terreno Dry 47-584 Gravel G2.0 TLR
ROTORS	SRAM G2CS Rotors / F:160mm R:160mm	STEM	FSA NS Adventure Compact HR-RD-310S	WHEELSET	FSA AGX i21 27.5" w/ Mahle X35
CRANKSET	SRAM Apex AXS Wide 42T	HANDLEBAR	FSA NS Adventure Compact RD-310S	MOTOR	Mahle X35



SUBITO EGRAVEL GEOMETRY

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
A	SEAT TUBE HEIGHT	cm	42.0	45.0	48.5	52.0	55.5	59.0
B	SEAT TUBE ANGLE	deg	75.5	74.9	74.3	73.7	73.1	72.5
C	HEAD TUBE ANGLE	deg	69.3	70.8	71.3	72.0	72.0	72.3
D	TOP TUBE LENGTH*	cm	49.0	51.0	52.7	55.0	57.3	59.8
E	CHAINSTAY LENGTH	cm	42.2	42.2	42.2	42.2	42.2	42.2
F	WHEELBASE	cm	99.4	99.7	101.0	101.4	103.2	104.8
G	BB DROP	cm	7.5	7.5	7.5	7.5	7.5	7.5
H1	HEAD TUBE LENGTH (0mm)	cm	10.6	12.1	14.2	16.1	18.6	21.2
H2	HEAD TUBE LENGTH (25mm)	cm	13.1	14.6	16.7	18.6	21.1	23.7
I	STANDOVER HEIGHT**	cm	68.3	71.0	74.2	77.3	80.4	83.5

* Horizontal Top Tube Length.

** Measured with 700x30c tires

SUBITO EGRAVEL FIT (STACK AND REACH)

			XXS (44-46)	XS (47-50)	S (51-53)	M (54-56)	L (57-59)	XL (60-62)
J	STACK	cm	51,9	53,9	56,1	58,4	60,8	63,4
K	REACH	cm	35,2	36,2	37,2	38,2	39,2	40,2
J	STACK (W. 25 MM 3D)	cm	54,2	56,2	58,4	60,7	63,1	65,7
K	REACH (W. 25 MM 3D)	cm	34,3	35,4	36,4	37,5	38,5	39,5
SADDLE HEIGHT MIN.*		cm	52,0	55,0	58,5	62,0	65,5	69,0
SADDLE HEIGHT MAX.*		cm	74,0	77,0	80,5	84,0	87,5	91,0

* Measured from middle of BB to top of saddle along seat tube.

RIDE OUT OF THE ORDINARY



Contact

North America

Marcus Seymour / marcus.seymour@argon18.com
Johannes Schmidt / johannes.schmidt@argon18.com

Canada

Martin Chalifoux / martin.chalifoux@argon18.com

United Kingdom

Alex Croucher / alex.croucher@argon18.com

Germany | Austria

Robin Sybertz / robin.sybertz@argon18.com

Denmark

Anders Alminde / anders.alminde@argon18.com

Sweden | Norway | Baltic States | Slovenia

Patrik Ericsson / patrik.ericsson@argon18.com

Distributor Markets

Mark Sehested Pedersen / mark.pedersen@argon18.com

Customer Service

Argon18 Inc.

info@argon18.com

Argon 18 Europe

info.europe@argon18.com

Marketing Assets

Username: marketing.web@argon18.com

Password: Media!

[B2B DOWNLOADS](#)

