





ARGON 18



2017 Sizing Charts - TT & TRIATHLON



Sizing Chart: E-119 TRI +


Saddle Height	Suggested Size	A	B	C		D		E	
		Seat Tube Angle	Top Tube	Maximum Stack*	Minimum Stack*	Maximum Reach*	Minimum Reach*	Maximum Drop (cm)	Minimum Drop (cm)
63	XS	78	49.1	660	560	505	415	-5.5	4.5
64	XS	78	49.1	660	560	505	415	-6.5	3.5
65	XS	78	49.1	660	560	505	415	-7.5	2.5
66	XS	78	49.1	660	560	505	415	-8.5	1.5
67	XS	78	49.1	660	560	505	415	-9.5	0.5
68	XS	78	49.1	660	560	505	415	-10.5	-0.5
69	XS/S	78	49.1 / 50.3	660 / 670	560 / 570	505 / 515	415 / 425	-11.5 / -10.5	-1.5 / -0.5
70	XS/S	78	49.1 / 50.3	660 / 670	560 / 570	505 / 515	415 / 425	-12.5 / -11.5	-2.5 / -1.5
71	S	78	50.3	670	570	515	425	-12.5	-2.5
72	S	78	50.3	670	570	515	425	-13.5	-3.5
73	S	78	50.3	670	570	515	425	-14.5	-4.5
74	S/M	78	50.3 / 51.7	670 / 685	570 / 585	515 / 525	425 / 435	-15.5 / -14.0	-5.5 / -4.0
75	M	78	51.7	685	585	525	435	-15.0	-5.0
76	M	78	51.7	685	585	525	435	-16.0	-6.0
77	M	78	51.7	685	585	525	435	-17.0	-7.0
78	M	78	51.7	685	585	525	435	-18.0	-8.0
79	M/L	78	51.7 / 52.7	685 / 710	585 / 610	525 / 530	435 / 440	-19.0 / -16.5	-9.0 / -6.5
80	L	78	52.7	710	610	530	440	-17.5	-7.5
81	L	78	52.7	710	610	530	440	-18.5	-8.5
82	L	78	52.7	710	610	530	440	-19.0	-9.0
83	L	78	52.7	710	610	530	440	-20.0	-10.0
84	L	78	52.7	710	610	530	440	-21.0	-11.0
85	L	78	52.7	710	610	530	440	-22.0	-12.0
86	L	78	52.7	710	610	530	440	-23.0	-13.0

This chart indicates recommended values. Max and min drop values are calculated according to Canadian specifications. Please consult one of our authorized dealers for further informations on your bike fit.

* Stack and reach measured at center of elbow pad



ARGON 18



Sizing Chart: E-119 TRI


Saddle Height	Suggested Size	A Seat Tube Angle	B Top Tube	C Maximum Stack*	Minimum Stack*	D Maximum Reach*	Minimum Reach*	E Maximum Drop (cm)	Minimum Drop (cm)
63	XS	78	49.1	660	560	505	415	-5.5	4.5
64	XS	78	49.1	660	560	505	415	-6.5	3.5
65	XS	78	49.1	660	560	505	415	-7.5	2.5
66	XS	78	49.1	660	560	505	415	-8.5	1.5
67	XS	78	49.1	660	560	505	415	-9.5	0.5
68	XS	78	49.1	660	560	505	415	-10.5	-0.5
69	XS/S	78	49.1 / 50.3	660 / 670	560 / 570	505 / 515	415 / 425	-11.5 / -10.5	-1.5 / -0.5
70	XS/S	78	49.1 / 50.3	660 / 670	560 / 570	505 / 515	415 / 425	-12.5 / -11.5	-2.5 / -1.5
71	S	78	50.3	670	570	515	425	-12.5	-2.5
72	S	78	50.3	670	570	515	425	-13.5	-3.5
73	S	78	50.3	670	570	515	425	-14.5	-4.5
74	S/M	78	50.3 / 51.7	670 / 685	570 / 585	515 / 525	425 / 435	-15.5 / -14.0	-5.5 / -4.0
75	M	78	51.7	685	585	525	435	-15.0	-5.0
76	M	78	51.7	685	585	525	435	-16.0	-6.0
77	M	78	51.7	685	585	525	435	-17.0	-7.0
78	M	78	51.7	685	585	525	435	-18.0	-8.0
79	M/L	78	51.7 / 52.7	685 / 710	585 / 610	525 / 530	435 / 440	-19.0 / -16.5	-9.0 / -6.5
80	L	78	52.7	710	610	530	440	-17.5	-7.5
81	L	78	52.7	710	610	530	440	-18.5	-8.5
82	L	78	52.7	710	610	530	440	-19.0	-9.0
83	L	78	52.7	710	610	530	440	-20.0	-10.0
84	L	78	52.7	710	610	530	440	-21.0	-11.0
85	L	78	52.7	710	610	530	440	-22.0	-12.0
86	L	78	52.7	710	610	530	440	-23.0	-13.0

This chart indicates recommended values. Max and min drop values are calculated according to Canadian specifications. Please consult one of our authorized dealers for further informations on your bike fit.

* Stack and reach measured at center of elbow pad



ARGON 18




Sizing Chart: E-117 TRI +

Saddle Height	Suggested Size	A	B	C			D		
		Seat Tube Angle	Top Tube	3D (0) Stack	3D (15) Stack	3D (25) Stack	3D (0) Reach	3D (15) Reach	3D (25) Reach
63	XS	78	49.1	491	505	514	385	380	377
64	XS	78	49.1	491	505	514	385	380	377
65	XS	78	49.1	491	505	514	385	380	377
66	XS	78	49.1	491	505	514	385	380	377
67	XS	78	49.1	491	505	514	385	380	377
68	XS	78	49.1	491	505	514	385	380	377
69	XS/S	78	49.1 / 50.3	491 / 501	505 / 515	514 / 525	385 / 395	380 / 390	377 / 387
70	XS/S	78	49.1 / 50.3	491 / 501	505 / 515	514 / 525	385 / 395	380 / 390	377 / 387
71	S	78	50.3	501	515	525	395	390	387
72	S	78	50.3	501	515	525	395	390	387
73	S	78	50.3	501	515	525	395	390	387
74	S/M	78	50.3 / 51.7	501 / 516	515 / 530	525 / 540	395 / 405	390 / 400	387 / 397
75	M	78	51.7	516	530	540	405	400	397
76	M	78	51.7	516	530	540	405	400	397
77	M	78	51.7	516	530	540	405	400	397
78	M	78	51.7	516	530	540	405	400	397
79	M/L	78	51.7 / 52.7	516 / 543	530 / 557	540 / 567	405 / 409	400 / 404	397 / 401
80	L	78	52.7	543	557	567	409	404	401
81	L	78	52.7	543	557	567	409	404	401
82	L	78	52.7	543	557	567	409	404	401
83	L/XL	78	52.7 / 54.4	543 / 568	557 / 583	567 / 592	409 / 422	404 / 417	401 / 414
84	L/XL	78	52.7 / 54.4	543 / 568	557 / 583	567 / 592	409 / 422	404 / 417	401 / 414
85	XL	78	54.4	568	583	592	422	417	414
86	XL	78	54.4	568	583	592	422	417	414
87	XL	78	54.4	568	583	592	422	417	414

This chart indicates recommended values. Max and min drop values are calculated according to Canadian specifications. Please consult one of our authorized dealers for further informations on your bike fit.



ARGON 18




Sizing Chart: E-117 TRI

Saddle Height	Suggested Size	A	B	C			D		
		Seat Tube Angle	Top Tube	3D (0) Stack	3D (15) Stack	3D (25) Stack	3D (0) Reach	3D (15) Reach	3D (25) Reach
63	XS	78	49.1	491	505	514	385	380	377
64	XS	78	49.1	491	505	514	385	380	377
65	XS	78	49.1	491	505	514	385	380	377
66	XS	78	49.1	491	505	514	385	380	377
67	XS	78	49.1	491	505	514	385	380	377
68	XS	78	49.1	491	505	514	385	380	377
69	XS/S	78	49.1 / 50.3	491 / 501	505 / 515	514 / 525	385 / 395	380 / 390	377 / 387
70	XS/S	78	49.1 / 50.3	491 / 501	505 / 515	514 / 525	385 / 395	380 / 390	377 / 387
71	S	78	50.3	501	515	525	395	390	387
72	S	78	50.3	501	515	525	395	390	387
73	S	78	50.3	501	515	525	395	390	387
74	S/M	78	50.3 / 51.7	501 / 516	515 / 530	525 / 540	395 / 405	390 / 400	387 / 397
75	M	78	51.7	516	530	540	405	400	397
76	M	78	51.7	516	530	540	405	400	397
77	M	78	51.7	516	530	540	405	400	397
78	M	78	51.7	516	530	540	405	400	397
79	M/L	78	51.7 / 52.7	516 / 543	530 / 557	540 / 567	405 / 409	400 / 404	397 / 401
80	L	78	52.7	543	557	567	409	404	401
81	L	78	52.7	543	557	567	409	404	401
82	L	78	52.7	543	557	567	409	404	401
83	L/XL	78	52.7 / 54.4	543 / 568	557 / 583	567 / 592	409 / 422	404 / 417	401 / 414
84	L/XL	78	52.7 / 54.4	543 / 568	557 / 583	567 / 592	409 / 422	404 / 417	401 / 414
85	XL	78	54.4	568	583	592	422	417	414
86	XL	78	54.4	568	583	592	422	417	414
87	XL	78	54.4	568	583	592	422	417	414

This chart indicates recommended values. Max and min drop values are calculated according to Canadian specifications. Please consult one of our authorized dealers for further informations on your bike fit.



ARGON 18



Sizing Chart: E-118 NEXT


Saddle Height	Suggested Size	A Seat Tube Angle	B Top Tube	C Maximum Stack*	Minimum Stack*	D Maximum Reach*	Minimum Reach*	E Maximum Drop (cm)	Minimum Drop (cm)
63	XS	76	52.1	656	556	488	422	-5.5	4.5
64	XS	76	52.1	656	556	488	422	-6.5	3.5
65	XS	76	52.1	656	556	488	422	-7.5	2.5
66	XS	76	52.1	656	556	488	422	-8.5	1.5
67	XS	76	52.1	656	556	488	422	-9.5	0.5
68	XS	76	52.1	656	556	488	422	-10.5	-0.5
69	XS/S	76	52.1 / 535	656 / 666	556 / 566	488 / 500	422 / 434	-11.5 / -10.5	-1.5 / -0.5
70	XS/S	76	52.1 / 535	656 / 666	556 / 566	488 / 500	422 / 434	-12.5 / -11.5	-2.5 / -1.5
71	S	76	535	666	566	500	434	-12.5	-2.5
72	S	76	535	666	566	500	434	-13.5	-3.5
73	S	76	535	666	566	500	434	-14.5	-4.5
74	S/M	76	535 / 548	666 / 684	566 / 584	500 / 508	434 / 442	-15.5 / -13.5	-5.5 / -3.5
75	M	76	548	684	584	508	442	-14.5	-4.5
76	M	76	548	684	584	508	442	-15.5	-5.5
77	M	76	548	684	584	508	442	-16.5	-6.5
78	M	76	548	684	584	508	442	-17.5	-7.5
79	M/L	76	548 / 560	684 / 707	584 / 607	508 / 514	442 / 448	-18.5 / -16.0	-8.5 / -6.0
80	L	76	560	707	607	514	448	-17.0	-7.0
81	L	76	560	707	607	514	448	-18.0	-8.0
82	L	76	560	707	607	514	448	-19.0	-9.0
83	L	76	560	707	607	514	448	-20.0	-10.0
84	L	76	560	707	607	514	448	-21.0	-11.0
85	L	76	560	707	607	514	448	-22.0	-12.0
86	L	76	560	707	607	514	448	-23.0	-13.0

This chart indicates recommended values. Max and min drop values are calculated according to Canadian specifications. Please consult one of our authorized dealers for further informations on your bike fit.

* Stack and reach measured at center of elbow pad



ARGON 18



Sizing Chart: E-80

Saddle Height	Suggested Size	A Seat Tube Angle	B Top Tube	C Stack	D Reach
63	XS	76	52	488	398
64	XS	76	52	488	398
65	XS	76	52	488	398
66	XS	76	52	488	398
67	XS	76	52	488	398
68	XS	76	52	488	398
69	XS/S	76	52 / 53.5	488 / 498	398 / 411
70	XS/S	76	52 / 53.5	488 / 498	398 / 411
71	S	76	53.5	498	411
72	S	76	53.5	498	411
73	S	76	53.5	498	411
74	S/M	76	53.5 / 54.5	498 / 516	411 / 416
75	M	76	54.5	516	416
76	M	76	54.5	516	416
77	M	76	54.5	516	416
78	M	76	54.5	516	416
79	M/L	76	54.5 / 56	516 / 541	416 / 425
80	L	76	56	541	425
81	L	76	56	541	425
82	L	76	56	541	425
83	L	76	56	541	425
84	L	76	56	541	425
85	L	76	56	541	425
86	L	76	56	541	425

This chart indicates recommended values. Max and min drop values are calculated according to Canadian specifications. Please consult one of our authorized dealers for further informations on your bike fit.



ARGON 18