

ADHERENT COURROIES BELT GRIP

VERSION 1 - JANUARY 2020

WWW.MECATECH-PERFORMANCES.COM

ALL DATA

DEFINITION

- ◆ Adhesive resin dissolved in a combination of fast evaporating solvents. Prevents belts from slipping. Improves contact between pulley and belt.

INTRODUCTION

- ◆ Transparent adhesive resin after evaporation of the solvents
- ◆ No effect on the different materials of belts
- ◆ Does not stain and is virtually odorless
- ◆ Increases yield
- ◆ Its 360° valve allows a use in all positions

OPERATING INSTRUCTIONS

- ◆ Shake well before use. Spray on the belt or the pulley.
- ◆ Wait a few moments for the solvents to evaporate before start.

PHYSICOCHEMICALS CHARACTERISTICS :

- | | |
|---------------|--|
| ◆ Aspect | adhesive paste after the evaporation of the solvents |
| ◆ Flash point | 0 °C |
| ◆ Odour | solvent |
| ◆ Density | 30 kg/m ³ |



SAFETY DATA :

- ◆ Consult the SDS of the products available on our website www.mecatech-performances.com. Professional use.

PACKAGING

- ◆ Packaging : 650 / 400 ml spray can
- ◆ Reference : 487012.

*The content of this technical sheet is aimed at giving you advices.
It does not imply any commitment on our part.*