



SHOWN WITH ENERGY PACKAGE 3000, HAPPIJAC BED LIFT, QUEEN BED





TOP VIEW
ROOF LAYOUT



TOP VIEW
FLOORPLAN LAYOUT

				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: PLA 550, 3214 FLOORPLAN		ACUMATICA PN:						
				EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	DRAWN BY: SS	REVISION:				
REVISION TABLE				INTERIOR	CRITICAL					DATE: 10/13/25					
REV.	DESCRIPTION									SCALE: 1:26					
				STRUCTURAL	+ 1/8", 0.5°		WEIGHT: LBS			SHEET 1 OF 4					
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PLA 5_0, 3215, MASTER\MARKETING\												FILE NAME: PLA 5_0, 3215, MASTER			



FOR FRAME	DIMENSION TOLERANCES
EXTERIOR	STANDARD
INTERIOR	CRITICAL
STRUCTURAL	

± 1/2", 1.0°
± 1/8", 0.5°

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED


TITLE:
PLA 550, 3214 FLOORPLAN
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS




PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
DRAWN BY: REVISION:
SS
DATE:
10/13/25
SCALE: 1:28
SHEET 2 OF 4



INTERIOR ROAD SIDE
SECTION A-A



INTERIOR CURB SIDE
SECTION B-B

77 7/8"
MAX CLEARANCE
BELOW HAPPIJAC BED LIFT
(67 1/2" CLEARANCE BELOW
OPTIONAL HAPPIJAC SOFAS)

FOR FRAME	DIMENSION TOLERANCES
EXTERIOR	STANDARD
INTERIOR	CRITICAL
STRUCTURAL	CRITICAL

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED


TITLE:
PLA 550, 3214 FLOORPLAN
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS




PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
DRAWN BY: REVISION:
SS
DATE:
10/13/25
SCALE: 1:28
SHEET 3 OF 4



CURB SIDE ISO VIEW



ROAD SIDE ISO VIEW

FOR FRAME	DIMENSION TOLERANCES
EXTERIOR	STANDARD
INTERIOR	+ 1/2", 1.0°
STRUCTURAL	CRITICAL
	+ 1/8", 0.5°

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED

TITLE:
PLA 550, 3214 FLOORPLAN
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS

FILE NAME: PLA 5_0, 3215, MASTER



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
DRAWN BY: REVISION:
SS
DATE: 10/13/25
SCALE: 1:30
SHEET 4 OF 4