



SHOWN WITH ENERGY PACKAGE 6000, HAPPIJAC BED LIFT, KING BED





TOP VIEW
ROOF LAYOUT



TOP VIEW
FLOORPLAN LAYOUT


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: PLA 750, 4020 FLOORPLAN MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	ACUMATICA PN:	DRAWN BY: REVISION: SS	DATE: 10/07/25 SCALE: 1:26	SHEET 1 OF 4
REV.	DESCRIPTION	DATE	DONE BY	EXTERIOR							
				INTERIOR							
				STRUCTURAL							
					STANDARD + 1/2", 1.0°						
					CRITICAL + 1/8", 0.5°						
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PLA 7_0, 4020, MASTER\MARKETING\				WEIGHT: LBS		FILE NAME: PLA 7_0, 4020 MASTER		ATC PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.			




FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: PLA 750, 4020 FLOORPLAN MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	ACUMATICA PN:
EXTERIOR	STANDARD			DRAWN BY: REVISION: SS
INTERIOR	CRITICAL			DATE: 10/07/25
STRUCTURAL	+ 1/2", 1.0° - 1/8", 0.5°			SCALE: 1:28
			WEIGHT: LBS	SHEET 2 OF 4



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.



INTERIOR ROAD SIDE
SECTION A-A



INTERIOR CURB SIDE
SECTION B-B

85 7/8"
MAX CLEARANCE
BELOW HAPPIJAC BED LIFT
(75 1/2" CLEARANCE BELOW
OPTIONAL HAPPIJAC SOFAS)

FOR FRAME	DIMENSION TOLERANCES
EXTERIOR	STANDARD
INTERIOR	+ 1/2", 1.0°
STRUCTURAL	CRITICAL
	+ 1/8", 0.5°

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED


TITLE: PLA 750, 4020 FLOORPLAN
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
DRAWN BY: REVISION: SS
DATE: 10/07/25
SCALE: 1:28
SHEET 3 OF 4



CURB SIDE ISO VIEW

ROAD SIDE ISO VIEW

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD + 1/2", 1.0°	
INTERIOR	CRITICAL + 1/8", 0.5°	
STRUCTURAL		

TITLE:
PLA 750, 4020 FLOORPLAN
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
DRAWN BY: REVISION:
SS
DATE: 10/07/25
SCALE: 1:30
SHEET 4 OF 4