


48" LOWER BUNK
36" UPPER (TILT) BUNK



REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PLA 450, 2415 MASTER\MARKETING\

FOR FRAME
EXTERIOR
INTERIOR
STRUCTURAL

DIMENSION TOLERANCES
STANDARD
CRITICAL

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED

TITLE: PL 450, 2415, PROTO
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)


WEIGHT: LBS

FILE NAME: PL450, 2415, MASTER



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:	DRAWN BY: REVISION:
	CS
	DATE: 8/18/25
	SCALE: 1:64
	SHEET 1 OF 8



SECTION U-U

SCALE 1 : 17

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	$\pm 1/16"$, 1.0°	
STRUCTURAL	CRITICAL	
	$\pm 1/32"$, 0.5°	



TITLE:
PL 450, 2415, PROTO
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
DRAWN BY: REVISION:
CS
DATE:
8/18/25
SCALE: 1:64
SHEET 2 OF 8



REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PLA 450, 2415 MASTER\MARKETING\

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	+ 1/16", 1.0°	
STRUCTURAL	CRITICAL	
	+ 1/32", 0.5°	



TITLE:
PL 450, 2415, PROTO
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:	DRAWN BY: REVISION:
	CS
	DATE:
	8/18/25
	SCALE: 1:64
	SHEET 3 OF 8



FOR FRAME	DIMENSION TOLERANCES
EXTERIOR	STANDARD
INTERIOR	CRITICAL
STRUCTURAL	

+ 1/16 \"	1.0 °
+ 1/32 \"	0.5 °

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED


TITLE:
PL 450, 2415, PROTO
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
DRAWN BY: REVISION:
CS
DATE:
8/18/25
SCALE: 1:64
SHEET 4 OF 8



REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PLA 450, 2415 MASTER\MARKETING\

FOR FRAME	DIMENSION TOLERANCES
EXTERIOR	STANDARD
INTERIOR	CRITICAL
STRUCTURAL	

+ 1/16", 1.0°
+ 1/32", 0.5°

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED

TITLE: PL 450, 2415, PROTO
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)



WEIGHT: LBS



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:	DRAWN BY: REVISION:
	CS
	DATE: 8/18/25
	SCALE: 1:64
	SHEET 5 OF 8

FILE NAME: PL450, 2415, MASTER



REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PLA 450, 2415 MASTER\MARKETING\

FOR FRAME
EXTERIOR
INTERIOR
STRUCTURAL

DIMENSION TOLERANCES
STANDARD
CRITICAL

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
--

TITLE:
PL 450, 2415, PROTO
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)
WEIGHT: LBS



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
DRAWN BY: REVISION:
CS
DATE:
8/18/25
SCALE: 1:64
SHEET 7 OF 8



				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: PL 450, 2415, PROTO MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		ACUMATICA PN:	
				EXTERIOR	STANDARD	+ 1/16 " , 1.0 ° + 1/32 " , 0.5 °		PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	DRAWN BY: REVISION:	
				INTERIOR	CRITICAL				CS	
				STRUCTURAL					DATE: 8/18/25	
REVISION TABLE							WEIGHT: LBS		SCALE: 1:64	
REV.	DESCRIPTION			DATE	DONE BY	FILE NAME: PL450, 2415, MASTER		SHEET 8 OF 8		
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PLA 450, 2415 MASTER\MARKETING\										