





BASE MODEL




FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: PR450F_706812-BASE PKG	ACUMATICA PN: 0000000
EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DRAWN BY: REVISION: AKM
INTERIOR	CRITICAL			DATE: 9/8/26
STRUCTURAL			WEIGHT: LBS	SCALE: 1:48
			FILE NAME: 0000000 - PR550F_706812-MASTER	SHEET 1 OF 15




SECTION T-T
SCALE 1 : 19



SECTION K-K
SCALE 1 : 19



SECTION U-U
SCALE 1 : 19



BATTERY IN LOWER BASE CABINET

SECTION L-L
SCALE 1 : 19

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	+ 1/16 " , 1.0 °	
STRUCTURAL	CRITICAL	
	+ 1/32 " , 0.5 °	


TITLE:
PR450F_706812-BASE PKG
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS




PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
0000000
DRAWN BY: REVISION:
AKM
DATE:
9/8/26
SCALE: 1:48




EXTERIOR ROADSIDE



EXTERIOR CURBSIDE

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: PR450F_706812-BASE PKG	ACUMATICA PN: 0000000
EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DRAWN BY: REVISION: AKM
INTERIOR	CRITICAL			DATE: 9/8/26
STRUCTURAL			WEIGHT: LBS	SCALE: 1:48
				PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PR550F MASTER\PR550F FIBER OPTIC, 7012\				SHEET 3 OF 15
FILE NAME: 0000000 - PR550F_706812-MASTER				



FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	$\pm 1/16"$, 1.0°	
STRUCTURAL	CRITICAL	
	$\pm 1/32"$, 0.5°	

TITLE: PR450F_706812-BASE PKG
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)



WEIGHT: LBS



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN: 0000000
DRAWN BY: REVISION: AKM
DATE: 9/8/26
SCALE: 1:48
SHEET 4 OF 15

PLUS PACKAGE



FOR FRAME
EXTERIOR
INTERIOR
STRUCTURAL

DIMENSION TOLERANCES
STANDARD
CRITICAL





ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
--

TITLE: PR450F_706812-PLUS PKG
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN: 0000000
DRAWN BY: REVISION: AKM
DATE: 9/8/26
SCALE: 1:48



FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	$\pm 1/16"$, 1.0°	
STRUCTURAL	CRITICAL	
	$\pm 1/32"$, 0.5°	

TITLE:
PR450F_706812-PLUS PKG
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)




PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
0000000
DRAWN BY: REVISION:
AKM
DATE:
9/8/26
SCALE: 1:48
SHEET 6 OF 15

WEIGHT: LBS

FILE NAME: 0000000 - PR550F_706812-MASTER



EXTERIOR ROADSIDE





EXTERIOR CURBSIDE

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: PR450F_706812-PLUS PKG MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	ACUMATICA PN: 0000000
EXTERIOR	STANDARD			DRAWN BY: REVISION: AKM
INTERIOR	+ 1/16 " , 1.0 °			DATE: 9/8/26
STRUCTURAL	CRITICAL			SCALE: 1:48
	+ 1/32 " , 0.5 °			SHEET 7 OF 15

WEIGHT: LBS

FILE NAME: 0000000 - PR550F_706812-MASTER

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.



FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	$\pm 1/16"$, 1.0°	
STRUCTURAL	CRITICAL	
	$\pm 1/32"$, 0.5°	

TITLE: PR450F_706812-PLUS PKG
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)



WEIGHT: LBS



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN: 0000000
DRAWN BY: REVISION: AKM
DATE: 9/8/26
SCALE: 1:48
SHEET 8 OF 15

PREMIER PACKAGE



FOR FRAME
EXTERIOR
INTERIOR
STRUCTURAL

DIMENSION TOLERANCES
STANDARD
CRITICAL


ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
--

TITLE: PR450F_706812-PREMIER PKG
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)




PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.


ACUMATICA PN:
0000000
DRAWN BY: REVISION:
AKM
DATE:
9/8/26
SCALE: 1:48




SECTION AB-AB
SCALE 1 : 19



SECTION P-P
SCALE 1 : 19



SECTION AC-AC
SCALE 1 : 19



SECTION R-R
SCALE 1 : 19

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	+ 1/16 " , 1.0 °	
STRUCTURAL	CRITICAL	
	+ 1/32 " , 0.5 °	


TITLE:
PR450F_706812-PREMIER PKG
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
0000000
DRAWN BY: REVISION:
AKM
DATE:
9/8/26
SCALE: 1:48



EXTERIOR ROADSIDE





EXTERIOR CURBSIDE

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: PR450F_706812-PREMIER PKG MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	ACUMATICA PN: 0000000
EXTERIOR	STANDARD			DRAWN BY: REVISION: AKM
INTERIOR	+ 1/16 " , 1.0 °			DATE: 9/8/26
STRUCTURAL	CRITICAL + 1/32 " , 0.5 °			SCALE: 1:48



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.



FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	$\pm 1/16"$, 1.0°	
STRUCTURAL	CRITICAL	
	$\pm 1/32"$, 0.5°	

TITLE: PR450F_706812-PREMIER PKG
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN: 0000000
DRAWN BY: REVISION: AKM
DATE: 9/8/26
SCALE: 1:48
SHEET 12 OF 15