



CURBSIDE ISO VIEW



ROADSIDE ISO VIEW

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	+/- 1/16 ", 1.0 °	
STRUCTURAL	CRITICAL	
	+/- 1/32 ", 0.5 °	

TITLE: PR550W, 7016, STANDARD FEATURES

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN: **0000000**

DRAWN BY: AKM

REVISION:


DATE: 10/14/26

SCALE: 1:48

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PR550W MASTER\MARKETING\PR550W SALE DRAWING\

FILE NAME: 0000000 - PR550W, MASTER, FLOORPLANS

NOTE: INTERIOR WIDTH SHOWN WITH STANDARD 0.38" PLYWOOD INT



TOP VIEW (STANDARD FEATURES)

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

FOR FRAME	**DIMENSION TOLERANCES**	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	**STANDARD**	
	+ - 1/16 ", 1.0 °	
INTERIOR	**CRITICAL**	
STRUCTURAL	+ - 1/32 ", 0.5 °	

TITLE: PR550W, 7016, STANDARD FEATURES

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN: **0000000**

DRAWN BY: AKM


REVISION:

DATE: 10/14/26


SCALE: 1:48

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PR550W MASTER\MARKETING\PR550W SALE DRAWING\


FILE NAME: 0000000 - PR550W, MASTER, FLOORPLANS



INTERIOR FRONT VIEW



INTERIOR CURBSIDE VIEW



INTERIOR ROADSIDE VIEW

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD ± 1/16 ", 1.0 °	
INTERIOR	CRITICAL	
STRUCTURAL	± 1/32 ", 0.5 °	

TITLE: PR550W, 7016, STANDARD FEATURES

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN: **0000000**

DRAWN BY: AKM REVISION:


DATE: 10/14/26

SCALE: 1:48


DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PR550W MASTER\MARKETING\PR550W SALE DRAWING\

FILE NAME: 0000000 - PR550W, MASTER, FLOORPLANS


AXLE CONFIG	3.5K SPRING	3.5K TORSION	5.2K SPRING	5.2K TORSION
"A" HITCH HEIGHT	18.31	19.56	18.88	21.38
"B" GROUND CLEARANCE	13.19	14.44	13.75	16.25
"C" DECK HEIGHT	19.31	20.56	19.88	22.38
"D" OVERALL HEIGHT	105.44	106.81	106	108.5




FRONT EXTERIOR VIEW



ROADSIDE EXTERIOR VIEW



REAR EXTERIOR VIEW
(STND RAMP DOOR SHOWN, CARGO DOOR OPTIONAL)



CURBSIDE EXTERIOR VIEW

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PR550W MASTER\MARKETING\PR550W SALE DRAWING\

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
	± 1/16 ", 1.0 °	
INTERIOR	CRITICAL	
STRUCTURAL	± 1/32 ", 0.5 °	

TITLE: PR550W, 7016, STANDARD FEATURES

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.


ACUMATICA PN: 0000000

DRAWN BY: AKM REVISION:


DATE: 10/14/26

SCALE: 1:48

FILE NAME: 0000000 - PR550W, MASTER, FLOORPLANS



CURBSIDE ISO VIEW



ROADSIDE ISO VIEW

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

FOR FRAME	**DIMENSION TOLERANCES**	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	**STANDARD**	
	± 1/16 ", 1.0°	
INTERIOR	**CRITICAL**	
STRUCTURAL	± 1/32 ", 0.5°	

TITLE: PR550W, 7016, ADDITIONAL OPTIONS

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN: **0000000**


DRAWN BY: AKM | REVISION:

DATE: 10/14/26


SCALE: 1:48

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PR550W MASTER\MARKETING\PR550W SALE DRAWING\

FILE NAME: 0000000 - PR550W, MASTER, FLOORPLANS



TOP VIEW (FLOOR OPTIONAL FEATURES)



TOP VIEW (ROOF OPTIONAL FEATURES)

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	± 1/16 ", 1.0 °	
STRUCTURAL	CRITICAL	
	± 1/32 ", 0.5 °	

TITLE: PR550W, 7016, ADDITIONAL OPTIONS

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN: **0000000**


DRAWN BY: AKM REVISION:

DATE: 10/14/26


SCALE: 1:48

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PR550W MASTER\MARKETING\PR550W SALE DRAWING\


FILE NAME: 0000000 - PR550W, MASTER, FLOORPLANS



INTERIOR FRONT VIEW



INTERIOR CURBSIDE VIEW




INTERIOR ROADSIDE VIEW


FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: PR550W, 7016, ADDITIONAL OPTIONS	ACUMATICA PN: 0000000
EXTERIOR	STANDARD ± 1/16 ", 1.0°		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DRAWN BY: AKM REVISION:
INTERIOR	CRITICAL		WEIGHT: LBS	DATE: 10/14/26
STRUCTURAL	± 1/32 ", 0.5°		PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	SCALE: 1:48

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PR550W MASTER\MARKETING\PR550W SALE DRAWING\


FILE NAME: 0000000 - PR550W, MASTER, FLOORPLANS




FRONT EXTERIOR VIEW



ROADSIDE EXTERIOR VIEW



REAR EXTERIOR VIEW
(STND RAMP DOOR SHOWN, CARGO DOOR OPTIONAL)



CURBSIDE EXTERIOR VIEW

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
	± 1/16 ", 1.0 °	
INTERIOR	CRITICAL	
STRUCTURAL	± 1/32 ", 0.5 °	

TITLE: PR550W, 7016, ADDITIONAL OPTIONS

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT: LBS

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN: **0000000**

DRAWN BY: AKM REVISION:

DATE: 10/14/26

SCALE: 1:48

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\PR550W MASTER\MARKETING\PR550W SALE DRAWING\

FILE NAME: 0000000 - PR550W, MASTER, FLOORPLANS