



SHOWN WITH STANDARD FEATURES, **OPTIONAL FEATURES SHOWN IN RED.**
OPTIONAL FEATURES SHOWN ARE: (2) RECESSED AIRLINE TRACKS, (4) 49" LIGHT BARS, AIR CONDITIONERS, CABINETS, INTERIOR SPEAKERS, SOLAR PANEL (30W TRICKLE CHARGER)





TOP VIEW
ROOF & CEILING LAYOUT



TOP VIEW
FLOORPLAN LAYOUT

				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: ROM 400, 8.5 X 16-3.5K FLOORPLAN		ACUMATICA PN:		
				EXTERIOR	STANDARD	+ 1/2 " , 1.0°	MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	DRAWN BY: SS	REVISION:
				INTERIOR	CRITICAL					DATE: 11/01/25	
				STRUCTURAL	+ 1/8 " , 0.5°		WEIGHT:		SCALE: 1:26		
REVISION TABLE											
REV.	DESCRIPTION			DATE	DONE BY						
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 4_0 MASTER\MARKETING\RM400_B857_1600+0-2T3.5K\											
						FILE NAME: ROM 400, 8.5 X 16-3.5K FLOORPLAN		SHEET 1 OF 4			


SHOWN WITH STANDARD FEATURES, OPTIONAL FEATURES SHOWN IN RED.
OPTIONAL FEATURES SHOWN ARE: AIR CONDITIONERS, BOGEY WHEELS, EXTERIOR ELECTRICAL RECEPT, EXTERIOR SPEAKERS, FLOW THROUGH VENTS, GRAB HANDLE, PORCH LIGHT, POWER AWNING, PREMIUM ESCAPE DOOR, SCENE LIGHTS




- 22" X 30" BAGGAGE DOOR INCLUDED W/ 30" BASE CABINET
- 36" X 36" VENTED BAGGAGE DOOR INCLUDED W/ L-BASE CABINET

EXTERIOR CURB SIDE

SHOWN WITH STANDARD FEATURES, OPTIONAL FEATURES SHOWN IN RED.
OPTIONAL FEATURES SHOWN ARE: CABINETS, ELECTRICAL RECEPTS (50 AMP ELC PKG), INTERIOR SPARE TIRE MOUNT, PREMIUM ESCAPE DOOR



INTERIOR ROAD SIDE
SECTION A-A




* INCREASES 6" WITH 6" INTERIOR HEIGHT OPTION


INTERIOR CURB SIDE
SECTION B-B

FOR FRAME		DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE:		ACUMATICA PN:	
EXTERIOR				ROM 400, 8.5 X 16-3.5K FLOORPLAN			
INTERIOR				MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)			PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.
STRUCTURAL				WEIGHT:			
		STANDARD				DRAWN BY: REVISION:	
		+ 1/2 ", 1.0°				SS	
		CRITICAL				DATE:	
		+ 1/8 ", 0.5°		11/01/25		SCALE: 1:26	
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 4_0 MASTER\MARKETING\RM400_B857_1600+0-2T3.5K\				FILE NAME: ROM 400, 8.5 X 16-3.5K FLOORPLAN		SHEET 3 OF 4	

SHOWN WITH STANDARD FEATURES, NO OPTIONAL FEATURES SHOWN



CURB SIDE ISO VIEW



ROAD SIDE ISO VIEW

FOR FRAME		DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE:		ACUMATICA PN:
EXTERIOR				ROM 400, 8.5 X 16-3.5K FLOORPLAN		
INTERIOR				MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		
STRUCTURAL				WEIGHT:		
				FILE NAME: ROM 400, 8.5 X 16-3.5K FLOORPLAN		DRAWN BY: REVISION: SS DATE: 11/01/25 SCALE: 1:26 SHEET 4 OF 4
				PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.		
				ATC		