






Standard Features Print


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE:	ACUMATICA PN:	
REV.	DESCRIPTION	DATE	DONE BY	EXTERIOR	STANDARD		RM500_B85702400+0-2T5.2K - STANDARD FEATURES	0000000	
				INTERIOR	+ 1/16 " , 1.0 °		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	AKM	
				STRUCTURAL	CRITICAL			2/15/24	
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 5_0 MASTER\MARKETING\0000000 - RM500_B85702400+0-2T5.2K\					+ 1/32 " , 0.5 °		WEIGHT:	SCALE: 1:64	
								SHEET 1 OF 8	

NOTE: INTERIOR WIDTH IS SHOWN WITH STANDARD ENGINEERED WALLS, SEE OPTIONS TOP VIEW PAGE FOR ALUMINUM INTERIOR WIDTH




TOP VIEW
STANDARD FLOOR LAYOUT

REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE:	ACUMATICA PN:	
REV.	DESCRIPTION	DATE	DONE BY	EXTERIOR	STANDARD		RM500_B85702400+0-2T5.2K - STANDARD FEATURES	0000000	
				INTERIOR	+ 1/16 " , 1.0 °		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DRAWN BY: REVISION:	
				STRUCTURAL	CRITICAL	+ 1/32 " , 0.5 °		AKM	
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 5_0 MASTER\MARKETING\0000000 - RM500_B85702400+0-2T5.2K\				WEIGHT:			ATC		DATE:
							PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.		2/15/24
									SCALE: 1:64
									SHEET 2 OF 8



SECTION A-A
SCALE 1 : 20



SECTION B-B
SCALE 1 : 20

FOR FRAME	DIMENSION TOLERANCES
EXTERIOR	STANDARD
INTERIOR	CRITICAL
STRUCTURAL	


+ 1/16 " , 1.0 °
+ 1/32 " , 0.5 °

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED


TITLE:	RM500_B85702400+0-2T5.2K - STANDARD FEATURES	ACUMATICA PN:	0000000
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		DRAWN BY:	AKM
		DATE:	2/15/24
		SCALE:	1:64
			SHEET 3 OF 8




PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.




EXTERIOR FRONT VIEW





EXTERIOR ROADSIDE VIEW



EXTERIOR REAR VIEW



EXTERIOR CURBSIDE VIEW



Popular Options
Print

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 5_0 MASTER\MARKETING\0000000 - RM500_B85702400+0-2T5.2K\

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	+ 1/16 " , 1.0 °	
STRUCTURAL	CRITICAL	
	+ 1/32 " , 0.5 °	

TITLE:	RM500_B85702400+0-2T5.2K_PED - POPULAR OPTIONS			ACUMATICA PN:	0000000
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)				DRAWN BY: REVISION:	AKM
				DATE:	2/15/24
				SCALE:	1:64
					SHEET 5 OF 8



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.


WEIGHT:

FILE NAME: 0000000 - RM500_B85702400+0-2T5.2K


- 1

AIRLINE TRACK: NO CABINETS TRACK TO EXTENDED 6" FROM FRONT WALL
- 2

ALUMINUM INTERIOR: INTERIOR WIDTH = 97.63"



TOP VIEW
POPULAR OPTIONS FLOOR LAYOUT



FRONT VIEW
POPULAR OPTIONS FLOOR LAYOUT

ITEM #	DESCRIPTION	NOTES
1	TONGUE STORAGE CMP	
2	IN FLOOR WINCH BOX	
3	IN FLOOR STORAGE - 32x32	
4	2 - ROWS AIRLINE TRACK	2 ROW PERIMETER
5	AIRLINE TRACK	2 ROW PERIMETER, 1 ROW CENTER
6	LIGHT STRIP	COVE (4)
7	SPEAKER	CEILING (2)
8	AIRLINE TRACK	2 ROW PERIMETER, 1 ROW CENTER
9	WATER TANK	IN CHASSIS, UNDER FLOOR
10	FUEL TANK	IN CHASSIS, UNDER FLOOR
11	WATER SPIGOT	FRESH WATER TANK 48gl
12	MOTORBASE INLET	50A & 30A PKGs

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 5_0 MASTER\MARKETING\0000000 - RM500_B85702400+0-2T5.2K\

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD + 1/16", 1.0°	
INTERIOR	CRITICAL + 1/32", 0.5°	
STRUCTURAL		

TITLE:
RM500_B85702400+0-2T5.2K_PED - POPULAR OPTIONS

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT:

FILE NAME: 0000000 - RM500_B85702400+0-2T5.2K

ACUMATICA PN:
0000000

DRAWN BY: REVISION:
AKM

DATE:
2/15/24

SCALE: 1:64

SHEET 6 OF 8


ATC

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.


- 1

REFERENCE CABINET PACKAGE PRINT FOR CABINET PACKAGE OPTIONS
- 2


ADD 6" INTERIOR HEIGHT = 90" INTERIOR



SECTION D-D
SCALE 1 : 28



SECTION E-E
SCALE 1 : 28



SECTION C-C
SCALE 1 : 28

ITEM #	DESCRIPTION	NOTES
1	BEDRUG	
2	SALEM VENT	
3	STEREO	
4	BREAKER PANEL	50A & 30A
5	CABINET	REF CABINET PKGS
6	OUTLET, 15A w/ USB	50A & 30A
7	OUTLET, 15A	50A & 30A
8	USB COVE PORTS	(1) CS + (1) RS
9	MOUNT, SPARE	
10	OUTLET, 15A	50A PKG only
11	60" RAMP EXTENSION	

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	+ 1/16 " , 1.0 °	
STRUCTURAL	CRITICAL	
	+ 1/32 " , 0.5 °	

TITLE:
RM500_B85702400+0-2T5.2K_PED - POPULAR OPTIONS

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT:

ACUMATICA PN:
0000000

DRAWN BY: REVISION:
AKM


DATE:
2/15/24

SCALE: 1:64


ATC

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.


1 ADD 6" INTERIOR HEIGHT: RAMP OPENING HEIGHT = 90"



EXTERIOR ROADSIDE VIEW



EXTERIOR REAR VIEW



EXTERIOR CURBSIDE VIEW

ITEM #	DESCRIPTION	NOTES
1	ELC JACK	
2	SALEM VENT	ROADSIDE
3	AIR CONDITIONER	
4	SCENE LIGHTS	ROADSIDE
5	TRACK, AIRLINE	EXTERIOR ROADSIDE
6	WATER TANK FILL	
7	DOCKING LIGHTS	
8	ADJSUTABLE RAMP BUMPERS	w/ 60" RAMP EXTENSION
9	CAMERA, BACK UP	
10	AWNING, 12V	
11	SPEAKER	EXTERIOR CURBSIDE
12	SCENE LIGHTS	CURBSIDE
14	PORCH LIGHT	
15	BOGEY WHEELS	
16	SALEM VENT	CURBSIDE
17	SCISSOR JACKS	
18	MIDSHIP TURN SIGNAL	
19	FUEL TANK FILL	
21	OUTLET, 15A	50A & 30A
22	DOOR, 16x10	FUELING STATION
23	PREMIUM ESCAPE DOOR	88x66

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	CRITICAL	
STRUCTURAL		

TITLE:	RM500_B85702400+0-2T5.2K_PED - POPULAR OPTIONS	ACUMATICA PN:	0000000
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		DRAWN BY: REVISION:	AKM
		DATE:	2/15/24
		SCALE:	1:64
			SHEET 8 OF 8



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.