






Standard Features
Print


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE:	ACUMATICA PN:	
REV.	DESCRIPTION	DATE	DONE BY	EXTERIOR	STANDARD		RM550_B85702000+0-2T5.2K - STANDARD FEATURES	0000000	
				INTERIOR	+ 1/16 " , 1.0 °		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	AKM	
				STRUCTURAL	CRITICAL			2/15/24	
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 5_0 MASTER\MARKETING\0000000 - RM550_B85702000+0-2T5.2K\					+ 1/32 " , 0.5 °		WEIGHT:	SCALE: 1:64	
								SHEET 1 OF 8	

NOTE: INTERIOR WIDTH IS SHOWN WITH STANDARD ENGINEERED WALLS, SEE OPTIONS TOP VIEW PAGE FOR ALUMINUM INTERIOR WIDTH




TOP VIEW
STANDARD FLOOR LAYOUT

REVISION TABLE <table><tr><th>REV.</th><th>DESCRIPTION</th><th>DATE</th><th>DONE BY</th></tr></table>				REV.	DESCRIPTION	DATE	DONE BY	FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM550_B85702000+0-2T5.2K - STANDARD FEATURES MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	ATC PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	ACUMATICA PN: 0000000
				REV.	DESCRIPTION	DATE	DONE BY						
				EXTERIOR	STANDARD	DRAWN BY: REVISION: AKM							
				INTERIOR	CRITICAL	DATE: 2/15/24							
STRUCTURAL	+ 1/32 ", 0.5 °	SCALE: 1:64											
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 5_0 MASTER\MARKETING\0000000 - RM550_B85702000+0-2T5.2K\								WEIGHT:	FILE NAME: 0000000 - RM550_B85702000+0-2T5.2K	SHEET 2 OF 8			



SECTION A-A
SCALE 1 : 20



SECTION B-B
SCALE 1 : 20

FOR FRAME	DIMENSION TOLERANCES
EXTERIOR	STANDARD
INTERIOR	CRITICAL
STRUCTURAL	


ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
+ 1/16 " , 1.0 °
+ 1/32 " , 0.5 °

TITLE:	RM550_B85702000+0-2T5.2K - STANDARD FEATURES	ACUMATICA PN:	0000000
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		DRAWN BY: REVISION:	AKM
		DATE:	2/15/24
		SCALE:	1:64
			SHEET 3 OF 8




PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.


WEIGHT:




EXTERIOR FRONT VIEW



EXTERIOR ROADSIDE VIEW





EXTERIOR REAR VIEW



EXTERIOR CURBSIDE VIEW

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM550_B85702000+0-2T5.2K - STANDARD FEATURES	ACUMATICA PN: 0000000
EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DRAWN BY: REVISION: AKM
INTERIOR	CRITICAL			DATE: 2/15/24
STRUCTURAL			WEIGHT:	SCALE: 1:64
				PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 5_0 MASTER\MARKETING\0000000 - RM550_B85702000+0-2T5.2K\				FILE NAME: 0000000 - RM550_B85702000+0-2T5.2K
				SHEET 4 OF 8




Popular Options Print

				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM550_B85702000+0-2T5.2K_PED - POPULAR OPTIONS		ACUMATICA PN: 0000000		
				EXTERIOR	STANDARD	+ 1/16 " , 1.0 °	MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		DRAWN BY: REVISION: AKM		
				INTERIOR	CRITICAL						
REVISION TABLE				STRUCTURAL	+ 1/32 " , 0.5 °		WEIGHT:		DATE: 2/15/24		
REV.	DESCRIPTION			DATE	DONE BY	FILE NAME: 0000000 - RM550_B85702000+0-2T5.2K			SCALE: 1:64		
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 5_0 MASTER\MARKETING\0000000 - RM550_B85702000+0-2T5.2K\									SHEET 5 OF 8		


- 1

AIRLINE TRACK: NO CABINETS TRACK TO EXTENDED 6" FROM FRONT WALL
- 2

ALUMINUM INTERIOR: INTERIOR WIDTH = 97.63"



TOP VIEW
POPULAR OPTIONS FLOOR LAYOUT



FRONT VIEW
POPULAR OPTIONS FLOOR LAYOUT

ITEM #	DESCRIPTION	NOTES
1	TONGUE STORAGE CMP	
2	IN FLOOR WINCH BOX	
3	IN FLOOR STORAGE - 32x32	
4	2 - ROWS AIRLINE TRACK	2 ROW PERIMETER
5	AIRLINE TRACK	2 ROW PERIMETER, 1 ROW CENTER
6	LIGHT STRIP	CEILING (4)
7	SPEAKER	CEILING (2)
8	AIRLINE TRACK	2 ROW PERIMETER, 1 ROW CENTER
9	WATER TANK	IN CHASSIS, UNDER FLOOR
10	FUEL TANK	IN CHASSIS, UNDER FLOOR
11	WATER SPIGOT	FRESH WATER TANK 48gl
12	MOTORBASE INLET	50A & 30A PKGs

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 5_0 MASTER\MARKETING\0000000 - RM550_B85702000+0-2T5.2K\

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD + 1/16", 1.0°	
INTERIOR	CRITICAL + 1/32", 0.5°	
STRUCTURAL		

TITLE:
RM550_B85702000+0-2T5.2K_PED - POPULAR OPTIONS

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT:

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:
0000000

DRAWN BY: REVISION:
AKM

DATE:
2/15/24


SCALE: 1:64

SHEET 6 OF 8

- 1


REFERENCE CABINET PACKAGE PRINT FOR CABINET PACKAGE OPTIONS
- 2

ADD 6" INTERIOR HEIGHT = 90" INTERIOR




SECTION D-D

SCALE 1 : 28



SECTION E-E

SCALE 1 : 28



SECTION C-C

SCALE 1 : 28

ITEM #	DESCRIPTION	NOTES
1	BEDRUG	
2	SALEM VENT	
3	STEREO	
4	BREAKER PANEL	50A & 30A
5	CABINET	REF CABINET PKGS
6	OUTLET, 15A w/ USB	50A & 30A
7	OUTLET, 15A	50A & 30A
8	USB COVE PORTS	(1) CS + (1) RS
9	MOUNT, SPARE	
10	OUTLET, 15A	50A PKG only
11	60" RAMP EXTENSION	

FOR FRAME

EXTERIOR

INTERIOR

STRUCTURAL

DIMENSION TOLERANCES

STANDARD

+ 1/16 " , 1.0 °

CRITICAL

+ 1/32 " , 0.5 °

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED

TITLE:

RM550_B85702000+0-2T5.2K_PED - POPULAR OPTIONS

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT:

ACUMATICA PN:

0000000

DRAWN BY: REVISION:

AKM

DATE:

2/15/24


SCALE: 1:64

SHEET 7 OF 8


PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ATC


1 ADD 6" INTERIOR HEIGHT: RAMP OPENING HEIGHT = 90"



EXTERIOR ROADSIDE VIEW



EXTERIOR REAR VIEW



EXTERIOR CURBSIDE VIEW

ITEM #	DESCRIPTION	NOTES
1	ELC JACK	
2	SALEM VENT	ROADSIDE
3	AIR CONDITIONER	
4	SCENE LIGHTS	ROADSIDE
5	TRACK, AIRLINE	EXTERIOR ROADSIDE
6	WATER TANK FILL	
7	DOCKING LIGHTS	
8	ADJSUTABLE RAMP BUMPERS	w/ 60" RAMP EXTENSION
9	CAMERA, BACK UP	
10	AWNING, 12V	
11	SPEAKER	EXTERIOR CURBSIDE
12	SCENE LIGHTS	CURBSIDE
13	WINDOW, 42 X 30	CURBSIDE
14	PORCH LIGHT	
15	BOGEY WHEELS	
16	SALEM VENT	CURBSIDE
17	SCISSOR JACKS	
18	MIDSHIP TURN SIGNAL	
19	FUEL TANK FILL	
20	TRACK, AIRLINE	EXTERIOR CURBSIDE
21	OUTLET, 15A	50A & 30A
22	DOOR, 10x16	FUELING STATION
23	PREMIUM ESCAPE DOOR	88x66

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	CRITICAL	
STRUCTURAL		

TITLE: RM550_B85702000+0-2T5.2K_PED - POPULAR OPTIONS
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT:



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN: 0000000
DRAWN BY: REVISION: AKM
DATE: 2/15/24
SCALE: 1:64