






Standard Features Print

NOTE: NO LIFE TRAC AVAILABLE ON 700 SERIES MODELS

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_S, MASTER\RM 7_0_S, MASTER, 2600\MARKETING\			


FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_S85112600+0-36.0K - BASE MODEL	ACUMATICA PN:
EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DRAWN BY: REVISION: AKM
INTERIOR	+ 1/16 " , 1.0			DATE: 9/26/25
STRUCTURAL	CRITICAL		WEIGHT:	SCALE: 1:64
	+ 1/32 " , 0.5		FILE NAME: RM7_0_S_2600, MASTER	SHEET 1 OF 8
				PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

INTERIOR WIDTH = 97.25" WITH STANDARD PLYWOOD WALLS



TOP VIEW
STANDARD FLOOR LAYOUT


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE:		ACUMATICA PN:	
				EXTERIOR	STANDARD		RM7_0_S85112600+0-36.0K - BASE MODEL		DRAWN BY: REVISION: AKM	
				INTERIOR	+ 1/16 ", 1.0		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DATE: 9/26/25		
					CRITICAL					WEIGHT:
STRUCTURAL	+ 1/32 ", 0.5	FILE NAME: RM7_0_S_2600, MASTER		SHEET 2 OF 8						
REV.	DESCRIPTION	DATE	DONE BY	DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_S, MASTER\RM 7_0_S, MASTER, 2600\MARKETING\		PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.		ATC		



INTERIOR CURBSIDE VIEW

SECTION A-A

SCALE 1 : 28



SECTION B-B

INTERIOR ROADSIDE VIEW

SCALE 1 : 28

FOR FRAME	DIMENSION TOLERANCES
EXTERIOR	STANDARD
INTERIOR	CRITICAL
STRUCTURAL	

+ 1/16 " , 1.0

+ 1/32 " , 0.5

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED

TITLE:

RM7_0_S85112600+0-36.0K - BASE MODEL

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT:



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:

DRAWN BY: REVISION:

AKM


DATE:

9/26/25


SCALE: 1:64

SHEET 3 OF 8


REAR RAMP OPENING
11'-3" INT = 90.00W x 90.00H




EXTERIOR FRONT VIEW



EXTERIOR ROADSIDE VIEW



EXTERIOR REAR VIEW



EXTERIOR CURBSIDE VIEW

FOR FRAME

EXTERIOR

INTERIOR

STRUCTURAL

DIMENSION TOLERANCES

STANDARD

CRITICAL

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED

TITLE:

RM7_0_S85112600+0-36.0K - BASE MODEL

MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT:

ACUMATICA PN:

DRAWN BY: REVISION:

DATE:

SCALE: 1:64

PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.



AKM

9/26/25

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_S, MASTER\RM 7_0_S, MASTER, 2600\MARKETING\

FILE NAME: RM7_0_S_2600, MASTER

SHEET 4 OF 8



Popular Options
Print

REVISION TABLE <table><tr><th>REV.</th><th>DESCRIPTION</th><th>DATE</th><th>DONE BY</th></tr><tr><td></td><td></td><td></td><td></td></tr></table>				REV.	DESCRIPTION	DATE	DONE BY					FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_S85112600+0-36.0K - ADDITIONAL OPTIONS	ACUMATICA PN:	
				REV.	DESCRIPTION	DATE	DONE BY										
				EXTERIOR	STANDARD	+ 1/16 ", 1.0	MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	DRAWN BY: REVISION: AKM								
INTERIOR	CRITICAL																
				STRUCTURAL	+ 1/32 ", 0.5	WEIGHT:	DATE: 9/26/25										
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_S, MASTER\RM 7_0_S, MASTER, 2600\MARKETING\							FILE NAME: RM7_0_S_2600, MASTER	SCALE: 1:64									
							SHEET 5 OF 8										

Technical drawing of the interior of a mobile laboratory container. The layout includes a central work area with two large windows, storage compartments, and a control panel. A dashed line indicates the center of gravity, and arrows labeled F and G point in opposite directions along the longitudinal axis.

97 5/8"
C/S Wall
to R/S Wall

53 5/8"

150"

50 5/8"

216 1/2"

10"


37 5/8"


204 1/8"

150"


50 5/8"

82 13/16"
Wheel well
to Wheel well

				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL	TITLE:	RM7_0_S85112600+0-36.0K - ADDITIONAL OPTIONS		ACUMATICA PN:
				EXTERIOR	STANDARD	DIMENSIONS ARE SPECIFICALLY NOTED	MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	DRAWN BY: REVISION:
				INTERIOR	+ 1/16 ", 1.0 CRITICAL + 1/32 ", 0.5					DATE:
REVISION TABLE				STRUCTURAL			WEIGHT:			9/26/25
REV.	DESCRIPTION			DATE	DONE BY					SCALE: 1:64
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_S, MASTER\RM 7_0_S, MASTER, 2600\MARKETING\							FILE NAME: RM7_0_S_2600, MASTER			SHEET 6 OF 8



INTERIOR CURBSIDE VIEW **SECTION F-F**
SCALE 1 : 26




SECTION G-G **INTERIOR ROADSIDE VIEW**
SCALE 1 : 26


REVISION TABLE				FOR FRAME EXTERIOR INTERIOR STRUCTURAL	DIMENSION TOLERANCES STANDARD + 1/16", 1.0 CRITICAL + 1/32", 0.5	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_S85112600+0-36.0K - ADDITIONAL OPTIONS MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		ACUMATICA PN:		
REV.	DESCRIPTION	DATE	DONE BY						PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.		DRAWN BY: AKM REVISION:
											DATE: 9/26/25 SCALE: 1:64
											WEIGHT:

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_S, MASTER\RM 7_0_S, MASTER, 2600\MARKETING\


FILE NAME: RM7_0_S_2600, MASTER




EXTERIOR FRONT VIEW



EXTERIOR ROADSIDE VIEW



**EXTERIOR REAR VIEW
(PREMIUM RAMP PKG)**



EXTERIOR CURBSIDE VIEW

FOR FRAME	DIMENSION TOLERANCES
EXTERIOR	STANDARD
INTERIOR	CRITICAL
STRUCTURAL	

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED

TITLE:	RM7_0_S85112600+0-36.0K - ADDITIONAL OPTIONS	ACUMATICA PN:
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		DRAWN BY: REVISION:
		AKM
		DATE:
		9/26/25
		SCALE: 1:64
		SHEET 8 OF 8



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.