






Standard Features
Print



NOTE: NO LIFE TRAC AVAILABLE ON 700 SERIES MODELS


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_G85704000+0-2T7.0K - BASE MODEL LAYOUT		ACUMATICA PN:
				EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		DRAWN BY: REVISION: AKM
				INTERIOR	+ 1/16 " , 1.0 °			PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	DATE: 9/12/25
				STRUCTURAL	CRITICAL				SCALE: 1:64
REV.	DESCRIPTION	DATE	DONE BY	WEIGHT:		FILE NAME: RM 7_0_G, MASTER, 4000		SHEET 1 OF 10	
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4000\MARKETING\									

INTERIOR WIDTH = 97.25" WITH STANDARD PLYWOOD WALLS



TOP VIEW
STANDARD FLOOR LAYOUT


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE:	ACUMATICA PN:	
REV.	DESCRIPTION	DATE	DONE BY	EXTERIOR	STANDARD		RM7_0_G85704000+0-2T7.0K - BASE MODEL LAYOUT	DRAWN BY: REVISION:	
				INTERIOR	+ 1/16 " , 1.0 °		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	AKM	
				STRUCTURAL	CRITICAL			DATE:	
					+ 1/32 " , 0.5 °			9/12/25	
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4000\MARKETING\							WEIGHT:	SCALE: 1:64	
								SHEET 2 OF 10	



INTERIOR CURBSIDE VIEW

SECTION A-A

SCALE 1 : 26



INTERIOR ROADSIDE VIEW

SECTION B-B

SCALE 1 : 26


FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_G85704000+0-2T7.0K - BASE MODEL LAYOUT	ACUMATICA PN:
EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DRAWN BY: REVISION:
INTERIOR	CRITICAL			AKM
STRUCTURAL	CRITICAL			DATE: 9/12/25
			WEIGHT:	SCALE: 1:64
				SHEET 3 OF 10



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.


REAR RAMP OPENING
7.0' INT = 90.00W x 84.00H

LOCATION	STANDARD COUPLER HEIGHT
POSITION 1	39.75"
POSITION 2	37.13"
POSITION 3	34.50"
POSITION 4	31.88"




36 X 24
ENCLOSURE DOORS

EXTERIOR FRONT VIEW




14 3/4"
GROUND CLEARANCE

EXTERIOR ROADSIDE VIEW





EXTERIOR REAR VIEW



48X78 ENTRY DOOR STANDARD

EXTERIOR CURBSIDE VIEW



Popular Options Print

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4000\MARKETING\			

FOR FRAME
EXTERIOR
INTERIOR
STRUCTURAL

DIMENSION TOLERANCES
STANDARD
CRITICAL

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
--


TITLE:
RM7_0_G85704000+0-2T7.0K - ADDITIONAL OPTIONS LAYOUT
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)
WEIGHT:
FILE NAME: RM 7_0_G, MASTER, 4000



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.


ACUMATICA PN:
DRAWN BY: REVISION:
AKM
DATE:
9/12/25
SCALE: 1:64
SHEET 5 OF 10

INTERIOR WIDTH = 97.63" WITH ALUMINUM WALLS OPTION




TOP VIEW
POPULAR OPTIONS

2 ROWS L-TRACK : REFERENCE OUTER ROWS
3 ROWS L-TRACK : REFERENCE ALL THREE ROWS OF TRACK (IF NO IN FLOOR CMP, CENTER ROW FULL LENGTH)



TOP VIEW
POPULAR OPTIONS FLOOR LAYOUT


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_G85704000+0-2T7.0K - ADDITIONAL OPTIONS LAYOUT		ACUMATICA PN:
				EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		DRAWN BY: REVISION: AKM
				INTERIOR	CRITICAL		 PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.		DATE: 9/12/25
REV.	DESCRIPTION	DATE	DONE BY	STRUCTURAL	+ 1/32 ", 0.5 °	WEIGHT:			SCALE: 1:64
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4000\MARKETING\							FILE NAME: RM 7_0_G, MASTER, 4000	SHEET 6 OF 10	



INTERIOR CURBSIDE VIEW

SECTION F-F

SCALE 1 : 26



INTERIOR ROADSIDE VIEW

SECTION G-G

SCALE 1 : 26

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4000\MARKETING\

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	CRITICAL	
STRUCTURAL		

TITLE:	RM7_0 G85704000+0-2T7.0K - ADDITIONAL OPTIONS LAYOUT	ACUMATICA PN:
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		DRAWN BY: REVISION:
		AKM
		DATE:
		9/12/25
		SCALE: 1:64
		SHEET 7 OF 10




PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

WEIGHT:


FILE NAME: RM 7_0_G, MASTER, 4000

REAR RAMP OPENING: ADDITIONAL 6" HEIGHT OPTION
7.5' INT = 90.00W x 90.00H


OVERALL HEIGHT
7.0'INT = 124.63"
7.5'INT = 130.63"




EXTERIOR FRONT VIEW




EXTERIOR ROADSIDE VIEW




EXTERIOR REAR VIEW
(PREMIUM RAMP PKG)



EXTERIOR CURBSIDE VIEW




TOP VIEW
SUPER SPREAD AXLES W/ CS EXTERIOR STORAGE OPTION




INTERIOR ROADSIDE VIEW
SUPER SPREAD AXLES OPTION

SECTION J-J
SCALE 1 : 26

REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_G85704000+0-2T7.0K - ADDITIONAL OPTIONS LAYOUT		ACUMATICA PN:		
				EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)			PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	DRAWN BY: REVISION: AKM
				INTERIOR	+ 1/16 " , 1.0 °						
				STRUCTURAL	CRITICAL		+ 1/32 " , 0.5 °				
REV.	DESCRIPTION	DATE	DONE BY	WEIGHT:				SCALE: 1:64		SHEET 9 OF 10	
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4000\MARKETING\				FILE NAME: RM 7_0_G, MASTER, 4000, SSA							



**EXTERIOR CURBSIDE VIEW
(SUPER SPREAD AXLES W/ CS STORAGE CMP OPTION)**



**EXTERIOR ROADSIDE VIEW
(SUPER SPREAD AXLES OPTION)**

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4000\MARKETING\

FOR FRAME
EXTERIOR
INTERIOR
STRUCTURAL

DIMENSION TOLERANCES
STANDARD
+ 1/16 " , 1.0 °
CRITICAL
+ 1/32 " , 0.5 °

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
--

TITLE:	RM7_0_G85704000+0-2T7.0K - ADDITIONAL OPTIONS LAYOUT
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	
WEIGHT:	
FILE NAME: RM 7_0_G, MASTER, 4000, SSA	



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

ACUMATICA PN:	
DRAWN BY:	AKM
REVISION:	
DATE:	9/12/25
SCALE:	1:64