






Standard Features
Print



NOTE: NO LIFE TRAC AVAILABLE ON 700 SERIES MODELS


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_G85704400+0-3T7.0K - BASE MODEL LAYOUT MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	ACUMATICA PN:
REV.	DESCRIPTION	DATE	DONE BY					
				EXTERIOR	STANDARD			
				INTERIOR	+ 1/16 " , 1.0 ° CRITICAL + 1/32 " , 0.5 °			
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4400\MARKETING\				STRUCTURAL			WEIGHT:	
				FILE NAME: RM 7_0_G, MASTER, 4400				
				ATC				PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.
				DRAWN BY: REVISION: AKM DATE: 9/12/25 SCALE: 1:64				SHEET 1 OF 10

INTERIOR WIDTH = 97.25" WITH STANDARD PLYWOOD WALLS




TOP VIEW
STANDARD FLOOR LAYOUT

REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_G85704400+0-3T7.0K - BASE MODEL LAYOUT MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	ACUMATICA PN:	
REV.	DESCRIPTION	DATE	DONE BY	EXTERIOR	STANDARD				
				INTERIOR	CRITICAL				
				STRUCTURAL	+ 1/16 " , 1.0 ° + 1/32 " , 0.5 °				
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4400\MARKETING\				WEIGHT:				PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	DRAWN BY: REVISION: AKM DATE: 9/12/25 SCALE: 1:64
				FILE NAME: RM 7_0_G, MASTER, 4400					



INTERIOR CURBSIDE VIEW

SECTION A-A
SCALE 1 : 28



INTERIOR ROADSIDE VIEW

SECTION B-B
SCALE 1 : 28


FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_G85704400+0-3T7.0K - BASE MODEL LAYOUT	ACUMATICA PN:
EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DRAWN BY: REVISION:
INTERIOR	CRITICAL			AKM
STRUCTURAL	CRITICAL			DATE: 9/12/25
	CRITICAL			SCALE: 1:64
	CRITICAL			SHEET 3 OF 10




PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

REAR RAMP OPENING
7.0' INT = 90.00W x 84.00H


LOCATION	STANDARD COUPLER HEIGHT
POSITION 1	39.75"
POSITION 2	37.13"
POSITION 3	34.50"
POSITION 4	31.88"




EXTERIOR FRONT VIEW





EXTERIOR ROADSIDE VIEW



EXTERIOR REAR VIEW



EXTERIOR CURBSIDE VIEW



Popular Options
Print

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4400\MARKETING\

FOR FRAME
EXTERIOR
INTERIOR
STRUCTURAL

DIMENSION TOLERANCES
STANDARD
+ 1/16 " , 1.0 °
CRITICAL
+ 1/32 " , 0.5 °

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED

TITLE: RM7_0_G85704400+0-3T7.0K - ADDITIONAL OPTIONS LAYOUT
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)


WEIGHT:
FILE NAME: RM 7_0_G, MASTER, 4400



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.


ACUMATICA PN:
DRAWN BY: REVISION:
AKM
DATE: 9/12/25
SCALE: 1:64
SHEET 5 OF 10

INTERIOR WIDTH = 97.63" WITH ALUMINUM WALLS OPTION




TOP VIEW
POPULAR OPTIONS

2 ROWS L-TRACK : REFERENCE OUTER ROWS
3 ROWS L-TRACK : REFERENCE ALL THREE ROWS OF TRACK (IF NO IN FLOOR CMP, CENTER ROW FULL LENGTH)



TOP VIEW
POPULAR OPTIONS FLOOR LAYOUT


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE:	RM7_0_G85704400+0-3T7.0K - ADDITIONAL OPTIONS LAYOUT		ACUMATICA PN:		
				EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)				PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	DRAWN BY: REVISION:
				INTERIOR	CRITICAL		SCALE: 1:64					
REV.	DESCRIPTION	DATE	DONE BY	STRUCTURAL	+ 1/32 ", 0.5 °		WEIGHT:			9/12/25		
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4400\MARKETING\							FILE NAME: RM 7_0_G, MASTER, 4400			SHEET 6 OF 10		



INTERIOR CURBSIDE VIEW

SECTION F-F

SCALE 1 : 30



INTERIOR ROADSIDE VIEW

SECTION G-G

SCALE 1 : 30

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4400\MARKETING\

FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED
EXTERIOR	STANDARD	
INTERIOR	+ 1/16 " , 1.0 °	
STRUCTURAL	+ 1/32 " , 0.5 °	

TITLE: RM7_0 G85704400+0-3T7.0K - ADDITIONAL OPTIONS LAYOUT
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT:

FILE NAME: RM 7_0_G, MASTER, 4400




PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.


ACUMATICA PN:
DRAWN BY: REVISION:
AKM
DATE: 9/12/25
SCALE: 1:64
SHEET 7 OF 10

REAR RAMP OPENING: ADDITIONAL 6" HEIGHT OPTION
7.5' INT = 90.00W x 90.00H


OVERALL HEIGHT
7.0'INT = 124.63"
7.5'INT = 130.63"




EXTERIOR FRONT VIEW




EXTERIOR ROADSIDE VIEW



EXTERIOR REAR VIEW
(PREMIUM RAMP PKG)




EXTERIOR CURBSIDE VIEW



SHOWN WITH ADDITIONAL 4 D-RINGS & FRONT ESCAPE DOOR

REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_G85704400+0-3T7.0K - ADDITIONAL OPTIONS LAYOUT		ACUMATICA PN:		
				EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)			PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	DRAWN BY: REVISION: AKM
				INTERIOR	+ 1/16 " , 1.0 ° CRITICAL						DATE: 9/12/25
REV.	DESCRIPTION	DATE	DONE BY	STRUCTURAL	+ 1/32 " , 0.5 °		WEIGHT:	SCALE: 1:64		SHEET 9 OF 10	
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4400\MARKETING\							FILE NAME: RM 7_0_G, MASTER, 4400				



ESCAPE DOOR DETAIL

REVISION TABLE <table><tr><th>REV.</th><th>DESCRIPTION</th><th>DATE</th><th>DONE BY</th></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table>				REV.	DESCRIPTION	DATE	DONE BY					FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE:	RM7_0_G85704400+0-3T7.0K - ADDITIONAL OPTIONS LAYOUT		ACUMATICA PN:
				REV.	DESCRIPTION	DATE	DONE BY											
				EXTERIOR	STANDARD	ATC	MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DRAWN BY: REVISION:										
INTERIOR	+ 1/16 " , 1.0 °	WEIGHT:	DATE:															
STRUCTURAL	+ 1/32 " , 0.5 °		9/12/25															
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4400\MARKETING\								FILE NAME: RM 7_0_G, MASTER, 4400	SHEET 10 OF 10									