






Standard Features Print



NOTE: NO LIFE TRAC AVAILABLE ON 700 SERIES MODELS


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE:	ACUMATICA PN:	
REV.	DESCRIPTION	DATE	DONE BY	EXTERIOR	STANDARD		RM7_0_G85704800+0-3T7.0K - BASE MODEL LAYOUT	DRAWN BY: REVISION:	
				INTERIOR	+ 1/16 " , 1.0 °		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	AKM	
				STRUCTURAL	CRITICAL			DATE:	
					+ 1/32 " , 0.5 °			9/12/25	
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4800\MARKETING\							WEIGHT:	SCALE: 1:64	
							FILE NAME: RM 7_0_G, MASTER, 4800	SHEET 1 OF 10	

INTERIOR WIDTH = 97.25" WITH STANDARD PLYWOOD WALLS



TOP VIEW
STANDARD FLOOR LAYOUT


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE:	ACUMATICA PN:
REV.	DESCRIPTION	DATE	DONE BY	EXTERIOR	STANDARD		RM7_0_G85704800+0-3T7.0K - BASE MODEL LAYOUT	DRAWN BY: REVISION:
				INTERIOR	+ 1/16 " , 1.0 °		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	AKM
				STRUCTURAL	CRITICAL	+ 1/32 " , 0.5 °	WEIGHT:	DATE:
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4800\MARKETING\							FILE NAME: RM 7_0_G, MASTER, 4800	9/12/25
								SCALE: 1:64
								SHEET 2 OF 10



INTERIOR CURBSIDE VIEW

SECTION A-A

SCALE 1 : 31



INTERIOR ROADSIDE VIEW

SECTION B-B

SCALE 1 : 31


FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_G85704800+0-3T7.0K - BASE MODEL LAYOUT	ACUMATICA PN:
EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DRAWN BY: REVISION:
INTERIOR	+ 1/16 " , 1.0 °			AKM
STRUCTURAL	CRITICAL			DATE: 9/12/25
	+ 1/32 " , 0.5 °		WEIGHT:	SCALE: 1:64
			FILE NAME: RM 7_0_G, MASTER, 4800	SHEET 3 OF 10




PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.

REAR RAMP OPENING
7.0' INT = 90.00W x 84.00H


LOCATION	STANDARD COUPLER HEIGHT
POSITION 1	39.75"
POSITION 2	37.13"
POSITION 3	34.50"
POSITION 4	31.88"




EXTERIOR FRONT VIEW





EXTERIOR ROADSIDE VIEW



EXTERIOR REAR VIEW



EXTERIOR CURBSIDE VIEW



Popular Options Print

REVISION TABLE			
REV.	DESCRIPTION	DATE	DONE BY

DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4800\MARKETING\

FOR FRAME	DIMENSION TOLERANCES
EXTERIOR	STANDARD
INTERIOR	CRITICAL
STRUCTURAL	

ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED

TITLE: RM7_0_G85704800+0-3T7.0K - ADDITIONAL OPTIONS LAYOUT
MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)

WEIGHT:


FILE NAME: RM 7_0_G, MASTER, 4800



PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.


ACUMATICA PN:	
DRAWN BY:	AKM
REVISION:	
DATE:	9/12/25
SCALE:	1:64
SHEET 5 OF 10	

INTERIOR WIDTH = 97.63" WITH ALUMINUM WALLS OPTION




TOP VIEW
POPULAR OPTIONS

2 ROWS L-TRACK : REFERENCE OUTER ROWS
3 ROWS L-TRACK : REFERENCE ALL THREE ROWS OF TRACK (IF NO IN FLOOR CMP, CENTER ROW FULL LENGTH)



TOP VIEW
POPULAR OPTIONS FLOOR LAYOUT


REVISION TABLE				FOR FRAME		DIMENSION TOLERANCES STANDARD + 1/16" , 1.0° CRITICAL + 1/32" , 0.5°	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_G85704800+0-3T7.0K - ADDITIONAL OPTIONS LAYOUT		ACUMATICA PN:
REV.	DESCRIPTION	DATE	DONE BY	EXTERIOR	MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)				PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.	DRAWN BY: REVISION:
				INTERIOR						AKM
				STRUCTURAL						DATE: 9/12/25
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4800\MARKETING\				WEIGHT:		FILE NAME: RM 7_0_G, MASTER, 4800		SCALE: 1:64		SHEET 6 OF 10



INTERIOR CURBSIDE VIEW

SECTION F-F

SCALE 1 : 30



INTERIOR ROADSIDE VIEW


SECTION G-G

SCALE 1 : 30


REVISION TABLE				FOR FRAME	DIMENSION TOLERANCES	ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0 G85704800+0-3T7.0K - ADDITIONAL OPTIONS LAYOUT	ACUMATICA PN:
REV.	DESCRIPTION	DATE	DONE BY	EXTERIOR	STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)	DRAWN BY: REVISION:
				INTERIOR	+ 1/16 " , 1.0 °			AKM
				STRUCTURAL	CRITICAL	+ 1/32 " , 0.5 °		DATE: 9/12/25
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4800\MARKETING\				WEIGHT:			FILE NAME: RM 7_0_G, MASTER, 4800	SCALE: 1:64
							ATC	PROPRIETARY AND CONFIDENTIAL: THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ATC TRAILERS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ATC TRAILERS IS PROHIBITED.
								SHEET 7 OF 10

REAR RAMP OPENING: ADDITIONAL 6" HEIGHT OPTION
7.5' INT = 90.00W x 90.00H


OVERALL HEIGHT
7.0'INT = 124.63"
7.5'INT = 130.63"




EXTERIOR FRONT VIEW




EXTERIOR ROADSIDE VIEW



EXTERIOR REAR VIEW
(PREMIUM RAMP PKG)




EXTERIOR CURBSIDE VIEW



SHOWN WITH ADDITIONAL D-RINGS AND FRONT ESCAPE DOOR

FOR FRAME		ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED		TITLE: RM7_0_G85704800+0-3T7.0K - ADDITIONAL OPTIONS LAYOUT		ACUMATICA PN:	
EXTERIOR		STANDARD		MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		DRAWN BY: REVISION:	
INTERIOR		+ 1/16 ", 1.0 °				AKM	
STRUCTURAL		CRITICAL				DATE:	
		+ 1/32 ", 0.5 °		WEIGHT:		9/12/25	
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4800\MARKETING\				FILE NAME: RM 7_0_G, MASTER, 4800		SCALE: 1:64	
						SHEET 9 OF 10	



ESCAPE DOOR DETAIL

FOR FRAME		ALL DIMENSIONS ARE NOMINAL UNLESS CRITICAL DIMENSIONS ARE SPECIFICALLY NOTED	TITLE: RM7_0_G85704800+0-3T7.0K - ADDITIONAL OPTIONS LAYOUT		ACUMATICA PN:	
EXTERIOR		STANDARD + 1/16 " , 1.0 °	MATERIAL: (THICKNESS - TYPE - ALLOY - SIZE)		DRAWN BY: AKM REVISION:	
INTERIOR						
STRUCTURAL		CRITICAL + 1/32 " , 0.5 °	WEIGHT:		DATE: 9/12/25	
DWG PATH: C:\Eng_Vault\Controlled Processes\ENGINEERING LIBRARY\RM 7_0_G, MASTER\RM 7_0_G, MASTER, 4800\MARKETING\			FILE NAME: RM 7_0_G, MASTER, 4800		SCALE: 1:64	
					SHEET 10 OF 10	