

SMART CONTRACT CODE REVIEW AND SECURITY ANALYSIS REPORT



Customer: Arata

Date: October 26th, 2021



This document may contain confidential information about IT systems and the intellectual property of the Customer as well as information about potential vulnerabilities and methods of their exploitation.

The report containing confidential information can be used internally by the Customer, or it can be disclosed publicly after all vulnerabilities are fixed — upon a decision of the Customer.

Document

Name	Smart Contract Code Review and Security Analysis Report for Arata.		
Approved by	Andrew Matiukhin CTO Hacken OU		
Туре	ERC20 token		
Platform	Binance / Solidity		
Methods	Architecture Review, Functional Testing, Computer-Aided Verification, Manual Review		
Deployed	https://bscscan.com/address/0xD07E591E10E41b6B08457C8aa0be6b793		
contract	69D60a6		
Technical	YES		
Documentation			
JS tests	NO		
Website	arata.io		
Timeline	21 OCTOBER 2021 - 26 OCTOBER 2021		
Changelog	26 OCTOBER 2021 - Initial Audit		






Table of contents

Introduction	4
Scope	4
Executive Summary	6
Severity Definitions	8
Audit overview	9
Conclusion	10
Disclaimers	11



Introduction

Hacken OÜ (Consultant) was contracted by Arata (Customer) to conduct a Smart Contract Code Review and Security Analysis. This report presents the findings of the security assessment of the Customer's smart contract and its code review conducted between October 21st, 2021 - October 26th, 2021.

Scope

The scope of the project is smart contracts in the blockchain: URL: https://bscscan.com/address/0xD07E591E10E41b6B08457C8aa0be6b79369D60a Technical Documentation: Yes, Arata Token Smart Contract.pdf (md5: 7e7b090b564e2f8f9ebfcc6d9a6d5c7f) JS tests: No Contracts: Arata.sol Context.sol ERC20.sol IERC20.sol IERC20Metadata.sol IUniswapV2Factory.sol IUniswapV2Pair.sol IUniswapV2Router01.sol Ownable.sol SafeMath.sol



We have scanned this smart contract for commonly known and more specific vulnerabilities. Here are some of the commonly known vulnerabilities that are considered:

Category	Check Item
Code review	Reentrancy
	Ownership Takeover
	 Timestamp Dependence
	 Gas Limit and Loops
	DoS with (Unexpected) Throw
	 DoS with Block Gas Limit
	 Transaction-Ordering Dependence
	Style guide violation
	Costly Loop
	ERC20 API violation
	 Unchecked external call
	Unchecked math
	Unsafe type inference
	 Implicit visibility level
	 Deployment Consistency
	 Repository Consistency
	 Data Consistency
Functional review	
Tunctional Teview	Business Logics Review
	Functionality Checks
	Access Control & Authorization
	Escrow manipulation
	 Token Supply manipulation
	Assets integrity
	 User Balances manipulation
	 Data Consistency manipulation
	Kill-Switch Mechanism
	Operation Trails & Event Generation



Executive Summary

According to the assessment, the Customer's smart contracts are well-secured.


Insecure	Poor secured	Secured	Well-secured
		You are her	e

Our team performed an analysis of code functionality, manual audit, and automated checks with Mythril and Slither. All issues found during automated analysis were manually reviewed, and important vulnerabilities are presented in the Audit overview section. All found issues can be found in the Audit overview section.

As a result of the audit, security engineers found 2 low severity issues.



Graph 1. The distribution of vulnerabilities after the audit.





Severity Definitions

Risk Level	Description		
Critical	Critical vulnerabilities are usually straightforward to exploit and can lead to assets loss or data manipulations.		
High	High-level vulnerabilities are difficult to exploit; however, they also have a significant impact on smart contract execution, e.g., public access to crucial functions		
Medium	Medium-level vulnerabilities are important to fix; however, they can't lead to assets loss or data manipulations.		
Low	Low-level vulnerabilities are mostly related to outdated, unused, etc. code snippets that can't have a significant impact on execution		



Audit overview

Critical

No critical issues were found.

High

No high severity issues were found.

■ ■ Medium

No medium severity issues were found.

Low

1. Using SafeMath in Solidity >= 0.8.0

Starting solidity version 0.8.0 arithmetic operations revert on underflow and overflow. There's no more need to assert the result of operations.

Contracts: Arata.sol

Recommendation: Please avoid using assert for arithmetic operations.

2. A public function that could be declared external.

public functions that are never called by the contract should be declared external to save gas.

Contracts: Arata.sol

Functions: EnableAllFees, SetSellTax, SetBuyTax, SetMiningAddress,

setAutomatedMarketMakerPair, BlackListAddress, IsBlackListed

Recommendation: Use the **external** attribute for functions never called from the contract.



Conclusion

Smart contracts within the scope were manually reviewed and analyzed with static analysis tools.

The audit report contains all found security vulnerabilities and other issues in the reviewed code.

As a result of the audit, security engineers found ${\bf 2}$ low severity issues.



Disclaimers

Hacken Disclaimer

The smart contracts given for audit have been analyzed in accordance with the best industry practices at the date of this report, in relation to cybersecurity vulnerabilities and issues in smart contract source code, the details of which are disclosed in this report (Source Code); the Source Code compilation, deployment, and functionality (performing the intended functions).

The audit makes no statements or warranties on the security of the code. It also cannot be considered as a sufficient assessment regarding the utility and safety of the code, bug-free status, or any other statements of the contract. While we have done our best in conducting the analysis and producing this report, it is important to note that you should not rely on this report only — we recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts.

Technical Disclaimer

Smart contracts are deployed and executed on a blockchain platform. The platform, its programming language, and other software related to the smart contract can have vulnerabilities that can lead to hacks. Thus, the audit can't guarantee the explicit security of the audited smart contracts.