# **IMMERSION CIRCULATOR SMARTVIDE 5**

Maximum capacity: 30 I / 8 gal.



- **HACCP-ready:** thanks to Bluetooth connectivity, it is possible to export or print cooking results at the end of each cycle.
- Your appliance, always updated: free firmware update, no matter where the appliance is.

## **OPTIONAL**

- ☐ Transport bag.
- Insulated tank. Lid for insulated tank.
- Floating balls.
- ☐ Janby Track (available through janby.kitchen).

# Accessories

- Needle probe for sous-vide cookers
- □ Probe foam seal
- ☐ Insulated tank for SmartVide immersion circulator
- Lid for SmartVide tanks
- ☐ Floating balls for SmartVide
- SmartVide transport bag
- ☐ Smooth bags for sous-vide cooking
- Tank dividers

# **SPECIFICATIONS**

#### **Temperature**

Display precision: 0.01°C Range: 5°C - 95°C

Permissible ambient temperature: 5°C - 40°C

#### Time

Resolution: 1'

Cycle duration: 1' - 99 h

#### **General features**

Maximum recipient capacity: 30 I

Total loading: 1600 W

Submergible part dimensions: 116 mm x 94 mm x 147 mm External dimensions (W x D x H): 116 mm x 128 mm x 330 mm

Net weight: 3.1 kg

### **Crated dimensions**

410 x 185 x 285 mm Gross weight: 5 kg

## Portable precision cooker with stirrer for up to 30 lt. / 8 gal. containers. Deisgned for chefs, developed with chefs.

Programmable: possibility of storing 20 cooking

Commercial high-precision sous-vide cooker. Reliable,

- √ The thick stainless steel, robust construction guarantees commercial performance. The front panel and the grip are made of fiberglass-reinforced polyamide.
- SmartVide guarantees cooking at a precisely controlled temperature while preserving the quality of the product, enhancing flavor and texture. Equipped with a highly precise temperature control system to obtain extremely consistent results.
- √ Allows cooking food in their own juice and using this juice immediately after cooking to enhance flavors.
- ✓ Marinates and macerates an ingredient in half the time.
- ✓ Infuses and flavors oil, fat or other products applying the controlled temperature technique.
- ✓ Increases profits due to lack of product shrink.

SALES DESCRIPTION

user-friendly, portable.

HACCP-ready.

Bluetooth connectivity.

Optional core probe.

Firmware update.

programs.

Interchangeable between °C and °F.

- Requires very little hands-on time, allowing the Chef to do other tasks while the product is being cooked. Just program temperature and time, SmartVide will do the rest. 4 buttons and a full-color TFT display that offers all the information at a glance makes operation a child's play.
- SmartVide5 is portable: thanks to their ergonomic handle, SmartVide5 can be taken from a container to another easily. Additionally, the optional bag allows easy transport - wherever the Chef goes.

## **AVAILABLE MODELS**

1180101 SmartVide 5 230/50-60/1 UK 1180100 SmartVide 5 230/50-60/1 1180103 SmartVide 5 120/60/1 1180104 SmartVide 5 208-240/50-60/1

\* Ask for special versions availability






# **IMMERSION CIRCULATOR SMARTVIDE 5**

Maximum capacity: 30 I / 8 gal.







Polígono Basarte, 1. 20720 Azkoitia, Spain phone +34 943 15 72 36 sales@sammic.com



Project	Date
Item	Qty

Approved