



Tank manufacturer



www.swimer.pl/en



Diesel & AdBlue® polyethylene tanks (2 in 1)

SWIMER TANK Duo
SWIMER mobi 5S Duo

15 YEARS
ON THE MARKET



SERIE SWIMER TANK Duo | FUDPS



Standard door color:



Ask about custom graphic personalization of your tank!

TRANSPORT

CAPACITY	9500 L ^{1) 2)}
Number of tanks on the trailer	4 pcs.

¹⁾ required semi-trailer without sideboards

²⁾ required "MEGA" type semi-trailer with a height of 3 m (with retractable roof, without sideboards)

TECHNICAL DATA

VERSION	CAPACITY	DIMENSIONS (L x W x H)	POWER SUPPLY	POWER	CATALOG NO.
Basic	9500L	3264 x 2550 x 2972 mm	230 V	990 W	SW-823421

WARRANTY

Tank leakproof: 10 years

Accessories: as indicated in the instruction manual

Two dispersing systems!

Refuel your fleet...

**fast,
conveniently,
safely!**





STANDARD VERSIONS / EQUIPMENT

SWIMER TANK Duo

BASIC EQUIPMENT

Diesel zone



inspection hatch



vent



2" inlet with vk50 connector



overfill prevention



LIPREMOS® SONIC PRO with leak detector



main switch



vane pump 230 V max 72 L/min



fuel filter 10 microns



digital flow meter



6 m distribution hose



automatic nozzle

AdBlue® zone



inspection hatch



vent



LIPREMOS® SONIC PRO (measuring the fluid level)



main switch



submersible pump 230 V max 35 L/min



mesh filter



digital flow meter



6 m distribution hose



automatic nozzle

OPTIONAL EQUIPMENT

Diesel zone



filling line



pump switching on/off handle



automatic reel wheel with reinforced hose



LED dispenser cabinet lightning

AdBlue® zone



2" inlet with TODD dry connector



filling line



filter for AdBlue® transparent



pump switching on/off handle



LIPREMOS® level measurement system



LIPREMOS® level measurement system with GPRS



automatic reel wheel



exhaust fan of the space between the tank's coats



service space heating - blowing



Ask our representative about the possibility of customizing additional equipment.

+48 56 681 47 60

export@swimer.pl

SWIMER TANK Duo is a double-walled, two-chamber, stationary tank with a total capacity of 9500 liters (7500 diesel + 2000 AdBlue®). It is a practical and universal tank.

It will be ideal for: truck and bus transport, agriculture, industry, municipal plants, uniformed services, garages, fleet bases, airports or in the construction industry.



SERIE SWIMER mobi 5S Duo

mobi **5S**
DUO



**TWO
DISPENSING
SYSTEMS**

TECHNICAL DATA

VERSION	CAPACITY	DIMENSIONS (L x W x H)	POWER SUPPLY	POWER	CATALOG NO.
Basic	450L	1200 x 800 x 820 mm	12 V	330 - 380 W	SW-8743011
Classic					SW-8743014

WARRANTY

Tank leakproof: 5 years
Accessories: as indicated in the
instruction manual

TRANSPORT

CAPACITY	450 L ¹⁾
Number of tanks per pallet	3 pcs.
Number of pallets on the trailer	33 pcs.

SWIMER mobi 5S Duo is a transportable version of a single-walled tank for diesel and AdBlue®. This is a very good solution for any customer who wants to have two types of liquid in one tank and at the same time its availability on hand, here and now. The tank has a total capacity of 450 liters (410 L diesel, 40 L AdBlue®).

¹⁾ semi-trailer with a height of 2.85 x length of 13.60 m

mobi 5S Duo
transportable,
compact,
convenient!





STANDARD VERSIONS / EQUIPMENT

SWIMER mobi 5S Duo

BASIC



lockable access lid



inlet with vent



clock gauge



suction hose with non-return valve (diesel)



fuel filter mesh (diesel)



diesel pump PIUSI 12V 50 L/min



AdBlue® pump with pump power cable 2 m



two distribution hoses 2x4 m



two automatic nozzles

CLASSIC



lockable access lid



inlet with vent



clock gauge



suction hose with non-return valve (diesel)



fuel filter mesh (diesel)



diesel pump PIUSI 12V 50 L/min



AdBlue® pump with pump power cable 2 m



two distribution hoses 2x4 m



two automatic nozzles



digital flow meter FMT (diesel)

SWIMER mobi 5S Duo transportable tanks are adapted for transport by forklift.

VERSION COMPARISON

EQUIPMENT	Lockable access lid with actuator pneumatic	Vent	Clock gauge	Suction hose with non-return valve	Fuel filter mesh (diesel)	Pump power cable 2 m ¹⁾	Diesel pump max 50 L/min	AdBlue® pump	Pump on / off switch	Dispensing hose (2 x 4 m)	Automatic nozzle (2 pcs.)	Digital flow meter (diesel)
Basic	•	•	•	•	•	•	•	•	•	•	•	
Classic	•	•	•	•	•	•	•	•	•	•	•	•



¹⁾ terminated with crocodile clips for quick battery connection



SWIMER ŁUKASZ OTREMBA
ul. Płaska 64, 87-100 Toruń, POLAND

export@swimer.pl
+48 56 681 47 60

