



BONCAN Cannulated Screw System

Bonetech Medisys
implanting precision




Cannulated Screw System



Low profile of the screw head,
reduce soft tissue irritation



Self-drilling, Self tapping
Flutes easy to operate



Reverse cutting flutes
Easy for the pull out



4.0 mm/6.5 mm Two different
diameters, and different screw
length for different choice.

SIZES

4.0 mm Cannulated Cancellous Screws, Partially Threaded

Code	Code	Length
BT114.T12	BT114.S12	12
BT114.T14	BT114.S14	14
BT114.T16	BT114.S16	16
BT114.T18	BT114.S18	18
BT114.T20	BT114.S20	20
BT114.T22	BT114.S22	22
BT114.T24	BT114.S24	24
BT114.T26	BT114.S26	26
BT114.T28	BT114.S28	28
BT114.T30	BT114.S30	30
BT114.T35	BT114.S35	35
BT114.T40	BT114.S40	40
BT114.T45	BT114.S45	45
BT114.T50	BT114.S50	50
BT114.T55	BT114.S55	55
BT114.T60	BT114.S60	60
BT114.T65	BT114.S65	65
BT114.T70	BT114.S70	70



4.0 mm Cannulated Cancellous Screws, Fully Threaded

Code	Code	Length
BT115.T30	BT115.S30	30
BT115.T35	BT115.S35	35
BT115.T40	BT115.S40	40
BT115.T45	BT115.S45	45
BT115.T50	BT115.S50	50
BT115.T55	BT115.S55	55
BT115.T60	BT115.S60	60
BT115.T65	BT115.S65	65
BT115.T70	BT115.S70	70
BT115.T75	BT115.S75	75
BT115.T80	BT115.S80	80



6.5 mm Cannulated Cancellous Screws, 16 mm Threaded

Code	Code	Length
BT116.T30	BT116.S30	30
BT116.T35	BT116.S35	35
BT116.T40	BT116.S40	40
BT116.T45	BT116.S45	45
BT116.T50	BT116.S50	50
BT116.T55	BT116.S55	55
BT116.T60	BT116.S60	60
BT116.T65	BT116.S65	65
BT116.T70	BT116.S70	70
BT116.T75	BT116.S75	75
BT116.T80	BT116.S80	80
BT116.T85	BT116.S85	85
BT116.T90	BT116.S90	90
BT116.T95	BT116.S95	95
BT116.T100	BT116.S100	100
BT116.T105	BT116.S105	105
BT116.T115	BT116.S115	115



6.5 mm Cannulated Cancellous Screws, 32 mm Threaded

Code	Code	Length
BT117.T40	BT117.S40	40
BT117.T45	BT117.S45	45
BT117.T50	BT117.S50	50
BT117.T55	BT117.S55	55
BT117.T60	BT117.S60	60
BT117.T65	BT117.S65	65
BT117.T70	BT117.S70	70
BT117.T75	BT117.S75	75
BT117.T80	BT117.S80	80
BT117.T85	BT117.S85	85
BT117.T90	BT117.S90	90
BT117.T95	BT117.S95	95
BT117.T100	BT117.S100	100
BT117.T105	BT117.S105	105
BT117.T115	BT117.S115	115




6.5 mm Cannulated Cancellous Screws, Fully Threaded

Code	Code	Length
BT118.T30	BT118.T30	30
BT118.T35	BT118.T35	35
BT118.T40	BT118.T40	40
BT118.T45	BT118.T45	45
BT118.T50	BT118.T50	50
BT118.T55	BT118.T55	55
BT118.T60	BT118.T60	60
BT118.T65	BT118.T65	65
BT118.T70	BT118.T70	70
BT118.T75	BT118.T75	75
BT118.T80	BT118.T80	80
BT118.T85	BT118.T85	85
BT118.T90	BT118.T90	90
BT118.T95	BT118.T95	95
BT118.T100	BT118.T100	100
BT118.T105	BT118.T105	105
BT118.T115	BT118.T115	115




Instruments

4.0mm Cannulated Screw Instrument Set



1	Depth Gauge (0-80mm)
2	Cleaning Stylet 1.2mm
3	Threaded Guider Wire 1.2mm
4	Cannulated Drill Bit with Limited Block 2.7mm
5	Screwdriver Hexagonal 2.5mm
6	Cannulated Tap Cannulated Screw 4.0mm
7	Cannulated Screwdriver Hexagonal 2.5mm
8	Cannulated Countersink Ø6.5
9	Hex Key
10	Drill Sleeve 1.2mm
11	Protection Sleeve
12	Aluminium Box

6.5mm Cannulated Screw Instrument Set



1	Depth Gauge(0-120mm)
2	Threaded Guider Wire 2.5
3	mmThreaded Guider Wire 2.5mm
4	Cannulated Drill Bit with Limited Block 4.5mm
5	Cannulated Countersink Ø9
6	Hex Key
7	Wrench for Adjustable Parallel Wire Guider
8	Multiple Wire Guider
9	Tap Cannulated Screw 6.5mm
10	Screwdriver Hexagonal 3.5mm
11	Cleaning Stylet 2.5mm
12	Drill Sleeve
13	Adjustable Parallel Wire Guider
14	Cannulated Screwdriver Hexagonal 3.5mm
15	Aluminium Box

BONETECH MEDISYS PVT. LTD.

TRAUMA | SPINE | PROSTHESIS | ARTHROSCOPY

✉ info@bonetechmedisys.com 🌐 www.bonetechmedisys.com

FDX • CE • ISO 13485:2016 • GMP • FSC

WE ALSO HAVE ASSOCIATES IN USA, CANADA, DUBAI & LATIN AMERICA



📍 50-53 Sarovar Industrial Park,
S.P. Ring Road, Vatva-Hathijan,
A'bad - 382445, Gujarat, India.