


NTX OFFSHORE EQUIPMENT SUBSEA LIFT A-FRAMES





OFFSHORE A-FRAME 15T SWL SUBSEA LIFT

Our subsea lift A-Frames are a complete handling solution enabling the fast, safe and repeatable launch and recovery subsea equipment.


- ✓ SWL acroding DNV-RP-N201 Lifting appliances used in subsea operations.
- ✓ Stainless steel, chrome plated cylinder rods.
- ✓ Access ladders and platforms.
- ✓ IP65 Hydraulic and Electrical System.
- ✓ Remote control.
- ✓ Preservation: 250microns offshore coating.







OFFSHORE A-FRAME 15T SWL SUBSEA LIFT









60KW HYDRAULIC POWER PACK OFFSHORE SERVICE MODULE

IP65 Offshore Hydraulic Power Pack suitable for open deck installation in and harsh environment

- NO SPECIAL MSB CONNECTION REQUIRED. Powered by 2 x 30kw independent power supplies allowing connection to existing 63A deck sockets.
- > 1 main and 2 x additional outputs for auxiliary deck equipment. Operated by one remote control



- ✓ Design according DNVGL-ST-E272 Offshore service modules
- ✓ Biodegradable oil
- ✓ Power 2x30kw, 400V to 650V, 50/60HZ
- ✓ Design Pressure: 210 Bar
- √ Flow Rate: 120 l/min
- ✓ Air cooling of the hydraulic oil
- ✓ One main output 120l/min + 2 x aux. outputs











WWW.NAVALTEX.COM

Navaltex Technology Group

Rotterdam Area,

The Netherlands

phone: +31 617 844 244

email: office@navaltex.com