


OUR RANGE OF CHAINS AND FITTINGS:


1) OIL AND GAS INDUSTRY:

→ OFFSHORE MOORING CHAINS (STUD LINK AND STUDLESS):

The up to 105 mm in grade NVR3, NVR4, as per IACS W22 with ABS, LR, BV & RINA Certification (made in our Factory in France)



→ ASSOCIATED FITTINGS MOUNTED ON OFFSHORE MOORING CHAINS: LTM SHACKLES, H SHACKLES, SLIM KENTER SHACKLES, LLC LINKS ...





- → CHAFE CHAINS ASSEMBLIES, FOR SPM MOORING HAWSERS, AS PER 1993 & 2007 OCIMF GUIDELINES (TYPE A,B,C...) OR CONFIGURED TO INDIVIDUAL OPERATOR SPECIFICATIONS
 - IN GRADE 3 AS PER IACS W18 RULES
 - IN GRADE R3 & R4 AS PER IACS W22 RULES















→ ASSOCIATED FITTINGS IN FORGED OR CAST STEEL SUCH AS: TRIANGULAR PLATES, OBLONG PLATES, HEAVY DUTY SHACKLES, KENTER SHACKLES, WEAK LINKS, C-LINKS ...



→ CALM BUOY SIDE MOORING BRIDLE ASSEMBLIES ON SINGLE POINT MOORINGS





→ BUOYANCY PRODUCTS: ANCHOR PENDANT BUOYS, SUPPORT BUOYS, PICK UP BUOYS...












→ CHAINS FOR INSTALLATION/ HANDLING OF FLOATING & SUBMARINE HOSES:

SNUBBING CHAINS, PICK UP CHAINS, HANG-OFF CHAINS, IN GRADE 3, GRADE 80 WITH SHACKLES, RINGS, MASTER LINKS, BLAKE STOPPERS, PELICAN HOOKS ...














→ CHAINS FOR MID WATER ARCHES CONNECTED BETWEEN BUOYANCY TANK AND GRAVITY BASE ON FPSO SUBSEA UMBILICALS AND RISERS (SURF)
















2) MARINE RENEWABLE ENERGY:


FOR FLOATING TIDAL ENERGY TURBINES/GENERATORS OR PLATFORMS:








FOR WAVE ENERGY GENERATORS/CONVERTERS (WEC):








FOR FLOATING SOLAR PLATFORMS/FARMS









FOR FLOATING WIND ENERGY TESTING BUOYS/FLOATERS (WIND LIDAR BUOYS)













3) OTHER FIELDS OF ACTIVITIES:

→ <u>STUD LINK</u> ANCHOR CHAINS IN GRADE 2 AND 3, WITH CORRESPONDING ANCHORS AND FITTINGS



For:

- → SHIPBUILDING AND SHIP REPAIRING YARDS /SHIPOWNERS
- → MINISTRIES OF DEFENCE IN FRANCE AND ABROAD
- → MILITARY SHIPBUILDING YARDS AND NAVIES
- → <u>OPEN LINK</u> CHAINS FOR ANCHORING AND MOORING MADE OF SHORT LINKS OR LONG LINKS WITH CORRESPONDING ANCHORS & FITTINGS.





For:

- **→** MARITIME SAFETY AUTHORITIES
- → NAVIGATION AIDS SERVICES ADMINISTRATIONS (AtoN)
- **→** WATERWAYS AUTHORITIES
- → FENDER CHAINS FROM 18 MM TO 50 MM MADE WITH SHORT OR LONG LINKS WITH ASSOCIATED FITTINGS LIKE DEE/BOW TYPE SHACKLES, SHOCK ABSORBERS, U ANCHOR BOLTS, WITH EITHER HOT DIP GALVANISED/ZINCKED FINISH OR MADE FROM STAINLESS STEEL.









For:

- **⇒ PORTS AUTHORITIES**
- **⇒ FABRICATORS/ SUPPLIERS OF RUBBER FENDERS**
- **→** OUR APPROVALS:



- APPROVED BY BV, LR, ABS AND RINA FOR CHAINS IN GRADE 2, 3, R3 & R4











→ OUR OFFICES AND PRODUCTION SITE:

230 AVENUE DESANDROUIN 59300 VALENCIENNES – FRANCE

TEL: 00 33 3 27 19 32 70 WEBSITE: WWW.MARIT.FR E-MAIL: CONTACT@MARIT.FR

ESTABLISHED IN 1904

TESTING BENCH CAPACITY: 850 TONS - APPROVED BY BV, LR, ABS, RINA

WORKS AREA: 20,000 sqm



Since 1904, Our Flexibility has always been our Strength!