

OUR COMPANY



CACOLAC: The origin of our expertise over 70 years" Family-owned and independent business



A production site in Léognan - France (33)



€25 million turnover
60 million bottles/year
9 million wines and BABV in cans









OUR EXPERTISE

Reception of wines pre-filtered by tangential filtration 24 hours before filling

Free SO2 < 20 ppm or according to the recommendations described below (no addition or adjustment by us)

NexGen coated wine- can (BPANI)	
pH <u>≥</u> 3.2	
Free SO2 ≤ 20ppm or see table below	
No heat treatment	
Chlorides max. 50ppm	
Cu max 0.3ppm	

рН	Free SO2 (mg/l) suitable for BPANI wine	
3	-	
3,1	-	
3,2	≤ 20	
3,3	≤ 25	
3,4	≤35	
3,5	≤ 40	

Filtration during filling 3 stages of 1.2, 0.65, and if necessary, 0.40 microns to ensure long-term

stability

Gaseous purging before can sealing

Possibility of adding CO2 and pasteurization



OUR CANS









HAUTEUR : DIAMÈTRE : POIDS VIDE :

POIDS PLEIN:

10.1 cm 5.3 cm 8 g

0.195 kg

5.3 cm 8 g 5.3 cm 8 g

5.8 cm

0.340 kg

10 g

24 x 25cl:

L x 1: 32,8 x 21,8 cm

H: 14 cm

Poids vide: 141 g Poids plein: 6.621 kg



12 x 25cl:

L x l: 22 x 16,5cm Hauteur: 13.9 cm Poids vide: 92 g Poids plein: 3.272 kg 4 x 25 cl

0.208 kg 0.258 kg

L x 1: 10,5 x 9,4 cm

H: 13.5 cm

Poids vide: 20g

Poids plein: 1.080 kg



6 x 25cl

L x I : 16 x 11 cm Hauteur : 13.5 cm Poids vide : 32 g

Poids plein: 1,622 kg

TRANSPORT

Palette Europe : 80cm x 120cm = 2880 x 25cl / 3456 x 20cl Palette UK + USA : 110cm x 120cm = 3480 x 25cl / 4176 x 20cl

Optimisation container: 114cm x 99cm

