



Midodine Scrub



POVIDONE IODINE 7.5% (0.75% AVAILABLE IODINE)

Preoperative handwashing
to reduce bacteria
on the skin that potentially
can cause skin infection

Ready to use
Acts rapidly
Non-staining
Lower irritant effect
Wide application
Healing of wounds



500 ml

1000 ml

5000 ml

MIDO PHARM®

www.midopharm.com

Midodine Scrub

Povidone Iodine 7.5%



Premium anti-microbial hygienic and surgical hand and skin disinfectant with added emollients significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care

Solutions of iodinated povidone gradually release iodine to kill or stop the growth of bacteria, fungi, viruses, protozoa, cysts and spores. Povidone iodine provides the additional benefit of visible delineation on the skin.

The development of antibacterial resistance to iodinated povidone has not been observed during more than 60 years of intensive use in hospitals, dentistry and doctors' practices. Furthermore, antibiotic resistance does not affect sensitivity to povidone-iodine.

In the povidone complex, iodine has a significantly lower irritating effect compared to alcohol solutions of iodine.

APPLICATION:

As a antiseptic scrub for pre- and post-operative skin washing, wound cleansing and shampooing of skin irritations. Washing whenever a germicidal soap is required. Maximum degerming of the hands. Used routinely, it may help discourage reoccurring skin irritations. Non-staining to skin, hair and natural fabrics. Midodine Povidone Iodine 7.5% Scrub is equivalent to 0.75% titratable iodine. For external use only. Do not use if allergic to iodine. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

For use in hospitals, polyclinics, health centers, nursing homes, social centers and other health care institutions.

Clinically tested. Microbiologically tested. For non-professional and professional use. Keep out of the sight and reach of children!

USE OF UNDILUTED SOLUTION

Surgical hand scrub: Clean under nails with a nail pick. Nails should be maintained with a 1 millimeter free edge. Wet hands and forearms. Apply 5 milliliters (teaspoonful) or palmful to hands and forearms. Scrub thoroughly for five minutes paying particular attention to the nails, cuticles, and interdigital spaces. Rinse and repeat scrub.

Antiseptic hand wash: Wet hands with water and pour approximately 5 mL (1 teaspoonful) of scrub on hands. Rub hands vigorously together for at least 15 seconds, covering all surfaces. Rinse and dry with a disposable towel.

Preoperative skin preparation: After the surgical area is clipped, wet with water. Apply scrub (1 mL is sufficient to cover an area of 20 to 30 square inches), develop lather, and scrub thoroughly for approximately 5 minutes. Rinse using sterile gauze saturated with water. The area may then be painted with Midodine Solution and allowed to dry.

Prolonged exposure to wet solution may cause irritation or, rarely, severe skin reactions. If it occurs, rinse thoroughly under running water and use hand care cream.



MIDO PHARM®

MANUFACTURER:

SPODRA SIA
VAT: LV40003941352
Lubanas street 17-1,
Riga, Latvija, LV-1019,
Tel.: +371 29624524
E-mail: rikra@sveiks.lv
www.spodra.com



www.midopharm.com

Midodine Scrub

Povidone Iodine 7.5%



CONTRAINDICATIONS

Do not use to disinfect open wounds with a large area. May cause skin irritation or allergic skin reactions if there is an allergy to povidone-iodine, iodine or if there are thyroid diseases. If irritation or allergic reaction is felt, use should be stopped.

Special care is required for pregnant women and patients who are breastfeeding. In such cases, the benefit/risk ratio should be evaluated and povidone iodine should be used only in case of absolute indications.

ATTENTION! It is not recommended for use in children under 2 years of age and is contraindicated in newborns and children under 1 year of age. For newborns or infants up to 6 months of age, use only in case of absolute indications.

BENEFITS OF USING

- Fast effect
- Long lasting action
- Broad-spectrum antiseptic effect
- Excellent skin compatibility, pH level similar to physiological

ACTIVE INGREDIENT


Polyvinylpyrrolidone iodine - 7.5 g / 100 g which corresponds to 7.5 mg of active iodine

INACTIVE INGREDIENTS

Purified Water, Sodium Lauryl Ether Sulfate, Disodium Phosphate, Glycerin, Monoethanolamine, Sodium hydroxide, Sodium benzoate

AVAILABLE PACKAGING TYPES

UNITS	PACKAGING	ARTICLE
500 ml bottle with cap	12 pcs	008844
1000 ml bottle with cap	12 pcs	008851
5000 ml can	1 pcs	008868



MANUFACTURER:

SPODRA SIA
VAT: LV40003941352
Lubanas street 17-1,
Riga, Latvija, LV-1019,
Tel.: +371 29624524
E-mail: rikra@sveiks.lv
www.spodra.com

