

CABLE COMPARISON

DATABUS CABLES

DATABUS CABLE COMPARISON - GIGAFLIGHT, PIC, & AMPHENOL/CARLISLE/ECS			
GIGAFLIGHT	PIC	AMPHENOL/CARLISLE/ECS	DESCRIPTION
GF100-24CAT6A	E6A6824**, E6A0824**, E6A3824**	MX10G-24**	CAT6A 10Gb Ethernet, 24 AWG
GF828C-6A	Gore P/N: RCN9037-28**		CAT6A 10Gb Ethernet, 28 AWG
GF826B-6A	E6A6826**	MX10G-26**	CAT6A 10Gb Ethernet, 26 AWG
GF826A-H6A	Axon P/N: P542810		CAT6A 10Gb Ethernet, 26 AWG
GF824A-6A	E6A6824**, E6A0824**, E6A3824**	MX10G-24**	CAT6A 10Gb Ethernet, 24 AWG
GF824B-6A	E6A6824**, E6A0824**, E6A3824**	–	CAT6A 10Gb Ethernet, 24 AWG
GF824E-6A	E6A6824**, E6A0824**, E6A3824**	MX10G-24**	CAT6A 10Gb Ethernet, 24 AWG
GF824A-5E	E50824*	–	CAT5E Ethernet, 4 pairs stranded, 24 AWG
GF824C-7	E74824*	–	CAT7 Ethernet, 4 pairs stranded, 24 AWG
GF424A-5E	E10424*	–	CAT5E Ethernet, 2 pairs stranded, 24 AWG
GF424A-CAT5E	E20424*	922404**	CAT5E Ethernet, 2 pairs stranded, 24 AWG
GF422A-5E	E10422*	–	CAT5E Ethernet, 2 pairs stranded, 22 AWG
GF224A-5E	E10224*	–	CAT5E Ethernet, 1 pair stranded, 24 AWG
GF226C-5E	E13226**	–	CAT5E Ethernet, 1 pair stranded, 26 AWG
GF100T-24CAT5	E10424**	392404*	CAT5 Ethernet, 2 pairs stranded, 24 AWG
GF62422D-POE	E5E1724*	–	CAT5E PoE, 2 power conductors, 22/24 AWG
GF428E-QUAD	E51428**	–	Quadrx Ethernet, 28 AWG
GF426B-QUAD	E51426*	NF26Q100-01** MX100Q-26**	Quadrx Ethernet, 26 AWG
GF100-24QUAD	E51424*	NF24Q100-01**, 422404**	Quadrx Ethernet, 24 AWG
GF424E-QUAD	E51424**	NF24Q100-01**	Quadrx Ethernet, 24 AWG
GF100-22QUAD	–	NF22Q100-01**	Quadrx Ethernet, 22 AWG
GF222A-TX78	D5102QX**	–	78Ω Quadrxial Ethernet, 22 AWG
GF90-24USB2	USB2422*	–	USB 2.0, 24 AWG Data Pair 22 AWG PW
GF422E-USB2-5	EMTEQ P/N: U090- 0422-100*		USB 2.0, 22 AWG Data Pair 22 AWG PW
GF82624C-USB31	USB3-2624*	–	USB 3.1, 26 AWG Data Pair 26 AWG PW
GF224B-ASCB-D	T12243*	322402**, 522402**	125 Ω ASCB-D Data Bus, 24 AWG
GF120S-26CANB	D10226-0**	–	120 Ω CAN Bus, 26 AWG
GF120T-24CANB	–	CAN24TST120 (CIT)**	120 Ω CAN Bus, 24 AWG

*Identical alternative: GIGAFLIGHT's product is identical to another as far as materials, physical, and electrical characteristics.

CONTINUED ON BACK

**Suitable alternative: GIGAFLIGHT's product is comparable with slight variances. Please contact us to discuss your application.



DATABUS CABLE COMPARISON - GIGAFLIGHT, PIC, & AMPHENOL/CARLISLE/ECS			
GIGAFLIGHT	PIC	AMPHENOL/CARLISLE/ECS	DESCRIPTION
GF222E-CANB	–	MX120-22-020**	120 Ω CAN Bus, 22 AWG
GF100-24TWIN-1	E10224**	NF24T100**	100 Ω Shielded Twisted Pair, 24 AWG
GF100-22TWIN	E10222*	–	100 Ω Shielded Twisted Pair, 22 AWG
GF100-24TPNS	E60224*	–	100 Ω Unshielded Twisted Pair, 24 AWG
GF77-241553	G771553**	–	77 Ω 1553 DataBus LM Jacket, 24 AWG
GF70-24A429	D620224*	422402*	70 Ω ARINC 429, 24 AWG
GF70-22A429	D620222*	–	70 Ω ARINC 429, 22 AWG

**Identical alternative: GIGAFLIGHT's product is identical to another as far as materials, physical, and electrical characteristics.*

***Suitable alternative: GIGAFLIGHT's product is comparable with slight variances. Please contact us to discuss your application.*



CABLE COMPARISON

50Ω COAX CABLES & CONNECTORS

50 OHM CABLE COMPARISON - GIGAFLIGHT, CARLISLE & PIC			
CABLE GROUPING	GIGAFLIGHT	CARLISLE	PIC
Cable Group A	GF5-71T (GF5-89D)	311501 (421601)	S67163 (--)
Cable Group B	GF5-56T	311201	S55122
Cable Group C	GF5-124T	311901	S44193
		3C142B	S44191
Cable Group D	GF5-67T	--	S33141
Cable Group E	GF5-36T	310801	S22089
Cable Group F	GF5-263D	--	S31601
Cable Group G	GF5-35D	--	UH22089
Cable Group H	GF5-141D	--	S86208
Adapter	GF5-TBHA	BTF101	190005

50 OHM COAXIAL CONNECTOR & CABLE PARING				
CABLE GROUP	GIGAFLIGHT'S P/N*	CARLISLE'S P/N*	PIC'S P/N**	TYPE OF CONNECTOR
Group A	GF5-TS71T	CTS922	190508	TNC Straight Plug
	GF5-TA71T	CTR922	190509	TNC 90° Plug
	GF5-TB71T	BTS922	190521	TNC Bulkhead Jack
	GF5-BS71T	CBS922	190512	BNC Straight Plug
	GF5-BA71T	CBR922	190513	BNC 90° Plug
	GF5-NS71T	CNS922	190510	N Straight Plug
	GF5-NA71T	CNR922	190511	N 90° Plug
	GF5-NB71T	BNS922	190522	N Bulkhead Jack
	GF5-SS71T	CSS922	190514	SMA Straight Plug
	GF5-SA71T	CSR922	190515	SMA 90° Plug
	GF5-SB71T		111082	SMA Bulkhead Jack
	GF5-CA71T	CCR922	190507	C 90° Plug
	GF5-A5S71T	P922	190503	ARINC 600 Size 5 Socket
Group B	GF5-AM1S71T	M9122	190502	ARINC 600 Size 1 Socket (Modified)
	GF5-TS56T	CTS122	190608	TNC Straight Plug
	GF5-TA56T	CTR122	190609	TNC 90° Plug
	GF5-TB56T	BTS122	190621	TNC Bulkhead Jack
	GF5-BS56T	CBS122	190612	BNC Straight Plug
	GF5-BA56T	CBR122	190613	BNC 90° Plug
	GF5-NS56T	CNS122	190610	N Straight Plug
	GF5-NA56T	CNR122	190611	N 90° Plug
	GF5-NB56T	BN3122	190622	N Bulkhead Jack
	GF5-SS56T	CSS122	190614	SMA Straight Plug
	GF5-SA56T	CSR122	190615	SMA 90° Plug
	GF5-SB56T			SMA Bulkhead Jack
	GF5-CS56T	CCS122	190606	C Straight Plug
	GF5-AM1S56T	M1122	190602	ARINC 600 Size 1 Socket (Modified)

*Same tooling and strip lengths. **Different tooling and strip lengths.

CONTINUED ON BACK



50 OHM COAXIAL CONNECTOR & CABLE PARING				
CABLE GROUP	GIGAFLIGHT'S P/N*	CARLISLE'S P/N*	PIC'S P/N**	TYPE OF CONNECTOR
Group C	GF5-TS124T	CTS722	190108	TNC Straight Plug
	GF5-TA124T	CTR722	190109	TNC 90° Plug
	GF5-TB124T	BTS722	190121	TNC Bulkhead Jack
	GF5-BS124T	CBS722	190112	BNC Straight Plug
	GF5-BA124T	CBR722	190113	BNC 90° Plug
	GF5-CA124T	CCR722	190107	C 90° Plug
	GF5-NS124T	CNS722	190110	N Straight Plug
	GF5-NA124T	CNR722	190111	N 90° Plug
	GF5-NB124T	BN3722	190122	N Bulkhead Jack
	GF5-SS124T	CSS722	190114	SMA Straight Plug
	GF5-SA124T	CSR722	190115	SMA 90° Plug
	GF5-SB124T			SMA Bulkhead Jack
	GF5-AM1S124T	M7122	190102	ARINC 600 Size 1 Socket (Modified)
Group D	GF5-TS67T		190308	TNC Straight Plug
	GF5-TA67T		190309	TNC 90° Plug
	GF5-TB67T		190321	TNC Bulkhead Jack
	GF5-BS67T		190312	BNC Straight Plug
	GF5-BA67T		190313	BNC 90° Plug
	GF5-NS67T		190310	N Straight Plug
	GF5-NA67T		190311	N 90° Plug
	GF5-NB67T		190322	N Bulkhead Jack
	GF5-SS67T		190314	SMA Straight Plug
	GF5-SA67T		190315	SMA 90° Plug
Group E	GF5-TS36T	CTS022	190408	TNC Straight Plug
	GF5-TA36T	CTR022	190409	TNC 90° Plug
	GF5-NS36T	CNS022	190410	N Straight Plug
	GF5-NA36T	CNR022	190411	N 90° Plug
Group F	Standard RG316 Connectors			Connectors for GF5-263D
Group G	GF5-TS35D		150408	TNC Straight Plug
	GF5-TA35D		150409	TNC 90° Plug
	GF5-SS35D		150414	SMA Straight Plug
	GF5-NS35D		190510	N Straight Plug
	GF5-NA35D		190511	N 90° Plug
	GF5-BS35D		150412	BNC Straight Plug
	GF5-BA35D		150413	BNC 90° Plug
Group H	GF5-TS141D		190808	TNC Straight Plug
	GF5-TA141D		190809	TNC 90° Plug
	GF5-BS141D		190812	BNC Straight Plug
	GF5-BA141D		190813	BNC 90° Plug

*Same tooling and strip lengths. **Different tooling and strip lengths.



CONNECTOR TOOLING

50 Ω COAX CONNECTOR & CABLE PAIRING CROSS REFERENCE

CABLE GROUPING	GIGAFLIGHT	CARLISLE	CABLE GROUPING	GIGAFLIGHT	CARLISLE
Cable Group A	GF5-71T (GF5-89D)	311501 (421601)	Cable Group D	GF5-67T	
Cable Group B	GF5-56T	311201	Cable Group E	GF5-36T	310801
Cable Group C	GF5-124T	311901 / 3C142B	Cable Group G	GF5-35D	311901 / 3C142B

50 Ω COAXIAL CONNECTOR & CABLE PAIRING

		GIGAFLIGHT'S TOOLING					CARLISLE'S TOOLING				
Connector Type	Cable Group	GF P/N	Military P/N	DMC P/N	A Hex/Length	B Hex/Length	Carlisle's P/N	Military P/N	DMC P/N	A Hex/Length	B Hex/Length
TNC Straight Plug	Group A	GF5-TS71T	M22520/5-59	Y208P	.255/.400	.100/.120	CTS922	M22520/5-59	Y208P	.255/.400	.100/.120
TNC 90° Plug		GF5-TA71T	M22520/5-59	Y208P	.255/.400	.100/.120	CTR922	M22520/5-13	Y206P	.255/.400	.068/.093
TNC Bulkhead Jack		GF5-TB71T	M22520/5-59	Y208P	.255/.400	.100/.120	BT5922	M22520/5-59	Y208P	.255/.400	.100/.120
BNC Straight Plug		GF5-BS71T	M22520/5-59	Y208P	.255/.400	.100/.120	CB5922	M22520/5-59	Y208P	.255/.400	.100/.120
BNC 90° Plug		GF5-BA71T	M22520/5-59	Y208P	.255/.400	.100/.120	CBR922	M22520/5-13	Y206P	.255/.400	.068/.093
N Straight Plug		GF5-NS71T	M22520/5-59	Y208P	.255/.400	.100/.120	CNS922	M22520/5-59	Y208P	.255/.400	.100/.120
N 90° Plug		GF5-NA71T	M22520/5-59	Y208P	.255/.400	.100/.120	CNR922	M22520/5-59	Y208P	.255/.400	.100/.120
N Bulkhead Jack		GF5-NB71T	M22520/5-59	Y208P	.255/.400	.100/.120	BNS922	M22520/5-59	Y208P	.255/.400	.100/.120
SMA Straight Plug		GF5-SS71T	M22520/5-13	Y206P	.255/.400	.068/.093	CS5922	M22520/5-13	Y206P	.255/.400	.068/.093
SMA 90° Plug		GF5-SA71T	M22520/5-59	Y208P	.255/.400	.100/.120	CSR922	M22520/5-13	Y206P	.255/.400	.068/.093
SMA Bulkhead Jack	GF5-SB71T	M22520/5-13		Y206P	.255/.400	.068/.093	-	-	-	-	-
ARINC 600 Size 1 (Mod)		GF5-AM1S71T	M22520/5-59	Y208P	.255/.400	.100/.120	M9122	M22520/5-59	Y208P	.255/.400	.100/.120
ARINC 600 Size 5 (Mod)		GF5-A5S71T	M22520/5-59	Y208P	.255/.400	Solder	P922	M22520/5-59	Y208P	.255/.400	Solder
TNC Straight Plug		GF5-TS56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	CTS122	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)
TNC 90° Plug		GF5-TA56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	CTR122	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)
TNC Bulkhead Jack		GF5-TB56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	BTS122	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)
BNC Straight Plug	Group B	GF5-BS56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	CBS122	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)
BNC 90° Plug		GF5-BA56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	CBR122	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)
N Straight Plug		GF5-NS56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	CNS122	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)
N 90° Plug		GF5-NA56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	CNR122	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)
N Bulkhead Jack		GF5-NB56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	BN3122	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)

*Special tooling required to use weatherproof seals and ferrules on PIC connectors.



50 Ω COAXIAL CONNECTOR & CABLE PAIRING											
GIGAFLIGHT'S TOOLING				CARLISLE'S TOOLING							
Connector Type	Cable Group	GF P/N	Military P/N	DMC P/N	A Hex/Length	B Hex/Length	Carlisle's P/N	Military P/N	DMC P/N	A Hex/Length	B Hex/Length
SMA Straight Plug	Group B	GF5-SS56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	CS5122	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)
SMA 90° Plug		GF5-SA56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	CSR122	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)
SMA Bulkhead Jack		GF5-SB56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y209P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	-	-	-	-	-
C Straight Plug		GF5-CS56T	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y208P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	CCS122	M22520/5-57 (Contact) M22520/5-47 (Ferrule)	Y208P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)
ARINC 600 Size 1 (Mod)	Group C	GF5-AM1S56T	M22520/5-59 (Contact) M22520/5-47 (Ferrule)	Y208P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)	M7122	M22520/5-59 (Contact) M22520/5-47 (Ferrule)	Y208P Y144	.359/.400 (Ferrule)	.100/.120 (Contact)
TNC Straight Plug		GF5-TS124T	M22520/5-57	Y209P	.213/.400	.100/.120	CTS722	M22520/5-57	Y209P	.213/.400	.100/.120
TNC 90° Plug		GF5-TA124T	M22520/5-57	Y209P	.213/.400	.100/.120	CTR722	M22520/5-11	Y205P	.213/.400	.068/.093
TNC Bulkhead Jack		GF5-TB124T	M22520/5-57	Y209P	.213/.400	.100/.120	BT5722	M22520/5-57	Y209P	.213/.400	.100/.120
BNC Straight Plug	Group D	GF5-BS124T	M22520/5-57	Y209P	.213/.400	.100/.120	CB5722	M22520/5-57	Y209P	.213/.400	.100/.120
BNC 90° Plug		GF5-BA124T	M22520/5-57	Y209P	.213/.400	.100/.120	CB5722	M22520/5-11	Y205P	.213/.400	.068/.093
BNC Bulkhead Jack		-	-	-	-	-	BB5722	M22520/5-57	Y209P	.213/.400	.100/.120
N Straight Plug		GF5-NS124T	M22520/5-57	Y209P	.213/.400	.100/.120	CNS722	M22520/5-57	Y209P	.213/.400	.100/.120
N 90° Plug	Group E	GF5-NA124T	M22520/5-57	Y209P	.213/.400	.100/.120	CNR722	M22520/5-57	Y209P	.213/.400	.100/.120
SMA Straight Plug		GF5-SB124T	M22520/5-11	Y205P	.213/.400	.068/.093	CS5722	M22520/5-11	Y205P	.213/.400	.068/.093
SMA Bulkhead Jack		GF5-SA124T	M22520/5-57	Y209P	.213/.400	.100/.120	CSR722	M22520/5-11	Y205P	.213/.400	.068/.093
ARINC 600 Size 1 (Mod)		GF5-SB124T	M22520/5-11	Y205P	.213/.400	.068/.093	M7122	-	-	-	-
TNC Straight Plug	Group F	GF5-AM1S124T	M22520/5-57	Y209P	.213/.400	.100/.120	M7122	M22520/5-57	Y209P	.213/.400	.100/.120
TNC 90° Plug		GF5-TS67T	M22520/5-29	Y109P	.324/.400	.100/.120					
TNC Bulkhead Jack		GF5-TA67T	M22520/5-29	Y109P	.324/.400	.100/.120					
N Straight Plug		GF5-TB67T	M22520/5-29	Y109P	.324/.400	.100/.120					
N Bulkhead Jack	Group G	GF5-NS67T	M22520/5-29	Y109P	.324/.400	.100/.120					
SMA Straight Plug		GF5-NB67T	M22520/5-29	Y109P	.324/.400	.100/.120					
SMA 90° Plug		GF5-SS67T	M22520/5-29	Y109P	.324/.400	.100/.120					
SMA Bulkhead Jack		GF5-SA67T	M22520/5-29	Y109P	.324/.400	.100/.120					
TNC Straight Plug	Group H	GF5-SB67T	M22520/5-29	Y109P	.324/.400	.100/.120					
TNC 90° Plug		GF5-TS36T	Y1757 (Contact) M22520/5-21 (Ferrule)	Y1757 Y149	.475/.400 (Ferrule)	.151/.120 (Contact)	CTS022	Y1757 (Contact) M22520/5-21 (Ferrule)	Y1757 Y149	.457/.400 (Ferrule)	.151/.120 (Contact)
N Straight Plug		GF5-TA36T	M22520/5-21 (Ferrule)	Y1757 Y149	.475/.400 (Ferrule)	.151/.120 (Contact)	CTR022	Y1757 (Contact) M22520/5-21 (Ferrule)	Y1757 Y149	.457/.400 (Ferrule)	.151/.120 (Contact)
N 90° Plug		GF5-NS36T	Y1757 (Contact) M22520/5-21 (Ferrule)	Y1757 Y149	.475/.400 (Ferrule)	.151/.120 (Contact)	CNS022	Y1757 (Contact) M22520/5-21 (Ferrule)	Y1757 Y149	.457/.400 (Ferrule)	.151/.120 (Contact)
TNC Straight Plug	Group I	GF5-NA36T	Y1757 (Contact) M22520/5-21 (Ferrule)	Y1757 Y149	.475/.400 (Ferrule)	.151/.120 (Contact)	CNR022	Y1757 (Contact) M22520/5-21 (Ferrule)	Y1757 Y149	.457/.400 (Ferrule)	.151/.120 (Contact)
TNC 90° Plug		GF5-TS35D	M2250/5-25	Y110P	.475/.400	Solder					
SMA Straight Plug		GF5-TA35D	M2250/5-25	Y110P	.475/.400	Solder					
BNC Straight Plug		GF5-SS35D	M2250/5-25	Y110P	.475/.400	Solder					
BNC 90° Plug		GF5-BS35D	M2250/5-25	Y110P	.475/.400	Solder					

*Special tooling required to use weatherproof seals and ferrules on PIC connectors.

414.488.6320 | sales@gigaflightinc.com | www.gigaflightinc.com
6180 Industrial Court, Greendale, WI 53129



CABLE COMPARISON

75Ω COAX CABLES & CONNECTORS

75 OHM CABLE COMPARISON - GIGAFLIGHT, PIC, & CARLISLE/ECS

GIGAFLIGHT	PIC	CARLISLE/ECS	DESCRIPTION
GF7-290D	V78209*	–	75 Ω Video Coax
GF7-449D	V73263*, V76261**, V75268**	442501**	75 Ω Video Coax
GF7-303D	V76261*, V73263*, V75268**	442501**	75 Ω Video Triax
GF7-TX303D	L7626TX*	–	75 Ω Video Coax

75 OHM COAXIAL CONTACT CROSS REFERENCE - GIGAFLIGHT & PIC

GIGAFLIGHT'S P/N	PIC'S P/N	TYPE OF CONNECTOR
GF7-8S303HD	190741-01*	Size 8 Socket Contact 75 Ω Interface
GF7-8P303HD	190740-01*	Size 8 Pin Contact 75 Ω Interface
GF7-12S303HD	190767*	Size 12 Socket Contact 75 Ω Interface
GF7-12P303HD	190766*	Size 12 Pin Contact 75 Ω Interface
GF7-BS303D	190712*	BNC Straight Plug
GF7-MA303D	190752*	MCX Right Angle Plug
GFSC-2009	110459*	3 Lug TRB Straight Plug
GF7-BA449D	–	BNC Right Angle Plug
GF7-SMS449D	110285*	SMC Straight Plug
GF7-TA449D	–	TNC Right Angle Plug
GF7-TS449D	190708*	TNC Straight Plug

*Identical alternative: GIGAFLIGHT's product is identical to another as far as materials, physical, and electrical characteristics.

**Suitable alternative: GIGAFLIGHT's product is comparable with slight variances. Please contact us to discuss your application.

