




When you need
to be sure

Recruitability of healthy participant clinical trials



Bial's Clinical Trial in France Ends In Disaster. What Went Wrong?



Percentage of subjects who agree this reason is the main reason to participate



Belgian Association of Research Ethics Committees (BAREC)

Guidance on fair compensation of subjects for their participation in clinical research in Belgium

Compensation

General term reflecting something given to research participants to make up for expenses, time investment, inconvenience, and willingness in relation to their participation in clinical research. It does **not** refer to indemnification for research-related injury, e.g. no-fault compensation; and it does **not** refer to study-related costs legally to be borne by the sponsor, such as all costs of the intervention(s) investigated, investigational site visits or admissions, investigations and procedures, and co-treatments required by the study protocol.

Attention:

It is the consensus view of the ECs members of BAREC that research participants cannot be compensated for risk taken.





VERSIE 1.0 – 20MAY2023

Toon je kracht

Werk vandaag mee aan het
geneesmiddel van morgen

Meer info

SGS



WA



WHY

Help **geneesmiddelen** én mensen beter maken

Doe mee aan geneesmiddelenonderzoek tegen **astma en COPD**

Interesse?

Scan de QR-code en meld je aan.
Meer info op ikbenpionier.be of
via pionier@sgs.com.



Deze campagne werd goedgekeurd door de subritten en een onafhankelijk ethisch comité.

Clinical Pharmacology Unit
Orléans Ziekenhuis, 100 le Edgemen
VERSIE 1.0 - 12/APR/2024

WHEN YOU NEED TO BE SURE **SGS**




Toon je hart

Werk mee aan het **geneesmiddel** van morgen

www.ikbenpionier.be


SGS





	Average	Difficult recruitment
Fee min	1079	1900
Fee mean	2608	3046
Fee median	2623	2700
Fee max	5997	4950
Duration min	11	35
Duration mean	42	103
Duration Median	40	91
Duration Max	171	191
Inhouse Min	1	2
Inhouse Mean	5	4
Inhouse Median	6	4
Inhouse Max	20	10





Chen et al. *Phase I healthy volunteer willingness to participate and enrollment preferences*, Clin Trials. 2017 October 14(5): 537-546



That is

- Make safety clear
- Communicate value of the trial
- Describe adequate compensation
- Market ethically
- Optimize your trial design

