



Maxi Tall bedside sleepers Assembly Instructions Handling & Care




WARNING:

- Read all instructions before assembling and using the product.
- Keep instruction for future use
- Always read and follow assembly instructions for each product use mode (bedside sleeper, bassinet, play yard).

Mattress, Boxsprings & Frame aligned



ACCEPTABLE BED FRAME IN-LINE



Frame Extended

UNACCEPTABLE BED
MATTRESS, BOXSPRING & FRAME NOT IN-LINE

SUFFOCATION HAZARD

Infants have suffocated

- In gaps between extra padding and side of the bassinet/ cradle, and
- On soft bedding

Use only the pad provided by manufacturer. NEVER add a pillow, comforter, or another mattress for padding.

WARNING:

Failure to follow these warnings and instructions could result in serious injury or death of your infant.

Suffocation Hazard. Discard all packing materials immediately after opening. Plastic bags and packaging may cause suffocation or choking.

NEVER LEAVE your child unattended in the babybay® bedside sleeper.

IMPORTANT! Check this product for damaged hardware, loose joints, missing parts, or sharp edges before assembly and periodically during use. DO NOT use if any parts are missing, damaged, or broken. Contact TOBI USA LLC for replacement parts and instructions if needed. NEVER substitute parts. (Call 1 (844) MY-BABYBAY or email info@babybay.us)

IMPORTANT! Be sure to put the mattress pad in the liner, not under the liner. Discontinue use of the products when child is able to climb out or reaches the height of 35in. When child is able to pull up to standing position, remove bumperpads, large toys and other objects that could serve as steps for climbing out.

Specification: Only for an infant up to approximately 5 months in age or when the child begins to push up on hand and knees, whichever comes first. The top edge of the mattress pad must be level with or below the top of the adult bed mattress when used as a bed. The level of the babybay® bedside sleeper mattress pad must be a minimum of 10 inches below the top edge of the frame. Discontinue use as an attachable baby bed when child is able to roll over and pull him or herself up to a kneeling, sitting or standing position.

SUFFOCATION HAZARD – to prevent suffocation and entrapment, use only the mattress pad provided by babybay®. NEVER use additional padding or mattress. Make sure all straps are secured and tight when used in the babybay® brand positions. Tighten straps periodically. NEVER use the babybay® brand without the anchor plate attached and locked as shown. Failure to use this anchoring system could result in serious injury or death to the infant.

FAILURE to use this securing system will allow babybay® bedside sleeper to move away from adult bed and could result in infant falling out of the bed. NEVER leave infant unattended.

STRANGULATION HAZARD : When anchor plate and strap assembly is not in use, store in a safe place not accessible to children.

DO NOT place product near a window where cords from blinds or drapes may strangle child. Entrapment Hazard - to prevent death or injury from entrapment, bedside sleeper must be properly secured to adult bed using the attachment system: (1) There must be no more than 1/2 in. gap between bedside sleeper and adult bed. (2) Check tightness before each use by pulling bedside sleeper in a direction away from adult bed. (3) If gap exceeds 1/2 inches DO NOT use product. Do not fill the gap with pillows, blankets or other items that are suffocation hazards. To avoid death from the infant's neck being caught on the top rail on the side that is next to the adult bed, the top rail must be no higher than the adult bed mattress.



Failure to follow these warnings and instructions could result in serious injury or death of your infant.

Strings can cause strangulation. DO NOT place items with a string around a child's neck, such as hood strings, pacifier cords. DO NOT suspend strings over the unit in any configuration or attach string to toys. Keep babybay® bedside sleeper away from stoves, heaters, campfires and other hazards. DO NOT allow children to climb or play on or under unit in any configuration. Always provide the supervision necessary for the continued safety of your child. NEVER LEAVE CHILD UNATTENDED.

DISCONTINUE using your babybay® bedside sleeper should it become damaged or broken. Periodically check your product to make certain all screws, nuts, rivets or bolts are tightened securely.

DO NOT use a water mattress with this product. If refinishing, use a nontoxic finish specified for children's products. It is sufficient to clean varnished beds with a damp cloth. Dirt or scratches can easily be removed with sandpaper from beech wood untreated beds. Mattress pad and baby-nest can be hand washed up to 86°F.

- Make sure the mattress pad is dried properly.
- Exception: the mattress pad made of coconut – fibers is not washable.
- Turn and air the mattress pad regularly to avoid marks caused by mold.
- Guarantee is only valid if above mentioned maintenance is followed.

Important notes – Preserve for later use – Read carefully babybay® has to be positioned on a flat surface.

Little children must not play around babybay® unattended. If the child can sit up, push up on to hands or knees, or pull it

self up, babybay® is not to be used for sleeping for this child any longer. All parts must be fastened appropriately. Loose screws can cause baby's clothing e.g. cords, collars, etc.) to get caught, which can cause strangulation. babybay® is not to be used, if there are any broken, damaged, or lost parts, until it has been repaired appropriately. Because of the unique shape of the babybay® bedside sleeper you must only use babybay® mattress pads and sheets. Never position babybay® near open fire or other strong heat sources like electric radiant heaters, gas furnaces, etc.

WARNING:


Do not use babybay® without the safety bar. The safety bar is mandatory according to the applicable standard ASTM 2906.

Now that the babybay® is installed, place the mattress pad inside and make sure that the top surface of the safety bar of the babybay® is below the top surface of the mattress of the parent bed and never above. Adjust level of base plate (d) as required. You want the surface of the babybay® safety bar to be at the same level or slightly lower than the top surface of the parent bed so that the baby is easy to reach.



- This bedside sleeper is designed for use only with adult beds that are between 10 and 31 inches from floor to top of adult mattress.
- A bedside sleeper is designed to provide a sleeping area for an infant until he or she begins to push up on hands and knees or approximately 5 months of age. Move your child to another sleeping product when your child reaches this stage.

Please read additional Warning Label found on platform of the babybay® bedside sleeper (see diagram below)

Warning label on platform



List of Parts as illustrated




Part # 1117	Part # 1116	Part # 1122	Part # 1211	Part # 1211
-------------	-------------	-------------	-------------	-------------




4x




4x




4x




6x




1x




1x




1x




1x






1x




1x





1x




4.




5.



6.




7.




8.



≥ 11 Zoll





9.



10.



11.



- 1.** Locate and position the three frame pieces as depicted making sure the holes on the rails are facing up.
- 2.** Screw the 4 threaded dowels (Part #1117) as shown making sure they are firmly secure with the bolt hole facing up.
- 3.** Insert the 4 cross dowels (Part #1116) as shown making sure the horizontal slot lines up with the hole on the end of the rail as shown.
- 4.** Connect the frame pieces as shown so that the threaded dowels fully seat. If the threaded dowels (Part #1117) do not easily fit in their corresponding holes, make sure the cross dowels (Part #1116) have not rotated in their holes.
- 5.** Insert the 4 set screws (Part #1122) as shown into the cross dowels. Turn the set screws (Part #1122) clockwise until they are secure. Do not over tighten.
- 6.** Place the frame flat on the ground. Position the bed plate as shown making sure its flat side is facing the top of the frame.
- 7.** Secure the bedplate to the frame using the 4 screws (Part #1211) and wrench (Part #1200) as shown making sure not to over tighten the screws.
- 8.** Stand the frame upright. Adjust the bed plate so it's height is equal to or greater than 11 inches below the bottom of the top rail and at desired height for specific mattress set. Make sure the frame locks are secure.
- 9.** Insert the baby barrier into the top of the sleeping platform as shown. Firmly secure the baby barrier by inserting and tightening the 2 screws (Part #1211) using the wrench (Part#1200) from the bottom of the sleeping platform.

- 10.** Unroll the safety straps from the wooden resistance plate and lay the straps across the parent bed to line up with the center of the desired position of your babybay® bedside sleeper. Position the wooden resistance plate on the side of the parent bed that is opposite to the babybay®. The straps run between the upper and lower mattress or box spring. This can be done by sliding the straps between both mattresses using a back and forth „sawing“ motion until the straps and the resistance plate are at the desired position. Lift up the mattress and start at the foot end of the parent bed and work the straps towards the head end of the parent bed. The straps should connect to each side of the babybay® bed. Loop the attachment straps on each side of the babybay® around the second column counting from the parent bed and close the plastic connector.
- 11.1** Tighten the attachment straps at the strap loops protruding out of the resistance plate on the other side of the parent bed so that the babybay® is pulled tight against the parent bed. Check tightness of the attachment straps each time you place the baby into babybay® so that there can never be a gap between the parent bed and babybay®.