Cooking Equipment

Fryers • Half-Size Convection Ovens
Griddles • Charbroilers • Hot Plates

Fryers - Countertop, Built-In, Single Pot, Dual Pot

Half Size Convection Ovens

Griddles - Countertop, Built-In, Japanese Teppan

Charbroilers - Countertop, Built-In

Hot Plates - Countertop, Built-In, Instant-On , Ceramic, French, Spiral



Cooking Equipment

Cooking Equipment

Fryers, Countertop, Single Pot
Fryers, Built-In, Single Pot
Fryers, Countertop, Dual Pot
Fryer Accessories

Convection Ovens, Half Size

Griddles, Electric Countertop
Griddles, Electric Built-In
Griddles, Gas Countertop "WG models"
Griddles, Gas "HDG models"

Charbroilers, Gas "HDCB models"
Charbroilers, Electric Countertop
Charbroilers, Electric Built-In

Hot Plates, Gas "HDHP models"
Hot Plates, Electric Countertop.
Hot Plates, Electric Built-In
Hot Plates, Gas "Instant-On"

Countertop Fryers Single Pot

Easily removable fry pot holds 14 lb of oil

Two rear-hanging, 1/2-size fry baskets standard

Removable deep drawn fry pot is made of stainless steel for strength & durability



LLF14

Countertop Fryers - Single Pot

Model No.	Description	Size W x D x H [in]	Ship Wt. [lb]	Cubic Feet	
	Single Pot Fryers - Electric				
LLF-14 120	(14 lb.) TWO (HALF-SIZE) BASKETS, Cord set 120V, 1Ø, 1.8kW, TCS, NEMA 5-15P	11 x 21-7/8 x 13-1/8"	34	4.95	
LLF-14 208/240	(14 lb.) TWO (HALF-SIZE) BASKETS, Cord set 208/240V, 1Ø, 3.4/4.5KW, TCS, NEMA 6-30P	11 x 21-7/8 x 13-1/8"	34	4.95	
F-15 208/240	(15 lb.) TWO (HALF-SIZE) BASKETS, Cord set 208/240V, 4.32/5.75KW, TCS, NEMA 6-30P	12 x 24 x 16-3/4"	47	4.5	
F-1725 208	(40 lb.) TWO (HALF-SIZE) BASKETS 208V, 3Ø, 17.25KW, TCS	15 x 29-1/2 x 18"	79	7.29	
F-1725 240	(40 lb.) TWO (HALF-SIZE) BASKETS 240V, 3Ø, 17.25KW, TCS	15 x 29-1/2 x 18"	79	7.29	

NOTES:
- Accessories (pg 55)
- Export models cannot be returned

Snap-action thermostat ranges from 200°F to 375°F and provides quick response to temperature change


One-piece 15 lb lift out stainless steel kettle is standard for easy straining of oils

Two large nickel-plated steel mesh side hanging baskets (4"W x 4-3/4"D x 11"L) provide continuous flow of product during peak periods

Immersion-type tubular heating elements provide even heat distribution and precise temperature control

All stainless steel cabinet for maintenance free operation

High-limit safety thermostat, on-off switch and two indicatorlights provide safe & easy operation



F15


Built-In Fryers Single Pot

Red signal light indicates any over temperature condition

Manual reset safety thermostats provide added protection from over-temperatures

Terminal block provided for connection to power supply

Wellslok™ standard for easy installation



full size basket shown
model comes w/
(2) half-size baskets

Flat-blade, low-watt density elements for quick heating and longer oil life

Built-In Fryers - Single Pot

Model No.	Description	Size W x D x H [in]	Ship Wt. [lb]	Cubic Feet	
	Single Pot Built-In Fryers - Electric				
F-556 208	(15 lb.) TWO (HALF-SIZE) BASKETS 208V, 1Ø, 5.75KW, TCS	14-3/4 x 23-1/2	36	4.51	
F556-240	(15 lb.) TWO (HALF-SIZE) BASKETS 240V, 1Ø, 5.75KW, TCS	14-3/4 x 23-1/2	36	4.51	

NOTES:
- Accessories (pg 55)
- Export models cannot be returned

Countertop Fryers Dual Pot



Countertop Fryers Dual Pot

Model No.	Description	Size W x D x H [in]	Ship Wt. [lb]	Cubic Feet	
UL	**Dual Pot Fryer - Electric**				
F-30	(30 lb.) TWO (FULL SIZE) BASKETS 208/240V, 8.64/11KW	24 x 24 x 16-3/4	81	9	

NOTES:
• Accessories (pg 55)

Fryer Accessories

Part No.	Description	Ship Wt. [lb]	
Countertop Single Pot Fryer Accessories			
21506	Basket, half-size (2 per fry pot) (LLF14)	2	
22728	Cord set, 30 AMP, 1Ø, NEMA 6-50P (F55)	1	
20820	Basket, half-size (2 per fry pot) (F1725)	2	
20519	Fry Pot, replacement (F1725)	9	
20161	Basket, half-size (2 per fry pot) (LLF14/F49/55/58)	2	
20162	Basket, full-size (1 per fry pot) (F49/55/58)	2	
20169	Fry pot, 15 lb. capacity (F49/55/58)	7	
115714	Fry pot replacement, 15 lb. capacity (F15), 1 required		
21010	Fry pot cover (F49/55/58)	3	
HSFB-LH	1/2 size basket (left hanging) - Fits the following models: F15, F30 & GF15	-	
HSFB-RH	1/2 size basket (right hanging) - Fits the following models: F15, F30 & GF15	-	
FSFB-LH	Full size basket (left hanging) - Fits the following models: F15, F30 & GF30	-	
FSFB-RH	Full size basket (right hanging) - Fits the following models: F15, F30 & GF30	-	
Built-In Single Pot Fryer Accessories			
20161	Basket, half-size (2 per fry pot)	2	
20162	Basket, full-size (1 per fry pot)	2	
20169	Fry pot, 15 lb. capacity	7	
Countertop Dual Pot Fryer Accessories			
20161	Basket, half-size (2 per fry pot)	2	
20162	Basket, full-size (1 per fry pot)	2	
20169	Fry pot, 15 lb. capacity	7	
20563	Legs, set of four, 4" adjustable (F1725)	5	
115714	Fry pot replacement, 15 lb. capacity (F15), 1 required		
21010	Fry pot cover (F49/55/58)	3	
HSFB-LH	1/2 size basket (left hanging) - Fits the following models: F15, F30 & GF15	-	
HSFB-RH	1/2 size basket (right hanging) - Fits the following models: F15, F30 & GF15	-	
FSFB-LH	Full size basket (left hanging) - Fits the following models: F15, F30 & GF30	-	
FSFB-RH	Full size basket (right hanging) - Fits the following models: F15, F30 & GF30	-	
Built-In Dual Pot Fryer Accessories			
20161	Basket, half-size (2 per fry pot)	2	
20162	Basket, full-size (1 per fry pot)	2	
20169	Fry pot, 15 lb. capacity	7	
Celsius Knobs for Fryers			
Z21370	Celsius knobs in lieu of Fahrenheit knobs (1 each) F15 Fryer (2 each) F30 Fryer (PRICE PER KNOB)	2	

Half Size Convection Ovens



Ergonomic, cool-touch door handle

Stainless steel exterior/interior for durability, reliability and easy cleaning

Five fully adjustable racks for 13x18" pans

Easy-to-use, programmable controls

Fully insulated for maximum efficiency & energy savings

Two-speed fan perfect for bakery items, circlular air flow ensures a more even bake for a beautiful, consistent product finish

MADE IN THE USA

High wattage for rapid pre-heat & quick recovery

Heavy-duty power cord & NEMA 6-30P plug standard

OC2 is (2) OC1 units stacked with 21330 (caster set) and 21342 (stacking kit)

Half-Size Convection Ovens

Model No.	Description	Size W x D x H [in]	Ship Wt. [lb]	Amps	
NSF c UL us	**Half-Size Convection Ovens**				
OC1-208V	HALF-SIZE CONVECTION OVEN 208V, 1Ø, 5,000 watts, NEMA 6-30P	OVERALL DIMENSIONS 30-1/8 x 25-1/4 x 31 height includes 6" legs	253	24	
OC1-240V	HALF-SIZE CONVECTION OVEN 240V, 1Ø, 5,600 watts, NEMA 6-30P	INTERIOR DIMENSIONS 15-3/8 x 20-1/2 x 20	253	24	

Half-Size Convection Oven Accessories

Part No.	Description	Ship Wt. [lb]	
21330	Caster set (set of four)	12	
21342	Stacking kit allows one oven to be stacked on top of another. If casters are used, they must be installed on the lower oven	15	
21376	Oven rack, replacement	4	
21445	Oven prep top - turns the top of your oven into a work surface	-	

WELLS

Electric Countertop Griddles

Grooved or chrome-plated surfaces available

½" thick plate for even heat distribution

Removable splash guard for easy cleaning



4" adjustable legs standard

Front-mounted controls w/ ring guards prevent accidental temperature changes

Four-quart capacity, removable, front grease drawer

G13

A terminal block is provided for field wiring to main power source (G-60 has two)

Electric Countertop Griddles

Model No.	Description	No. of Thermostats	Size W x D x H [in]	Ship Wt. [lb]	Cubic Feet	
	Cooking Surface 22" W x 18" D, Countertop Griddle					
G-13 208/240	208/240V, 3Ø (1Ø), 6.75/9.0KW	2	24-3/16 x 23-9/16 x 16	140	6.77	
CE G-13-400	380-415V, 3NAC, 3Ø, 10800W	2	24-3/16 x 23-9/16 x 16	140	6.77	
	Optional CHROME-PLATED GRIDDLE SURFACE for G13 models				*ADD*	
	Cooking Surface 34" W x 18" D, Countertop Griddle					
G-19 208	208V, 3Ø (1Ø), 12.0KW	2	36-1/2 x 23-9/16 x 16	190	9.7	
G-19 240	240V, 3Ø (1Ø), 12.0KW	2	36-1/2 x 23-9/16 x 16	190	9.7	
CE G-19-400	380-415V, 3NAC, 3Ø, 16100W	2	36-1/2 x 23-9/16 x 16	190	9.7	
	Optional CHROME-PLATED GRIDDLE SURFACE for G19 models				*ADD*	
	Cooking Surface 34" W x 24" D, Countertop Griddle					
G-23 208	208V, 3Ø (1Ø), 16.0KW	4	36-1/2 x 29-9/16 x 16	260	14.52	
G-23 240	240V, 3Ø (1Ø), 16.0KW	4	36-1/2 x 29-9/16 x 16	260	14.52	
G-23 480	480V, 3Ø (1Ø), 16.0KW	4	36-1/2 x 29-9/16 x 16	260	14.52	
CE G-23 400	380-415V, 3NAC, 3Ø, 16000W	4	36-1/2 x 29-9/16 x 16	260	14.52	
	Optional CHROME-PLATED GRIDDLE SURFACE for G23 models				*ADD*	
	Cooking Surface 46" W x 24" D, Countertop Griddle					
G-24 208	208V, 3Ø (1Ø), 21.5KW	4	36-1/2 x 29-9/16 x 16	260	14.52	
G-24 240	240V, 3Ø (1Ø), 21.5KW	4	36-1/2 x 29-9/16 x 16	260	14.52	
G-24 480	480V, 3Ø (1Ø), 21.5KW	4	36-1/2 x 29-9/16 x 16	260	14.52	
CE G-24 400	380-415V, 3NAC, 3Ø, 21,500W	4	36-1/2 x 29-9/16 x 16	260	14.52	
	Optional GROOVED GRIDDLE SURFACE					
	Optional GROOVED GRIDDLE SURFACE (cost for first 6" of grooving), Must specify location			*ADD*		
	Optional GROOVED GRIDDLE SURFACE (cost for EACH ADDITIONAL 6" of grooving)			*ADD*		

- Built to Buyer's specification. May not be returned.
- Select models are field convertible from 3Ø to 1Ø.
- Voltage needs to be specified at time of order.
- Export models cannot be returned.
- Grooving is not available with chrome-plated surface.

Electric Built-In Griddles

Wellslok™ standard for easy installation



G236

Electric Built-In Griddles

Model No.	Description	No. of Thermostats	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	
	Cooking Surface 22" W x 18" D, Built-In Griddle					
G-136 208/240	208/240V, 3Ø (1Ø), 6.8/9.0KW	2	24-3/16 x 23-9/16	120	5.84	
G-136-400	380-415V, 3NAC, 3Ø, 10800W	2	24-3/16 x 23-9/16	120	5.84	
	Cooking Surface 34" W x 18" D, Built-In Griddle					
G-196	208V, 3Ø (1Ø), 12.0KW	2	36-1/2 x 23-9/16	180	9.7	
G-196-240	240V, 3Ø (1Ø), 12.0KW	2	36-1/2 x 23-9/16	180	9.7	
G-196-480	480V, 3Ø (1Ø), 12.0KW	2	36-1/2 x 23-9/16	180	9.7	
	Optional CHROME-PLATED GRIDDLE SURFACE for G196 models				*ADD*	
	Cooking Surface 34" W x 24" D, Built-In Griddle					
G-236	208V, 3Ø (1Ø), 16.0KW	4	36-1/2 x 29-9/16	292	14.52	
	Cooking Surface 46" W x 24" D, Built-In Griddle					
G-246	208V, 3Ø (1Ø), 21.5KW	4	49 x 29-9/16	331	19.47	
G-246-480	480V, 3Ø (1Ø), 32.0KW	4	49 x 29-9/16	331	19.47	
	Optional GROOVED GRIDDLE SURFACE					
	Optional GROOVED GRIDDLE SURFACE (cost for first 6" of grooving), Must specify location				*ADD*	
	Optional GROOVED GRIDDLE SURFACE (cost for EACH ADDITIONAL 6" of grooving)				*ADD*	

NOTES:
- Grooving is not available with chrome-plated surface.
- Export models cannot be returned.
- Custom grooved surfaces cannot be returned.
- Select models are field convertible from 3Ø to 1Ø.

Gas Countertop Griddles - WG models

Natural or LP Gas

Grooved surfaces available

3/4" thick plate for even heat distribution

Full-width front grease trough for ease of cleaning



Stainless Steel, hinged front panel protects control knobs

Snap-Action Thermostatic controls located every 12" for precise temperatures

Large, removable grease drawer for easy clean up

WG-2424G

Gas Countertop Griddles - WG models

Model No.	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	
	Thermostatic Controls - Gas Griddle				
WG-2424G	2 BURNERS - Cooking Surface 23-13/16"W x 20 1/2"D Natural Gas, 50,000 BTU/hour	23-13/16 x 25-3/8 x12-3/8	210	11.3	
WG-2436G	3 BURNERS - Cooking Surface 35 13/16"W x 20 1/2"D Natural Gas, 75,000 BTU/hour	35-13/16 x 25-3/8 x 12-3/8	291	17.32	
WG-3036G	3 BURNERS - Cooking Surface 35 13/16"W x 24"D Natural Gas, 75,000 BTU/hour	35-13/16 x 30 x 12-3/8	325	21.24	
WG-3048G	4 BURNERS - Cooking Surface 47 13/16"W x 24"D Natural Gas, 100,000 BTU/hour	47-13/16 x 30 x 12-3/8	423	26.71	
Built to buyer's specification, may not be returned					
Optional GROOVED GRIDDLE SURFACE					
Optional GROOVED GRIDDLE SURFACE (cost for first 6" of grooving), Must specify location				*ADD*	
Optional GROOVED GRIDDLE SURFACE (cost for EACH ADDITIONAL 6" of grooving)				*ADD*	

Gas Countertop Griddle Accessories

Model No.	Description	Ship Wt. [lb]	
20563	Legs, set of four, 4" adjustable	5	
20651	Scraper, for grooved griddles	1	

HD Gas Countertop Griddles - HDG models

Each burner has adjustable air shutter control for optimum combustion

Stainless steel removable front panel for easy access to components

Large capacity, stainless steel, removable grease drawer for easy clean up



HDG-2430G

Natural or LP Gas

3/4" thick plate provides even heat distribution

4" adjustable legs standard

Manual or thermostatic controls located every 12" for precise temperatures

HD Gas Countertop Griddles

Model No.	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	
	Manual Controls - HD Gas Griddle				
HDG2430G	2 BURNERS - Cooking Surface 23-3/4"W x 23-3/4"D Natural Gas, 60,000 BTU/hour	24-1/8 x 33-1/4 x 17	249	12.85	
HDG3630G	3 BURNERS - Cooking Surface 35-3/4"W x 23-3/4"D Natural Gas, 90,000 BTU/hour	36-1/8 x 33-1/4 x 17	397	17.99	
HDG4830G	4 BURNERS - Cooking Surface 47-3/4"W x 23-3/4"D Natural Gas, 120,000 BTU/hour	48-1/8 x 33-1/4 x 17	507	22.7	
HDG6030G	6 BURNERS - Cooking Surface 60-1/8"W x 23-3/4"D Natural Gas, 150,000 BTU/hour	60-1/8 x 33-1/4 x 17	640	30.2	
	Thermostatic Controls - HD Gas Griddle				
HDTG2430G	2 BURNERS - Cooking Surface 23-3/4"W x 23-3/4"D Natural Gas, 60,000 BTU/hour	24-1/8 x 33-1/4 x 17	249	12.85	
HDTG3630G	3 BURNERS - Cooking Surface 35-3/4"W x 23-3/4"D Natural Gas, 90,000 BTU/hour	36-1/8 x 33-1/4 x 17	397	17.99	
HDTG4830G	4 BURNERS - Cooking Surface 47-3/4"W x 23-3/4"D Natural Gas, 120,000 BTU/hour	48-1/8 x 33-1/4 x 17	507	22.7	
HDTG6030G	6 BURNERS - Cooking Surface 60-1/8"W x 23-3/4"D Natural Gas, 150,000 BTU/hour	60-1/8 x 33-1/4 x 17	640	30.2	

Natural gas models are field convertible to LP Gas – LP Gas regulators and orifices included

HD Gas Countertop Griddle Accessories

Model No.	Description	Ship Wt. [lb]	
20563	Legs, set of four, 4" adjustable	5	

HD Gas Charbroilers



HD Gas Countertop Charbroilers

Model No.	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	
	Radiant - HD Gas Charbroilers				
HDCB1230G	2 BURNERS - Cooking Surface 12"W x 30"D Natural Gas, 40,000 BTU/hour	14 x 30-1/2 x 18-1/8	139	5.19	
HDCB2430G	4 BURNERS - Cooking Surface 24"W x 30"D Natural Gas, 80,000 BTU/hour	24-1/8 x 30-1/2 x 18-1/8	293	18.71	
HDCB3630G	6 BURNERS - Cooking Surface 36"W x 30"D Natural Gas, 120,000 BTU/hour	36-1/8 x 30-1/2 x 18-1/8	401	19.7	
HDCB4830G	8 BURNERS - Cooking Surface 48"W x 30"D Natural Gas, 160,000 BTU/hour	48-1/8 x 30-1/2 x 18-1/8	514	25.61	
Natural gas models are field convertible to LP Gas – LP Gas regulators and orifices included					

HD Gas Countertop Charbroiler Accessories

Model No.	Description	Ship Wt. [lb]	
20563	Legs, set of four, 4" adjustable	5	

HD Gas Hot Plates

HDHP2430G



- Durable cast iron burners provide consistent high temperatures and gentle low heat
- Each burner has ON/OFF control valves for infinite heat adjustment
- Heavy-duty, cast iron top grates are built to last
- Each burner has adjustable air shutter control for optimum combustion
- Natural or LP Gas
- Adjustable 4" legs standard
- Easily removable front panel for simple access to components
- Removable drip pan for easy clean up

HD Gas Countertop Hot Plates

Model No.	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	
	Standard - HD Gas Hot Plates				
HDHP1230G	2 BURNERS Natural Gas, 53,000 BTU/hour	12 x 30-1/8 x 14-11/16	89	3.74	
HDHP2430G	4 BURNERS Natural Gas, 106,000 BTU/hour	23-3/4 x 30-1/8 x 14-11/16	225	12.85	
HDHP3630G	6 BURNERS Natural Gas, 159,000 BTU/hour	35-1/2 x 30-1/8 x 14-11/16	304	17.99	

Natural gas models are field convertible to LP Gas – LP Gas regulators and orifices included

HD Gas Countertop Hot Plate Accessories

Model No.	Description	Ship Wt. [lb]	
20563	Legs, set of four, 4" adjustable	5	

Countertop Charbroilers Electric

Removable cast iron grates make clean up a breeze

Spring-loaded support secures the elements when in a raised position

Lift-out drip-pan has handles for easy clean up



Self-cleaning elements positioned between broiler grate ribs to protect from direct contact with food and from spatulas

Front mounted control comes with protective guard ring to prevent accidental temp adjustments

Temperature regulated by infinite controls

B50

Dual heating action using both radiant & conductive heat

Wellslok™ standard on Built-in models for ease of installation

Electric Countertop Charbroilers

Model No.	Description	No. of Controls	Size W x D x H [in]	Ship Wt. [lb]	Cubic Feet	
	Electric Charbroilers					
B-40 208	Cooking Surface 21-1/2" W x 14-1/2" D 208V, 3Ø (1Ø), 5.5 kW	2	24-3/4 x 23-1/2 x 15-3/8	80	7.81	
B-40 240	Cooking Surface 21-1/2" W x 14-1/2" D 240V, 3Ø (1Ø), 5.5 kW	2	24-3/4 x 23-1/2 x 15-3/8	80	7.81	
B-44 208	Cooking Surface 16" W x 20" D 208V, 3Ø (1Ø), 5.5 kW	1	19-5/16 x 29-5/16 x 15-3/8	85	8.02	
B-50 208	Cooking Surface 32" W x 20" D 208V, 3Ø (1Ø), 11.0 kW	2	36-1/2 x 29-1/2 x 15-3/8	159	14.46	
B-50 240	Cooking Surface 32" W x 20" D 240V, 3Ø (1Ø), 11.0 kW	2	36-1/2 x 29-1/2 x 15-3/8	159	14.46	
CE **B-50 400**	Cooking Surface 32" W x 20" D 380-415V, 3Ø, 10800 W	2	36-1/2 x 29-1/2 x 15-3/8	159	14.46	

NOTES:

- Built to Buyer's specification. May not be returned.
- Select models are field convertible from 3Ø to 1Ø.
- Voltage needs to be specified at time of order.
- Export models cannot be returned.
- Countertop Charbroiler accessories on next page.

Built-In Charbroilers Electric

Wellslok™ standard for easy installation

B406



Electric Built-In Charbroilers

Model No.	Description	No. of Controls	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	
	Electric Built-In Charbroilers					
B-406 208	Cooking Surface 21-1/2" W x 14-1/2" D 208V, 3Ø (1Ø), 5.5 kW	2	24-3/4 x 23-1/2	68	8.55	
B-406 240	Cooking Surface 21-1/2" W x 14-1/2" D 240V, 3Ø (1Ø), 5.5 kW	2	24-3/4 x 23-1/2	68	8.55	
B-406-400	Cooking Surface 21-1/2" W x 14-1/2" D 380-415V, 3Ø (1Ø), 5.5 kW	2	24-3/4 x 23-1/2	68	8.55	
B-506 208	Cooking Surface 32" W x 20" D 208V, 3Ø, 11.0 kW	2	36-1/2 x 29-1/2	142	14.46	
Built to buyer's specification, may not be returned						

Electric Charbroiler Accessories

Part No.	Description	Ship Wt. [lb]	
21708	Wire Broiler Brush	3	
20141	Cord set, 30 AMP, 1Ø, NEMA 6-30P (B40 and B44)	1	
20202	Grease Pan, replacement (B40 & B406)	5	
20174	Grease Pan, replacement (B44, B50, B446 & B506)	4	
21707	Broiler Grate (B40 & B406)	20	
21706	Broiler Grate (B44, B50, B446 & B506)	25	

Countertop Hot Plates Electric

CERAMIC



HC125

Smooth, easy-to-clean surface works with all types of pans & skillets

Reduced cook time saves energy

FRENCH



H70

Smooth, easy-to-clean

Surface area provides even heat distribution for large pots & pans

SPIRAL



H63

Self cleaning elements

Removable drip tray for easy cleaning

MADE IN THE USA

Electric Countertop Hot Plates

Model No.	Description	Size W x D x H [in]	Ship Wt. [lb]	Cubic Feet	
c UL us	**CERAMIC TOP - Electric Hot Plates**				
HC-100 120	SINGLE 7" ELEMENT - 1" legs, CERAMIC 120V, 1Ø, 1.4 kW, NEMA 5-15P	12-5/8 x 12-5/8 x 6-3/4	14	1.63	
HC-125 208/240	SINGLE 9" ELEMENT - 1" legs, CERAMIC 208/240V, 1Ø, 1.9/2.5 kW, NEMA 6-15P	14-3/4 x 14 x 6-3/4	15	3	
CE HC-125 230	SINGLE 9" ELEMENT - 1" legs, CERAMIC 220-240V, 1Ø, 2500 W	14-3/4 x 14 x 6-3/4	15	3	
HC-225 208/240	DUAL 9" ELEMENTS - 1" legs, CERAMIC 208/240V, 1Ø, 3.8/5.0 kW, NEMA 6-30P	14-3/4 x 24-5/8 x 6-3/4	29	4.15	
UL	**SPIRAL TOP - Electric Hot Plates**				
H-33 120	SINGLE 6" ELEMENT - 4" legs, SPIRAL 120V, 1Ø, 1.5KW, NEMA 5-15P	12-5/8 x 12-5/8 x 10	12	1.62	
H-115 120	DUAL 6" ELEMENTS - 1" legs, SPIRAL 120V, 1Ø, 1.65 kW, NEMA 5-15P	14-3/4 x 23-9/16 x 7	21	3.35	
H-63 208/240	DUAL 8" ELEMENTS - 4" legs, SPIRAL 208/240V, 1Ø (3Ø)*, 3.9/5.2KW, NO CORD SET	14-3/4 x 23-1/2 x 12-3/8	28	4.51	
H-63CD 208/240	DUAL 8" ELEMENTS - 4" legs, SPIRAL 208/240V, 1Ø (3Ø)*, 3.9/5.2KW, NEMA 6-30P	14-3/4 x 23-1/2 x 12-3/8	28	4.51	
UL	**FRENCH TOP - Electric Hot Plates**				
H-70 208/240	DUAL 9" ELEMENTS - 4" legs, FRENCH 208/240V, 1Ø (3Ø)*, 3.0/4.0KW, NO CORD SET	14-3/4 x 23-1/2 x 12-3/8	35	4.36	

Select models are field convertible from 3Ø to 1Ø. Export models cannot be returned.

Electric Hot Plate Accessories

Part No.	Description	Ship Wt. [lb]	
21109	Legs, set of four, 1" plastic for countertop electric hotplates	1	
20314	Legs, set of four, 4" adjustable plastic for allcountertop electric hotplates	1	
20563	Legs, set of four, 4" adjustable nickel-plated alloy for all countertop electric hotplates	5	
21705	Drip Tray, model H63	5	

*** 3-Phase CSA Models Max Line Currents**

Volts	L1	L2	L3
208	16.3	8.1	8.1
240	18.8	9.3	9.3

WELLS

Built-In Hot Plates Electric

CERAMIC



HC1256

FRENCH



H706

SPIRAL



H336

Electric Built-In Hot Plates

Model No.	Description	Size W x D [in]	Ship Wt. [lb]	Cubic Feet	
	CERAMIC TOP - Electric Built-In Hot Plates				
HC-1006	SINGLE 7" ELEMENT, CERAMIC 120V, 1Ø, 1.4 kW	12-5/8 x 12-5/8	15	3.13	
HC-1256	SINGLE 9" ELEMENT, CERAMIC 208/240V, 1Ø, 1.9/2.5 kW	14-3/4 x 14	19	3.5	
CE HC-1256-230	SINGLE 9" ELEMENT, CERAMIC 220-240V, 1Ø, 2500W	14-3/4 x 14	19	3.5	
HC-2256	DUAL 9" ELEMENTS, CERAMIC 208/240V, 1Ø, 3.8/5.0 kW	14-3/4 x 24-5/8	31	4.15	
	SPIRAL TOP - Electric Built-In Hot Plates				
H-336	SINGLE 6" ELEMENT, SPIRAL 120/208V, 1Ø, 19.5/26.0 kW	10" diameter	6	0.74	
H-636	DUAL 8" ELEMENTS, SPIRAL 208/240V, 1Ø (3Ø), 3.9/5.2 kW	14-3/4 x 23-1/2	24	2.58	
	FRENCH TOP - Electric Built-In Hot Plates				
H-706	DUAL 9" ELEMENTS, FRENCH 208/240V, 1Ø (3Ø), 3.0/4.0 kW	14-3/4 x 23-1/2	29	2.58	
CE H-706-230	DUAL 9" ELEMENTS, FRENCH 220-240V, 1Ø, 4000W	14-3/4 x 23-1/2	29	2.58	

Export models cannot be returned.

INSTANT-ON HOT PLATE

Gas burner is ignited when pan is placed on the burner and turns-off when pan is removed

SAVE MONEY & ENERGY

Natural or LP Gas

Removable drip-pan for easy cleanup

Easily removable stainless steel front panel provides easy access to components

Remove panel for easy cleaning



H2412G

Instant-on sensors

Stainless steel rod-type-grates provide easy movement of cooing vessels

Operator-adjustable gas valves controls flame height and heat level

MADE IN THE USA

Instant-On Gas Hot Plates

Model No.	Description	Size W x D x H [in]	Ship Wt. [lb]	Cubic Feet	
	Instant-On Gas Hot Plates The pan actuator turns gas on when the pan is placed on the burner and automatically turns gas off when the pan is removed. This feature provides dramatic energy savings				
H-2412G	2 BURNERS - Instant-On 24,000 BTU/hour Specify Natural Gas or Propane when ordering	12-1/8 x 23-3/4 x 13-1/2	31	3.85	
Natural gas models are field convertible to LP Gas					

Instant-On Gas Hot Plate Accessories

Part No.	Description	Ship Wt. [lb]	
20563	Legs, set of four, 4" adjustable	5	
23179	Drip Tray	1	

WELLS