

Fișă tehnică | Număr articol: 260-404

Test plug module; with locking latches; modular; for 2-conductor terminal blocks; for 260 Series; gray

www.wago.com/260-404



Date

Electrical data

| | |
|--------------|-------|
| Test voltage | 48 V |
| Test current | 0,5 A |

Geometrical Data

| | |
|-------|-------------------|
| Width | 5 mm / 0.197 inch |
|-------|-------------------|

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

| | |
|--------------|-------------------|
| Module width | 5 mm / 0.197 inch |
|--------------|-------------------|

Material Data

| | |
|--------|-------|
| Color | gray |
| Weight | 2,1 g |

Commercial data

| | |
|-----------------------|-----------------------------|
| Product Group | 9 (Std. Chassis Mt. Blocks) |
| Packaging type | BOX |
| Country of origin | DE |
| GTIN | 4045454620660 |
| Customs tariff number | 85366990990 |

Counterpart

Produse compatibile

check

**Nr. articol: 210-136**

Test plug; 2 mm Ø; with 500 mm cable; red

www.wago.com/210-136**Nr. articol: 210-137**

Test plug; 2.3 mm Ø; with 500 mm cable; yellow

www.wago.com/210-137

Descărcări

Documentation

Additional Information

| | | | |
|------------------------|-------------|---------------|------------|
| Technical explanations | Apr 3, 2019 | pdf 2,1 MB | Descărcare |
|------------------------|-------------|---------------|------------|

CAD/CAE-Data

CAE data


| | | |
|------------------------|-----|------------|
| WSCAD Universe 260-404 | URL | Descărcare |
|------------------------|-----|------------|

Installation Notes


Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Testing via test plug modules snapped onto a terminal strip – wired or unwired. As touch contact is made with the CAGE CLAMP® (spring steel) unit, this testing type is limited to maximum 0.5 A.



Testing after the conductors have been terminated.

Distance between locking devices must be approximately 35 ... 40 mm.

Supus modificărilor.