



**Date**

**Electrical data**

**Ratings per IEC/EN 60664-1**

Legend (ratings)

(III / 2) ≙ Overvoltage category III / Pollution degree 2

**Approvals per UL 1059**

Approvals per

UL 1059

**Connection data**

Pole No.

1

Number of connection types

1

Supus modificărilor.



## Geometrical Data

Pin spacing	5/5,08 mm / 0.197/0.2 inch
Width	5 mm / 0.197 inch
Height	9,2 mm / 0.362 inch
Depth	12,5 mm / 0.492 inch

## Mechanical data

Mounting type	snap-on type
Application	extends pin spacing

## Material Data

Color	gray
Fire load	0,009 MJ
Weight	0,3 g

## Commercial data

Product Group	4 (Printed Circuit)
Packaging type	BOX
Country of origin	CH
GTIN	4017332126724
Customs tariff number	39269097900

## Counterpart

### Descărcări

#### Documentation

##### Additional Information

Technical explanations	Apr 3, 2019	pdf 3,6 MB	Descărcare
------------------------	-------------	---------------	------------

## CAD/CAE-Data

### CAD data

2D/3D Models 235-701	URL	Descărcare
----------------------	-----	------------

Supus modificărilor.



#### CAE data

EPLAN Data Portal 235-701

URL

Descărcare

---

#### Installation Notes

Supus modificărilor.

---

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.