

Fișă tehnică | Număr articol: 284-422

Adjacent jumper; insulated; Nominal current 57 A; yellow-green

[www.wago.com/284-422](http://www.wago.com/284-422)




Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

RoHS   
Compliant

BOMcheck.net

Culoare: **Date****Electrical data****Ratings per IEC/EN 60664-1**

Rated current	57 A
---------------	------

**Approvals Ex**

Rated current (Ex e II)	53 A
-------------------------	------

**Geometrical Data**

Width	10 mm / 0.394 inch
-------	--------------------

Depth	9 mm / 0.354 inch
-------	-------------------

**Material Data**

Color	yellow-green
-------	--------------

Fire load	0,019 MJ
-----------	----------

Weight	3,9 g
--------	-------

**Commercial data**

Product Group	1 (Rail Mounted Terminal Blocks)
---------------	----------------------------------

Packaging type	BOX
----------------	-----

Country of origin	DE
-------------------	----

GTIN	4044918396387
------	---------------

Customs tariff number	85366990990
-----------------------	-------------

**Counterpart****Descărcări****Documentation****Additional Information**

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Technical explanations

Apr 3, 2019

pdf  
2,1 MB

Descărcare

## CAD/CAE-Data

### CAD data

2D/3D Models 284-422

URL

Descărcare

### CAE data


WSCAD Universe 284-422

URL

Descărcare

## Installation Notes

### Jumpered



Commoning ground conductor terminal blocks with through terminal blocks is possible in one direction only (via rear side of terminal block) using adjacent jumpers. In addition to the required marking of these blocks, use yellow-green adjacent jumpers.

Supus modificărilor.