


## Fișă tehnică | Număr articol: 769-662/004-000

THT male header; 1.0 x 1.0 mm solder pin; angled; Pin spacing 5 mm; 2-pole;  
gray


[www.wago.com/769-662/004-000](http://www.wago.com/769-662/004-000)



RoHS Compliant

BOMcheck.net

Culoare:



### Date

### Electrical data

### Ratings per IEC/EN 60664-1

Nominal voltage (III/3)	250 V
Rated surge voltage (III/3)	4 kV
Rated voltage (III/2)	500 V
Rated surge voltage (III/2)	4 kV
Rated current	32 A
Legend (ratings)	(III / 3) ≙ Overvoltage category III / Pollution degree 3

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

**Connection data**

Pole No.	2
Total number of potentials	2
Number of levels	1

**Geometrical Data**

Pin spacing	5 mm / 0.197 inch
Width	24.7 mm / 0.972 inch
Height from the surface	18.3 mm / 0.72 inch
Depth	22.2 mm / 0.874 inch

**Mechanical data**

Mounting type	Mounting flange
---------------	-----------------

**Plug connection**

Contact type (pluggable connector)	Male connector/plug
Connector (connection type)	for PCBs
Mismating protection	No
Mating direction to the PCB	0°

**PCB contact**

PCB contact	THT
-------------	-----

**Material Data**

Color	gray
Insulation material	Polyamide 66 (PA 66)
Fire load	0,097 MJ
Weight	4 g

**Commercial data**

Product Group	18 (X-COM-System)
Packaging type	BOX
Country of origin	PL
GTIN	4044918396530

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com



Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Customs tariff number


85366990990

## Aprobări / certificate



### Country specific Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>CCA</b> DEKRA Certification B.V.	EN 60947	NTR NL-7626
	<b>CCA</b> DEKRA Certification B.V.	EN 61984	2190419.02
	<b>CSA</b> DEKRA Certification B.V.	C22.2 No. 158	1101144
	<b>KEMA/KEUR</b> DEKRA Certification B.V.	EN 60947	2190419.01

### Ship Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>DNV GL</b> Det Norske Veritas, Germanischer Lloyd	-	TAE00001V2

### UL-Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	<b>UR</b> Underwriters Laboratories Inc.	UL 1977	20151210-E45171
	<b>UR</b> Underwriters Laboratories Inc.	UL 1059	20190731-E45172

Supus modificărilor.












WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Counterpart

## Produse compatibile

## Female plug

	<b>Nr. articol: 769-101</b> 1-conductor female plug; 4 mm <sup>2</sup> ; 1-pole; 4,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/769-101">www.wago.com/769-101</a>
	<b>Nr. articol: 769-102</b> 1-conductor female plug; 4 mm <sup>2</sup> ; 2-pole; 4,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/769-102">www.wago.com/769-102</a>
	<b>Nr. articol: 769-102/000-036</b> 1-conductor female plug; 4 mm <sup>2</sup> ; 2-pole; 4,00 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/769-102/000-036">www.wago.com/769-102/000-036</a>
	<b>Nr. articol: 769-102/000-037</b> 1-conductor female plug; 4 mm <sup>2</sup> ; 2-pole; 4,00 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/769-102/000-037">www.wago.com/769-102/000-037</a>
	<b>Nr. articol: 769-102/021-000</b> 1-conductor female plug; Locking lever; 4 mm <sup>2</sup> ; 2-pole; 4,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/769-102/021-000">www.wago.com/769-102/021-000</a>
	<b>Nr. articol: 769-103</b> 1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/769-103">www.wago.com/769-103</a>
	<b>Nr. articol: 769-103/000-036</b> 1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; gray, green-yellow	<a href="http://www.wago.com/769-103/000-036">www.wago.com/769-103/000-036</a>
	<b>Nr. articol: 769-103/000-037</b> 1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; green-yellow, gray	<a href="http://www.wago.com/769-103/000-037">www.wago.com/769-103/000-037</a>
	<b>Nr. articol: 769-103/000-038</b> 1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; gray, blue, green-yellow	<a href="http://www.wago.com/769-103/000-038">www.wago.com/769-103/000-038</a>
	<b>Nr. articol: 769-103/000-039</b> 1-conductor female plug; 4 mm <sup>2</sup> ; 3-pole; 4,00 mm <sup>2</sup> ; green-yellow, blue, gray	<a href="http://www.wago.com/769-103/000-039">www.wago.com/769-103/000-039</a>
	<b>Nr. articol: 769-104</b> 1-conductor female plug; 4 mm <sup>2</sup> ; 4-pole; 4,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/769-104">www.wago.com/769-104</a>

Supus modificărilor.

**Nr. articol: 769-104/000-036**

1-conductor female plug; 4 mm²; 4-pole; 4,00 mm²; gray, green-yellow

[www.wago.com/769-104/000-036](http://www.wago.com/769-104/000-036)**Nr. articol: 769-104/000-037**

1-conductor female plug; 4 mm²; 4-pole; 4,00 mm²; green-yellow, gray

[www.wago.com/769-104/000-037](http://www.wago.com/769-104/000-037)**Nr. articol: 769-104/000-038**

1-conductor female plug; 4 mm²; 4-pole; 4,00 mm²; gray, blue, green-yellow

[www.wago.com/769-104/000-038](http://www.wago.com/769-104/000-038)**Nr. articol: 769-104/000-039**

1-conductor female plug; 4 mm²; 4-pole; 4,00 mm²; green-yellow, blue, gray

[www.wago.com/769-104/000-039](http://www.wago.com/769-104/000-039)**Nr. articol: 769-105**

1-conductor female plug; 4 mm²; 5-pole; 4,00 mm²; gray

[www.wago.com/769-105](http://www.wago.com/769-105)**Nr. articol: 769-105/000-036**

1-conductor female plug; 4 mm²; 5-pole; 4,00 mm²; gray, green-yellow

[www.wago.com/769-105/000-036](http://www.wago.com/769-105/000-036)**Nr. articol: 769-105/000-037**

1-conductor female plug; 4 mm²; 5-pole; 4,00 mm²; green-yellow, gray

[www.wago.com/769-105/000-037](http://www.wago.com/769-105/000-037)**Nr. articol: 769-105/000-038**

1-conductor female plug; 4 mm²; 5-pole; 4,00 mm²; gray, blue, green-yellow

[www.wago.com/769-105/000-038](http://www.wago.com/769-105/000-038)**Nr. articol: 769-105/000-039**

1-conductor female plug; 4 mm²; 5-pole; 4,00 mm²; green-yellow, blue, gray

[www.wago.com/769-105/000-039](http://www.wago.com/769-105/000-039)**Nr. articol: 769-106**

1-conductor female plug; 4 mm²; 6-pole; 4,00 mm²; gray

[www.wago.com/769-106](http://www.wago.com/769-106)**Nr. articol: 769-106/000-006**

1-conductor female plug; 4 mm²; 6-pole; 4,00 mm²; blue

[www.wago.com/769-106/000-006](http://www.wago.com/769-106/000-006)**Nr. articol: 769-106/000-036**

1-conductor female plug; 4 mm²; 6-pole; 4,00 mm²; gray, green-yellow

[www.wago.com/769-106/000-036](http://www.wago.com/769-106/000-036)**Nr. articol: 769-106/000-037**

1-conductor female plug; 4 mm²; 6-pole; 4,00 mm²; green-yellow, gray

[www.wago.com/769-106/000-037](http://www.wago.com/769-106/000-037)**Nr. articol: 769-106/000-038**

1-conductor female plug; 4 mm²; 6-pole; 4,00 mm²; gray, blue, green-yellow

[www.wago.com/769-106/000-038](http://www.wago.com/769-106/000-038)

Supus modificărilor.

**Nr. articol: 769-106/000-039**

1-conductor female plug; 4 mm²; 6-pole; 4,00 mm²; green-yellow, blue, gray

[www.wago.com/769-106/000-039](http://www.wago.com/769-106/000-039)**Nr. articol: 769-107**

1-conductor female plug; 4 mm²; 7-pole; 4,00 mm²; gray

[www.wago.com/769-107](http://www.wago.com/769-107)**Nr. articol: 769-107/000-036**

1-conductor female plug; 4 mm²; 7-pole; 4,00 mm²; gray, green-yellow

[www.wago.com/769-107/000-036](http://www.wago.com/769-107/000-036)**Nr. articol: 769-107/000-037**

1-conductor female plug; 4 mm²; 7-pole; 4,00 mm²; green-yellow, gray

[www.wago.com/769-107/000-037](http://www.wago.com/769-107/000-037)**Nr. articol: 769-107/000-038**

1-conductor female plug; 4 mm²; 7-pole; 4,00 mm²; gray, blue, green-yellow

[www.wago.com/769-107/000-038](http://www.wago.com/769-107/000-038)**Nr. articol: 769-107/000-039**

1-conductor female plug; 4 mm²; 7-pole; 4,00 mm²; green-yellow, blue, gray

[www.wago.com/769-107/000-039](http://www.wago.com/769-107/000-039)**Nr. articol: 769-108**

1-conductor female plug; 4 mm²; 8-pole; 4,00 mm²; gray

[www.wago.com/769-108](http://www.wago.com/769-108)**Nr. articol: 769-108/000-036**

1-conductor female plug; 4 mm²; 8-pole; 4,00 mm²; gray, green-yellow

[www.wago.com/769-108/000-036](http://www.wago.com/769-108/000-036)**Nr. articol: 769-108/000-037**

1-conductor female plug; 4 mm²; 8-pole; 4,00 mm²; green-yellow, gray

[www.wago.com/769-108/000-037](http://www.wago.com/769-108/000-037)**Nr. articol: 769-108/000-038**

1-conductor female plug; 4 mm²; 8-pole; 4,00 mm²; gray, blue, green-yellow

[www.wago.com/769-108/000-038](http://www.wago.com/769-108/000-038)**Nr. articol: 769-108/000-039**

1-conductor female plug; 4 mm²; 8-pole; 4,00 mm²; green-yellow, blue, gray

[www.wago.com/769-108/000-039](http://www.wago.com/769-108/000-039)**Nr. articol: 769-109**

1-conductor female plug; 4 mm²; 9-pole; 4,00 mm²; gray

[www.wago.com/769-109](http://www.wago.com/769-109)**Nr. articol: 769-109/000-036**

1-conductor female plug; 4 mm²; 9-pole; 4,00 mm²; gray, green-yellow

[www.wago.com/769-109/000-036](http://www.wago.com/769-109/000-036)**Nr. articol: 769-109/000-037**

1-conductor female plug; 4 mm²; 9-pole; 4,00 mm²; green-yellow, gray

[www.wago.com/769-109/000-037](http://www.wago.com/769-109/000-037)

Supus modificărilor.

**Nr. articol: 769-109/000-038**

1-conductor female plug; 4 mm²; 9-pole; 4,00 mm²; gray, blue, green-yellow

[www.wago.com/769-109/000-038](http://www.wago.com/769-109/000-038)**Nr. articol: 769-109/000-039**

1-conductor female plug; 4 mm²; 9-pole; 4,00 mm²; green-yellow, blue, gray

[www.wago.com/769-109/000-039](http://www.wago.com/769-109/000-039)**Nr. articol: 769-110**

1-conductor female plug; 4 mm²; 10-pole; 4,00 mm²; gray

[www.wago.com/769-110](http://www.wago.com/769-110)**Nr. articol: 769-110/000-036**

1-conductor female plug; 4 mm²; 10-pole; 4,00 mm²; gray, green-yellow

[www.wago.com/769-110/000-036](http://www.wago.com/769-110/000-036)**Nr. articol: 769-110/000-037**

1-conductor female plug; 4 mm²; 10-pole; 4,00 mm²; green-yellow, gray

[www.wago.com/769-110/000-037](http://www.wago.com/769-110/000-037)**Nr. articol: 769-110/000-038**

1-conductor female plug; 4 mm²; 10-pole; 4,00 mm²; gray, blue, green-yellow

[www.wago.com/769-110/000-038](http://www.wago.com/769-110/000-038)**Nr. articol: 769-110/000-039**

1-conductor female plug; 4 mm²; 10-pole; 4,00 mm²; green-yellow, blue, gray

[www.wago.com/769-110/000-039](http://www.wago.com/769-110/000-039)**Nr. articol: 769-111**

1-conductor female plug; 4 mm²; 11-pole; 4,00 mm²; gray

[www.wago.com/769-111](http://www.wago.com/769-111)**Nr. articol: 769-111/000-036**

1-conductor female plug; 4 mm²; 11-pole; 4,00 mm²; gray, green-yellow

[www.wago.com/769-111/000-036](http://www.wago.com/769-111/000-036)**Nr. articol: 769-111/000-037**

1-conductor female plug; 4 mm²; 11-pole; 4,00 mm²; green-yellow, gray

[www.wago.com/769-111/000-037](http://www.wago.com/769-111/000-037)**Nr. articol: 769-111/000-038**

1-conductor female plug; 4 mm²; 11-pole; 4,00 mm²; gray, blue, green-yellow

[www.wago.com/769-111/000-038](http://www.wago.com/769-111/000-038)**Nr. articol: 769-111/000-039**

1-conductor female plug; 4 mm²; 11-pole; 4,00 mm²; green-yellow, blue, gray

[www.wago.com/769-111/000-039](http://www.wago.com/769-111/000-039)**Nr. articol: 769-112**

1-conductor female plug; 4 mm²; 12-pole; 4,00 mm²; gray

[www.wago.com/769-112](http://www.wago.com/769-112)**Nr. articol: 769-112/000-036**

1-conductor female plug; 4 mm²; 12-pole; 4,00 mm²; gray, green-yellow

[www.wago.com/769-112/000-036](http://www.wago.com/769-112/000-036)

Supus modificărilor.

**Nr. articol: 769-112/000-037**

1-conductor female plug; 4 mm²; 12-pole; 4,00 mm²; green-yellow, gray

[www.wago.com/769-112/000-037](http://www.wago.com/769-112/000-037)**Nr. articol: 769-112/000-038**

1-conductor female plug; 4 mm²; 12-pole; 4,00 mm²; gray, blue, green-yellow

[www.wago.com/769-112/000-038](http://www.wago.com/769-112/000-038)**Nr. articol: 769-112/000-039**

1-conductor female plug; 4 mm²; 12-pole; 4,00 mm²; green-yellow, blue, gray

[www.wago.com/769-112/000-039](http://www.wago.com/769-112/000-039)**Nr. articol: 769-113**

1-conductor female plug; 4 mm²; 13-pole; 4,00 mm²; gray

[www.wago.com/769-113](http://www.wago.com/769-113)**Nr. articol: 769-113/000-036**

1-conductor female plug; 4 mm²; 13-pole; 4,00 mm²; gray, green-yellow

[www.wago.com/769-113/000-036](http://www.wago.com/769-113/000-036)**Nr. articol: 769-113/000-037**

1-conductor female plug; 4 mm²; 13-pole; 4,00 mm²; green-yellow, gray

[www.wago.com/769-113/000-037](http://www.wago.com/769-113/000-037)**Nr. articol: 769-113/000-038**

1-conductor female plug; 4 mm²; 13-pole; 4,00 mm²; gray, blue, green-yellow

[www.wago.com/769-113/000-038](http://www.wago.com/769-113/000-038)**Nr. articol: 769-113/000-039**

1-conductor female plug; 4 mm²; 13-pole; 4,00 mm²; green-yellow, blue, gray

[www.wago.com/769-113/000-039](http://www.wago.com/769-113/000-039)**Nr. articol: 769-114**

1-conductor female plug; 4 mm²; 14-pole; 4,00 mm²; gray

[www.wago.com/769-114](http://www.wago.com/769-114)**Nr. articol: 769-114/000-036**

1-conductor female plug; 4 mm²; 14-pole; 4,00 mm²; gray, green-yellow

[www.wago.com/769-114/000-036](http://www.wago.com/769-114/000-036)**Nr. articol: 769-114/000-037**

1-conductor female plug; 4 mm²; 14-pole; 4,00 mm²; green-yellow, gray

[www.wago.com/769-114/000-037](http://www.wago.com/769-114/000-037)**Nr. articol: 769-114/000-038**

1-conductor female plug; 4 mm²; 14-pole; 4,00 mm²; gray, blue, green-yellow

[www.wago.com/769-114/000-038](http://www.wago.com/769-114/000-038)**Nr. articol: 769-114/000-039**

1-conductor female plug; 4 mm²; 14-pole; 4,00 mm²; green-yellow, blue, gray

[www.wago.com/769-114/000-039](http://www.wago.com/769-114/000-039)**Nr. articol: 769-115**

1-conductor female plug; 4 mm²; 15-pole; 4,00 mm²; gray

[www.wago.com/769-115](http://www.wago.com/769-115)

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



**Nr. articol: 769-115/000-036**1-conductor female plug; 4 mm<sup>2</sup>; 15-pole; 4,00 mm<sup>2</sup>; gray, green-yellow[www.wago.com/769-115/000-036](http://www.wago.com/769-115/000-036)**Nr. articol: 769-115/000-037**1-conductor female plug; 4 mm<sup>2</sup>; 15-pole; 4,00 mm<sup>2</sup>; green-yellow, gray[www.wago.com/769-115/000-037](http://www.wago.com/769-115/000-037)**Nr. articol: 769-115/000-038**1-conductor female plug; 4 mm<sup>2</sup>; 15-pole; 4,00 mm<sup>2</sup>; gray, blue, green-yellow[www.wago.com/769-115/000-038](http://www.wago.com/769-115/000-038)**Nr. articol: 769-115/000-039**1-conductor female plug; 4 mm<sup>2</sup>; 15-pole; 4,00 mm<sup>2</sup>; green-yellow, blue, gray[www.wago.com/769-115/000-039](http://www.wago.com/769-115/000-039)**Nr. articol: 769-121**2-conductor female connector; 4 mm<sup>2</sup>; 1-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-121](http://www.wago.com/769-121)**Nr. articol: 769-122**2-conductor female connector; 4 mm<sup>2</sup>; 2-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-122](http://www.wago.com/769-122)**Nr. articol: 769-123**2-conductor female connector; 4 mm<sup>2</sup>; 3-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-123](http://www.wago.com/769-123)**Nr. articol: 769-124**2-conductor female connector; 4 mm<sup>2</sup>; 4-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-124](http://www.wago.com/769-124)**Nr. articol: 769-125**2-conductor female connector; 4 mm<sup>2</sup>; 5-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-125](http://www.wago.com/769-125)**Nr. articol: 769-126**2-conductor female connector; 4 mm<sup>2</sup>; 6-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-126](http://www.wago.com/769-126)**Nr. articol: 769-127**2-conductor female connector; 4 mm<sup>2</sup>; 7-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-127](http://www.wago.com/769-127)**Nr. articol: 769-128**2-conductor female connector; 4 mm<sup>2</sup>; 8-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-128](http://www.wago.com/769-128)**Nr. articol: 769-129**2-conductor female connector; 4 mm<sup>2</sup>; 9-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-129](http://www.wago.com/769-129)**Nr. articol: 769-130**2-conductor female connector; 4 mm<sup>2</sup>; 10-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-130](http://www.wago.com/769-130)**Nr. articol: 769-131**2-conductor female connector; 4 mm<sup>2</sup>; 11-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-131](http://www.wago.com/769-131)**Nr. articol: 769-132**2-conductor female connector; 4 mm<sup>2</sup>; 12-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-132](http://www.wago.com/769-132)**Nr. articol: 769-133**2-conductor female connector; 4 mm<sup>2</sup>; 13-pole; 4,00 mm<sup>2</sup>; gray[www.wago.com/769-133](http://www.wago.com/769-133)

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



**Nr. articol: 769-134**  
2-conductor female connector; 4 mm<sup>2</sup>; 14-pole; 4,00 mm<sup>2</sup>; gray

[www.wago.com/769-134](http://www.wago.com/769-134)



**Nr. articol: 769-135**  
2-conductor female connector; 4 mm<sup>2</sup>; 15-pole; 4,00 mm<sup>2</sup>; gray

[www.wago.com/769-135](http://www.wago.com/769-135)

#### ferrule



**Nr. articol: 216-101**  
Ferrule; Sleeve for 0.5 mm<sup>2</sup> / AWG 22; uninsulated; electro-tin plated

[www.wago.com/216-101](http://www.wago.com/216-101)



**Nr. articol: 216-102**  
Ferrule; Sleeve for 0.75 mm<sup>2</sup> / AWG 20; uninsulated; electro-tin plated

[www.wago.com/216-102](http://www.wago.com/216-102)



**Nr. articol: 216-103**  
Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; uninsulated; electro-tin plated

[www.wago.com/216-103](http://www.wago.com/216-103)



**Nr. articol: 216-104**  
Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; uninsulated; electro-tin plated

[www.wago.com/216-104](http://www.wago.com/216-104)



**Nr. articol: 216-201**  
Ferrule; Sleeve for 0.5 mm<sup>2</sup> / 20 AWG; insulated; electro-tin plated; white

[www.wago.com/216-201](http://www.wago.com/216-201)



**Nr. articol: 216-202**  
Ferrule; Sleeve for 0.75 mm<sup>2</sup> / 18 AWG; insulated; electro-tin plated; gray

[www.wago.com/216-202](http://www.wago.com/216-202)



**Nr. articol: 216-203**  
Ferrule; Sleeve for 1 mm<sup>2</sup> / AWG 18; insulated; electro-tin plated; red

[www.wago.com/216-203](http://www.wago.com/216-203)



**Nr. articol: 216-204**  
Ferrule; Sleeve for 1.5 mm<sup>2</sup> / AWG 16; insulated; electro-tin plated; black

[www.wago.com/216-204](http://www.wago.com/216-204)



**Nr. articol: 216-206**  
Ferrule; Sleeve for 2.5 mm<sup>2</sup> / AWG 14; insulated; electro-tin plated; blue

[www.wago.com/216-206](http://www.wago.com/216-206)

**Nr. articol: 216-301**  
Ferrule; Sleeve for 0.25 mm<sup>2</sup> / AWG 24; insulated; electro-tin plated; yellow

[www.wago.com/216-301](http://www.wago.com/216-301)



**Nr. articol: 216-302**  
Ferrule; Sleeve for 0.34 mm<sup>2</sup> / 22 AWG; insulated; electro-tin plated; green

[www.wago.com/216-302](http://www.wago.com/216-302)

#### Coding



**Nr. articol: 769-435**  
Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors; orange

[www.wago.com/769-435](http://www.wago.com/769-435)

#### Marking accessories



**Nr. articol: 210-831**  
Marking strips; on reel; 2.3 mm wide; plain; Self-adhesive; white

[www.wago.com/210-831](http://www.wago.com/210-831)



**Nr. articol: 210-832**  
Marking strips; on reel; 3 mm wide; plain; Self-adhesive; white

[www.wago.com/210-832](http://www.wago.com/210-832)



**Nr. articol: 210-833**  
Marking strips; on reel; 6 mm wide; plain; Self-adhesive; white

[www.wago.com/210-833](http://www.wago.com/210-833)

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Nr. articol: 210-834

Marking strips; on reel; 5 mm wide; plain; Self-adhesive; white

[www.wago.com/210-834](http://www.wago.com/210-834)**Descărcări****Documentation****Additional Information**

Technical explanations

Apr 3, 2019

pdf  
2,1 MB

Descărcare

**CAD/CAE-Data****CAD data**

2D/3D Models 769-662/004-000

URL

Descărcare

**PCB Design**

Symbol and Footprint 769-662/004-000

URL

Descărcare

CAX data for your PCB design, consisting of "schematic symbols and PCB footprints", allow easy integration of the WAGO component into your development environment.

**Supported formats:**

- Accel EDA 14 & 15
- Altium 6 to current version
- Cadence Allegro
- DesignSpark
- Eagle Libraries
- KiCad
- Mentor Graphics BoardStation
- Mentor Graphics Design Architect
- Mentor Graphics Design Expedition 99 and 2000
- OrCAD 9.X PCB and Capture
- PADS PowerPCB 3, 3.5, 4.X, and 5.X
- PADS PowerPCB and PowerLogic 3.0
- PCAD 2000, 2001, 2002, 2004, and 2006
- Pulsonix 8.5 or newer
- STL
- 3D STEP
- TARGET 3001!

Supus modificărilor.

WAGO Kontakttechnik GmbH &amp; Co. KG

/Representative Office Romania

Sos. Pipera-Tunari nr. 1/1

building 1, 2nd floor | 077190 Voluntari, Ilfov

Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?

Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

PCB Component Libraries (EDA), PCB CAD Library Ultra Librarian



## Familie de produse

### X-COM

Afișare globală produse din familie.

Supus modificărilor.

---

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: [info-RO@wago.com](mailto:info-RO@wago.com)

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.