


Fișă tehnică | Număr articol: 870-407/011-000

Ready-made push-in type jumper bar; insulated; 1-3-5-7; Nominal current 18 A; light gray



www.wago.com/870-407/011-000



Date

Electrical data

Ratings per IEC/EN 60664-1

Rated current	18 A
---------------	------

Geometrical Data

Width	34 mm / 1.339 inch
Depth	2.5 mm / 0.098 inch

Material Data

Color	light gray
Fire load	0,034 MJ

Commercial data

Product Group	16 (Rail Mounted Terminal Block with CCC)
---------------	-------------------------------------------

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Packaging type

BOX

Counterpart

Descărcări Documentation

Additional Information

Technical explanations

Apr 3, 2019

pdf
2,1 MB

Descărcare

CAD/CAE-Data

CAE data


WSCAD Universe 870-407/011-000

URL

Descărcare

Installation Notes

Jumpered



Commoning with push-in type jumper bars:

Two parallel jumper slots are
accommodated in one terminal block.

Supus modificărilor.



Push jumper bars down firmly until fully inserted. When using multipole bars, push alternately on the right and then left side, until installed.

Push-in type jumper bars 1 – 3 – 5 – 7 or
1 – – 4 – – 7

upon request

Supus modificărilor.