

Fișă tehnică | Număr articol: 282-432/100-000

Jumper with safety lid; insulated; 2-way; Nominal current 30 A; orange

www.wago.com/282-432/100-000



Date

Electrical data

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Ratings per IEC/EN 60664-1

Rated current	30 A
---------------	------

Material Data

Color	orange
Fire load	0,026 MJ
Weight	3 g

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4050821096368
Customs tariff number	85366990990

Counterpart

Descărcări

Documentation

Additional Information

Technical explanations	Apr 3, 2019	pdf 2,1 MB	Descărcare
------------------------	-------------	---------------	------------

CAD/CAE-Data


CAE data

WSCAD Universe 282-432/100-000	URL	Descărcare
--------------------------------	-----	------------


Installation Notes

Jumpered


Supus modificărilor.




BJumper with safety lid in pre-locked position



Longitudinal switching disconnect terminal blocks with inserted jumper, including safety lid




Jumper with raised safety lid



Removing a jumper via safety lid.



Jumper with safety lid



Jumper with safety lid:

Remove jumper via operating tool.

Removing jumper via operating tool.

Supus modificărilor.