



Date

Electrical data

Ratings per IEC/EN 60664-1

Rated current	30 A
---------------	------

Material Data

Color	orange
Fire load	0,05 MJ
Weight	5,5 g

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4050821096382
Customs tariff number	85366990990

Counterpart

Descărcări Documentation

Additional Information

Technical explanations	Apr 3, 2019	pdf 2,1 MB	Descărcare
------------------------	-------------	---------------	------------


CAD/CAE-Data

CAE data


WSCAD Universe 282-434/100-000	URL	Descărcare
--------------------------------	-----	------------

Installation Notes


Jumpered



B Jumper with safety lid in pre-locked position




Longitudinal switching disconnect terminal blocks with inserted jumper, including safety lid



Jumper with raised safety lid


Supus modificărilor.



Removing a jumper via safety lid.



Jumper with safety lid



Jumper with safety lid:

Remove jumper via operating tool.

Removing jumper via operating tool.

Supus modificărilor.