

Date

Electrical data

Ratings per IEC/EN 60664-1

Rated current	30 A
---------------	------

Material Data

Color	orange
-------	--------

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Fire load	0,037 MJ
Weight	4,4 g

Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4050821096375
Customs tariff number	85366990990

Counterpart

Descărcări

Documentation

Additional Information

Technical explanations	Apr 3, 2019	pdf 2,1 MB	Descărcare
------------------------	-------------	---------------	------------


CAD/CAE-Data

CAE data

WSCAD Universe 282-433/100-000	URL	Descărcare
--------------------------------	-----	------------


Installation Notes

Jumpered




B-jumper with safety lid in pre-locked position


Supus modificărilor.



Longitudinal switching disconnect terminal blocks with inserted jumper, including safety lid




Jumper with raised safety lid



Removing a jumper via safety lid.



Jumper with safety lid



Jumper with safety lid:

Remove jumper via operating tool.

Removing jumper via operating tool.

Supus modificărilor.