


## Fișă tehnică | Număr articol: 832-545

center locking with strain relief; Pin spacing 10.16 mm; orange

[www.wago.com/832-545](http://www.wago.com/832-545)



### Date

#### Electrical data

#### Ratings per IEC/EN 60664-1

Legend (ratings)

(III / 2) ≙ Overvoltage category III / Pollution degree 2

#### Approvals per UL 1059

Approvals per

UL 1059

#### Connection data

Pole No.

5

Number of connection types

1

#### Geometrical Data

Width

50.8 mm

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Mechanical data

Suitable for 1-conductor male and female connectors

## Material Data

Color orange

Weight 8,1 g

## Commercial data

Packaging type BOX

Country of origin DE

GTIN 4055143961011

Customs tariff number 39269097900

## Counterpart

## Descărcări

### Documentation

#### Additional Information

Technical explanations

Apr 3, 2019

pdf  
3,6 MB

Descărcare

## Installation Notes


### Assembly



Locking lever for field assembly


### Assembly

Supus modificărilor.



Locking lever for field assembly

#### Assembly



Locking lever for field assembly

Supus modificărilor.